Superfish/Suckerfish has been removed before the release of Tiki25, as they are superseded by Smartmenus Megamenu. See explanation under "CSS (Superfish) Menus" paragraph below for the transition.

Custom Menus

More screenshots are needed

In Tiki you can use the admin-menus panel, or a wiki page, or a structure to create a custom menu. Menus and many other things can be placed into custom "user" modules using the Smarty {menu ...} syntax. The modules can then be placed in a left or right column or the syntax can be placed directly in the various custom code text areas of the Look & Feel admin panel. Menus can be plain, collapsible, you can create a menu where sections of a menu item can be expanded or collapsed within a parent section (folder) or they can be displayed as dynamic menus with some fancy look and effects using CSS and jQuery.

Menu types are specified when the menus are assigned on the Admin Modules page. A menu can be a **Bootstrap** menu, which uses the Bootstrap CSS framework's navbar and dropdown construction, or a CSS **superfish** menu, or a **legacy** Tiki menu. The default difference in these is that the Bootstrap menu "parent" item requires a click to open the dropdown of child items, whereas the superfish menu opens when the pointer hovers over the parent. This means *the Bootstrap parent item can't be a link for navigation*; it's simply a switch to display the child items. On the other hand, the superfish menu's parent items, since they display the child items on hover, can be a navigation link on click.

Also, in vertical Bootstrap menus, child items display straight down, whereas superfish menu "dropdowns" fly out horizontally. Finally, *Bootstrap menus are limited to two levels (parent and child)* (but see "Smartmenus" below), while superfish menus can have up to four levels. The type of menu is specified on the admin-modules page, when the menu-containing module is assigned to a module zone.

Since Tiki 20, **Smartmenus** functionality has been added to Tiki. Smartmenus enhance Bootstrap menus in these ways, among others:

- Dropdowns open on mouse hover rather than mouse click (in desktop mode).
- Multiple levels of dropdowns are supported.
- See Introduction to Smartmenus jQuery for the complete list.

To activate Smartmenus, go to the "Interface" tab of the "Features" admin page (tikiadmin.php?page=features#contentadmin_features-interface) . Smartmenus come with several themes or "modes", but for visual consistency with Tiki's themes, "None" should be selected. The feature is then automatically applied to every horizontal Bootstrap menu, such as in navbars. Support for vertical Bootstrap menus is still being worked out, so stay tuned. In the meantime, superfish menus can be used to get the same behavior. When fully integrated, Bootstrap + Smartmenus should make CSS superfish menus redundant.

Creating a Custom Menu

Go to Admin > Menus (or input the URL for your site ending with ./tiki-admin_menus.php.

42 0 Home bki-index.php 0 42 5 Chat bki-chat.php 0 feature_chat bki_p_chat 42 10 Contact.Us bki-chat.php 0 feature_contact W 42 10 Contact.Us bki-chats.php 0 feature_contact W 42 10 Contact.Us bki-chats.php 0 feature_categories. bki_p_view_stats W 42 10 Categories bki-browse_categories.php 0 feature_faqs bki_p_view_categories W 42 20 Games bki-stats.php 0 feature_games bki_p_view_categories W 42 35 Calendar bki-stategories.php 0 feature_calendar bki_p_view_categories W 42 40 (debug) javascript:toggie 0 feature_debug_console bki_p_admin W 42 50 My Area bki-stripping s feature_userPreferences Registered 42 55 Preferences bki-user_preferences.php 0 feature_userPreferences Registered	review	Menu	Edit Menu Op	otions		Some Useful UR	Ls	
Search Go ID Position Name URL Type Sections Permissions Group Ac 42 0 Home bikindex.php o feature_chat biki_p_chat 0 42 10 Contact Us biki-contact.php o feature_contact 0 0 42 10 Contact Us biki-contact.php o feature_contact 0 0 42 15 Statistics biki-stats.php o feature_categories biki_p_view_stats 0 42 20 Categories biki-faqs.php o feature_faqs biki_p_view_faqs 0 42 23 Games biki-faqs.php o feature_categories biki_p_play_games 0 42 35 Calendar biki-calendar.php o feature_calendar bik_p_view_calendar 0 42 40 (debug) javascript:toggle o feature_debug_console bik_p_admin 0 42 50 My Area bikimy_tishph s megistered 0 Registered 0 42 55 Preferences bikimy_tishph s megistered 0 <td< th=""><th>Home Statistics Categorie FAQs # Wiki # Image # Articles # Blogs # Forums D # File Gal # Quizze # Tracker</th><th>s Galleries irectory leries s</th><th>URL: Sections: Permissions: Groups: Type: Position: 1226</th><th></th><th></th><th>General: Choose — ¥ Wiki: Choose — ¥ Artides: Choose — Artides: Choose — Blogs: Choose — ¥ Files: Choose — ¥ Forums: Choose — FAQs: Choose — ¥</th><th></th><th></th></td<>	Home Statistics Categorie FAQs # Wiki # Image # Articles # Blogs # Forums D # File Gal # Quizze # Tracker	s Galleries irectory leries s	URL: Sections: Permissions: Groups: Type: Position: 1226			General: Choose — ¥ Wiki: Choose — ¥ Artides: Choose — Artides: Choose — Blogs: Choose — ¥ Files: Choose — ¥ Forums: Choose — FAQs: Choose — ¥		
42 0 Home bki-index.php 0 42 5 Chat bki-chat.php 0 feature_chat bki_p_chat 42 10 Contact Us bki-chat.php 0 feature_contact 10 42 10 Contact Us bki-chat.php 0 feature_contact 10 42 10 Contact Us bki-chats.php 0 feature_categories. bki_p_view_stats 10 42 20 Categories bki-browse_categories.php 0 feature_faqs bki_p_view_categories 10 42 25 FAQs bki-browse_categories.php 0 feature_games bki_p_view_faqs 10 42 35 Calendar bki-sciendar.php 0 feature_calendar bki_p_view_calendar 10 42 40 (debug) javascript:toggie 0 feature_debug_console bki_p_admin 10 42 50 My Area bki-scip.php 0 feature_debug_console bki_p_admin 10 42 50 My Area bki-scip.php 0 feature_debug_console bki_p_admin 10 42 55 Preferences bki-scip.php 0 feature_calendar </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>								
42 5 Chat bki-chatphp o feature_chat bki_p_chat iii 42 10 Contact Us bki-contact.php o feature_contact iii 42 15 Statistics bki-stats.php o feature_contact iii 42 15 Statistics bki-stats.php o feature_categories bki_p_view_stats iii 42 20 Categories bki-fats.faqs.php o feature_faqs bki_p_view_categories iii 42 23 Games bki-fats.faqs.php o feature_categories bki_p_play_games iii 42 35 Calendar bki-calendar.php o feature_calendar bki_p_view_calendar iii 42 40 (debug) javascript:toggle o feature_debug_console bki_p_admin iii 42 50 My Area bki-siti.ghp s eature_userPreferences Registered iii 42 55 Preferences bki-user_preferences.php o feature_userPreferences Registered iii		otions	Ga					
42 10 Contact Us bki-contact.php o feature_contact W 42 15 Statistics bki-stats.php o feature_stats bki_p_view_stats W 42 20 Categories bki-browse_categories.php o feature_stats bki_p_view_stats W 42 25 FAQs bki-bits_faqs.php o feature_faqs bki_p_view_faqs W 42 30 Games bki-bits_faqs.php o feature_games bki_p_view_faqs W 42 30 Games bki-bits_faqames.php o feature_calendar bki_p_view_calendar W 42 40 (debug) javascript:toggle o feature_debug_console bki_p_admin W 42 50 My Area bki_my_titi.php s Registered K 42 55 Preferences bki-user_preferences.php o feature_userPreferences Registered K	learch				e Sections	Permissions	Group	Actio
42 15 Stabistics bki-stats.shp o feature_stats bki_p_view_stats iii 42 20 Categories bki-browse_categories.php o feature_categories bki_p_view_categories iii 42 25 FAQs bki-bit_stats.games.php o feature_faqs bki_p_view_faqs iii 42 30 Games bki-stats.games.php o feature_games bki_p_view_faqs iii 42 30 Games bki-stats.games.php o feature_games bki_p_view_categories iii 42 30 Games bki-stats.games.php o feature_games bki_p_view_categories iii 42 40 (debug) javascriptitogole o feature_debug_console bki_p_admin iii 42 50 My Area bki-sup_references.php o feature_userPreferences Registered 42 55 Preferences bki-sup_references.php o feature_userPreferences Registered	Search ID Positio	n Name	URL tiki-index.php	Тур	e Sections	Permissions		_
42 20 Categories biki-browse_categories.php o feature_categories biki_p_view_categories if 42 25 FAQs biki-browse_categories.php o feature_faqs biki_p_view_categories if 42 20 Games biki-ist_faqs.php o feature_faqs biki_p_view_categories if 42 30 Games biki-ist_games.php o feature_games biki_p_view_categories if 42 35 Calendar biki-calendar.php o feature_calendar biki_p_view_calendar if 42 40 (debug) javascript:toggle o feature_debug_console biki_p_admin if 42 50 My Area biki-m_titi.php s expected Registered 42 55 Preferences biki-user_preferences.php o feature_userPreferences Registered	iearch ID Positio 12 O	n Name Home	URL tiki-index.php	О				22
42 25 FAQs bikilist_faqs.php o feature_faqs bikilist_games 42 30 Games bikilist_games.php o feature_games bikilist_games 42 35 Calendar bikilist_games.php o feature_calendar bikilist_games 42 35 Calendar bikilist_games.php o feature_calendar bikilist_games 42 40 (debug) javascript:toggle o feature_debug_console bikilist_gamen 42 50 My Area tikilist.jpp s Registered 42 55 Preferences tikilist.gamen_preferences.php o feature_userPreferences	iearch ID Positio 12 O 12 S	n Name Home Chat Contact Us	URL tiki-index.php tiki-chat.php	Type o o	feature_chat	tiki_p_chat		87) 87) 87)
12 30 Games bikilist_games.php o feature_games bikilist_games bikilist_games 12 35 Calendar bikilist_games.php o feature_calendar bikilist_games bikilist_games 12 35 Calendar bikilist_games.php o feature_calendar bikilist_games bikilist_games 12 40 (debug) javascript:toggle (debugconsole) o feature_debug_console bikilist_games bikilist_games 12 50 My Area bikilist.ims_bikilishp s Registered 12 55 Preferences bikilister_preferences.php o feature_userPreferences Registered	Eearch 10 Pasilla 12 0 12 5 12 10 12 15	n Name Home Chat Contact Us Statistics	URL tikl-index.php tikl-chat.php tikl-contact.php tikl-stats.php	0 0 0	feature_chat feature_contact feature_stats	tiki_p_chat tiki_p_view_stats		87) 87) 87) 87)
12 35 Calendar biki-calendar.php o feature_calendar biki_p_view_calendar 12 40 (debug) javascript:toggle o feature_debug_console biki_p_admin 12 50 My Area biki-my_tbiki.php s Registered 12 55 Preferences biki-user_preferences.php o feature_userPreferences Registered	Eearch 10 Pasilla 12 0 12 5 12 10 12 15	n Name Home Chat Contact Us Statistics Categories	URL Bikindex.php Biki-chat.php Biki-chat.php Biki-stats.php Biki-browse_categories.php	0 0 0 0	feature_chat feature_contact feature_stats feature_categories	tiki_p_chat tiki_p_view_stats tiki_p_view_categories		87) 87) 87) 87)
12 40 (debug) javascript:toggle ('debugconsole') o feature_debug_console bki_p_admin @ 12 50 My Area bki_my_bki_php s Registered @ 12 55 Preferences Registered @	D Positio 12 0 12 5 12 10 12 15 12 20 12 25	n Name Home Chat Contact Us Statistics Categories FAQs	DRL bikindax.php bikindat.php bikinstats.php bikinstats.php bikinstats.php bikinstats.php	0 0 0 0 0	feature_chat feature_contact feature_stats feature_categories feature_faqs	tiki_p_chat tiki_p_view_stats tiki_p_view_categories tiki_p_view_faqs		
(debugconsole') 12 50 My Area tiki-my_tiki.php s Registered 2 12 55 Preferences tiki-user_oreferences.php o feature_userPreferences Registered 2	D Positio 42 0 42 5 42 10 42 15 42 20 42 25 42 30	n Name Home Chat Contact Us Statistics Categories FAQs Games	URL bikindex.php bikindex.php bikindex.php bikindex.sec.ategories.php bikinst_fags.php bikilist_fags.php bikilist_games.php	0 0 0 0 0 0	feature_chat feature_contact feature_stats feature_categories feature_fags feature_games	tiki_p_chat tiki_p_view_stats tiki_p_view_categories tiki_p_view_faas tiki_p_play_games		87) 87) 87) 87) 87) 87) 87)
12 55 Preferences bki-user_preferences.php o feature_userPreferences Registered 🔐	iearch 12 0 12 0 12 5 12 10 12 15 12 20 12 25 12 30 12 35	n Name Home Chat Contat Us Statistics Categories FAQs Games Calendar	URL bikiindex.php bikiichat.php bikiistats.php bikiistats.php bikiistats.php bikiistats.php bikiistats.php bikiistats.php bikiistats.php bikiistats.php	0 0 0 0 0 0 0	feature_chat feature_contact feature_stats feature_categories feature_faqs feature_games feature_calendar	bki_p_chat bki_p_view_stats bki_p_view_categories bki_p_view_fags bki_p_play_games bki_p_view_catendar		87) 87) 87) 87) 87) 87) 87) 87)
	iearch 12 Positio 12 0 12 12 12 10 12 15 12 20 12 25 12 30 12 35 12 40	Name Home Chat Contact Us Statistics Categories FAQs Games Calendar (debug)	DRL bikindex.php bikindex.php bikindex.php bikindex.php bikindex.php bikindex.php bikindex.php bikindex.php bikinder.php bikinder.php javascript.boggle ('debugconsole')	T V 0 0 0 0 0 0 0 0 0 0 0	feature_chat feature_contact feature_stats feature_categories feature_faqs feature_games feature_calendar	bki_p_chat bki_p_view_stats bki_p_view_categories bki_p_view_fags bki_p_play_games bki_p_view_catendar		
in an international the second se	iearch 12 0 12 0 12 12 12 10 12 15 12 20 12 25 12 30 12 35 12 40 12 50 12 50	Name Home Chat Contact Us Statistics Categories FAQs Games Calendar (debug) My Area	URL bikindex.php bikindex.ph	Type 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	feature_chat feature_contact feature_stats feature_stagories feature_fags feature_games feature_calendar feature_debug_console	tki_p_chat tki_p_view_stats tki_p_view_categories tki_p_view_fags tki_p_giew_fags tki_p_view_calendar tki_p_admin	Registered	

There are three different types of menus that can be created:

Admin Menu: Site Maintainace 🛯 🕲

• **Fixed** (f): The menu will be static; all the options will be displayed in the menu module.

insert screenshot here

• **Dynamic collapsed** (d): The menu is dynamic; only the sections will be displayed in the menu module and there will be +/- links or a folder icon to open/close sections. The application menu in Tiki is an example of this class of menu.

insert screenshot here

• **Dynamic expanded** (e): The same as before but all the sections are expanded by default and the user can close with (-) or the folder icon of the section that he wants to close.

insert screenshot here

Creating menus from structure tocs

See Structures User

You can either make a navigation menu from a "menu Id" or from a "structure Id".

Configuring a Custom Menu

Once created, click the configuration button on this new menu's row, which will take you to /tiki-admin_menu_options.php?menuId=n

To create a menu item, fill in the edit menu options form: at least **Name**, **URL** (relative or absolute), **Type** = "option" and **Position** which is a number to set the menu item order. Save and look at the Preview of the menu.

You can specify the link to a wiki page in a menu option with the syntax ((pageName)). The advantage is to have a rename of the option when the page name changes, and to be able to have a SEFURL link if the feature SEFURLs is checked. The SEFURL will become http://example.org/Home instead of http://example.org/tiki-index.php?page=Home .

To create a section (i.e. a folder) that can be opened or collapsed, fill in the edit menu options form with at

least Name, URL, Type = "section" and Position.

NOTE: Do not put anything in **Sections** unless you know the Tiki specific feature references e.g. feature_wiki or feature_blog_rankings. These can be auto-filled using **Some useful URLs** pull-downs, or look at the **Tips** below to know how to guess the section name of the feature you are interested in.

- A **section** is an option that when hovered over (in a Superfish menu) or clicked (in a Bootstrap menu) will display the options below it in the menu hierarchy. The items belonging to a section are defined as a list of consecutive 'options'. The options of a section stop when the next item is a section, a sorted section, or a separator. Again, keep in mind a Bootstrap-type menu can have only two levels, and the top-level section item is used only to trigger the display of its option items; it can't be used as a navigation link itself.
- A sorted section sorts all its dependent options when displayed.
- A **separator** does nothing except to stop a section (useful if you want to do a section followed by an option)

Example

- option1
- section1
 - \circ option2
 - \circ section3
 - option3
 - option4
 - section4
 - option5
 - \circ section5
- option6

will be

option
section level 0
option
section level 1
option
option
section level 2
option
section level1
separator
separator
option

Tip: Leave intentional gaps when inputting the positions of options, such as 10, 30, 50, 70, 90. This will make it easier to add a menu item somewhere in the middle of the menu, in the future.

Allow viewing options/sections only under some conditions

Normally, the visibility of a menu item for a particular user is determined by the visibility of the link target

for that user. In other words, if a user doesn't have permission to see "blog 3", then the "blog 3" link won't be visible to that user. This is done automatically by Tiki - no special effort is needed when making the menu. But to explicitly add permissions for menu-item visibility, see the next section.

Allow only to some specific groups

You can restrict the view of some options and sections in the menu, so that only specific groups can view them. For instance, you could add a "User Preferences" option in position 100 to your customized menu that is seen by users only when they log in (registered group).

To do this, you would add:

Name:	User Preferences		
URL:	tiki-user_preference	s.php	
Sections:			
Permissions:			
Group:	Registered		
Туре:	option	Position:	100

You can specify a list of groups (multiple select). In this case, it means that the user needs to be in each group to see the option.

If you want a list of groups to see the option, = a user to be only in one of the groups to see the option, you have to insert has many options as groups. Each option must have the same parameters (same position, ...) except for the group.

The trick is, if you don't select any Groups, everyone can see the menu option. If you want to exclude a group, select all the other groups (but not the group you want to exclude).

Similarly, you can inadvertently exclude a logged-in group by selecting too many groups. You don't need to select all of your Admin-type groups (they can usually see everything anyway). Just select the one logged-in group that you want to able to see the menu item. (Yes, this is all very weird.)

Allow only if feature X is enabled

Imagine you want to add the option "Users Map" in position 110, to anonymous or registered groups, only when the feature Google Maps (gmap) is enabled in your site. You can do that with:

Name:	Users map		
URL:	tiki-gmap_usermap.	php	
Sections:	feature_gmap		
Permissions:			
Group:			
Type:	option	Position:	110

Allow only if feature X enabled and if user in a group with given permission

You could also restrict the menu option to be seen when the feature X is enabled, but also only when the user belongs to a group which has a specific permission.

For instance, you could add an option "Upload image" in position 120 which is seen only when the feature image galleries (feature_galleries) is enabled AND only by users in groups which have the permission to

upload images (tiki_p_upload_images).

To achieve this behavior, you have to add something like:

Name:	Upload image		
URL:	tiki-upload_image.ph	þ	
Sections:	feature_galleries		
Permissions:	tiki_p_upload_images		
Group:			
Туре:	option	Position:	120

Tips

- 1. You could add to a menu entry any combination of settings for sections, permissions or groups.
- 2. If you need a same option with different perms or group, duplicate the option with the same position value.
- 3. To know the section names in order to allow only some new options when the feature is enabled, you can disable/enable them under "**Admin home > Features**" (**tiki-admin.php?page=features**), and you will see its name reported on top of the page when it's reloaded after you saved your changes. Then, you can enable/disable them again to its original state, if you don't want to change this setting.
- 4. To know the permission names, go to Admin > Groups > press on the key icon () next to a group) (tiki-assignpermission.php?group=Registered, for instance)

Include menu in a new user module or in templates

Once the menu has all or most of the options go to "Admin Modules" page (/tiki-admin_modules.php), under " Create new user module" at the bottom, find your menu title in the pull-down "Menus" on the right, click **use menu** and "{menu id=n}" (where n = your menu ID) will appear in the "Create new user module" data box. Add a title (what will users will see) and a name (what admin sees) and click **create/edit**.

Now you have created a new user module for the custom menu.

Multilingual menu

• Multilingual Menu

CSS (Superfish) Menus

From Tiki25 CSS Superfish/Suckerfish Menus is not available anymore and is replaced by Smartmenus Megamenu. To do the transition between the tow and have similar behavior, like having arrows for submenu items you need to check your menu module and be sure that:

- Bootstrap menu is set to "Yes"
- CSS Menu (deprecated) is set to "no"

Then back on the Settings, General, Navigation (tiki-admin.php?page=general#contentadmin_general-3) enable "Smartmenus".

Due to this and other related changes from Tiki24 to Tiki25 it is possible you have to adjust the design of

your menus.

This menu (author's documentation at https://superfish.joelbirch.design/) can be either vertical (in a module), or horizontal.

To recap: a menu created in Admin Menus can be displayed in one of four ways: a Tiki legacy (pre-CSS/pre-Bootstrap) menu, a Bootstrap menu, a Superfish menu, or a Bootstrap + Smartmenus menu. Once the menu is created, it can be display at the site either directly in a module, in a template file {menu id=1} or in Admin Look and Feel (custom code). To have a Superfish menu used in a module (via admin) or a template (via file editing) add the parameter css=y to the smarty tag {menu}.

Additional Parameters

type	horiz or vert op open	open will close no submenus
sectionLeve	el numeric	all the submenus beginning at this level will be displayed if the url matches one of the option of this level or above or below
toLevel	numeric	do not display option higher than this level
subMenu	numeric	menu option ID root. Only the submenu of this option will be displayed

Contextual menu example

Imagine this menu (id=101)

- flower
 - \circ rose
 - monaco
 - daisy
- tree
 - \circ tree
 - \circ oak

will display when you are on rose, or flower or monaco flower | tree rose|daisy will display when you are tree, oak flower } tree tree|oak

Three steps to a contextual menu

Please mind, that this custom-contextual-menu will <u>only show items, when you are "on a page" that is</u> <u>linked from the menu</u>.

If you move forward on a more complex website, then the left submenu will show up "empty". That makes no sense and I am on to get more problems solved related to the contextual menu.

Example:

You link to a "startpage" of a wiki structure, but the other pages of the structure are not linked "in" the menu ...

... clicking on the menu item linking to that page will let appear the appropriate (not empty) contextual menu ...

... but if you "move" forward in the wiki structure, the contextual menu will become empty.

url - attributes (target, rel, ...)

External Links in Menus target

If you want to let external links be opened in a new Tab or window, you need a target=_blank. Please mind a difference in the notation regarded to "normal" HTML (the starting and ending quotes are intended to be missing):

In the menu you have to type:

target=_blank

http://foo.bar" target="_blank

And it will only work, if you enable the following in the admin panel "general settings -> navigation":

allow-HTML

Allow HTML in link text and do not escape the url in menu items (Please note: this might be insecure if you allow more people to edit menus) (Please note2: dialogues of the Tiki administration might evole and change over time ... this description shows it's principle.)

Alternatively, you can try How to make menu items open in a new window

other attributes

Other attributes like " **rel="box** which opens mainly anything in a nice pop up box, if "colorbox" is activated, should work in the same way.

Links in iframe

Links to be opened inside an iframe in the main display area can be done this way (Featured Links feature has to be enabled):

Link opens in iframe

tiki-featured link.php?type=f&url=http%3A%2F%2Fwww.siemens.com%2f

All special characters have to be replaced with the html encoding, e.g. / has to be replaced with %2f!

Perms

• To create a menu or delete one, you need tiki_p_edit_menu, to create/edit a menu option, you need tiki_p_edit_menu_option (of course, you have implicitly the 2 perms when you have tiki_p_admin)

Change the folder icons of a Tiki menu

There are 2 ways to change the folder icons 1) to change it as every other icons by overloading it at the templates level. You need to create 2 icons

- styles/my_style/img/icons/folder.png
- styles/my_style/img/icons/ofolder.png

2)to change locally for a menu. You must specify the path to the icon folder for close section like my_modifications/my_icon.gif and you must supply this icon and the closed icon that must be name my_modifications/omy_icon.gif (notice the o letter)

For the change to take effect, you may have to clear Tiki's caches (at tiki-admin_system.php) and your browser cache, and/or log out of Tiki to clear session information.

Add icons to each option of a menu

First, you need to activate the general preference in:

• Settings > Control Panels > Admin > General > Navigation > Menus > 'Menu Icons'

General @ ilobal site configuration, date Tiki Installer		Q Check for Update	s Now	Apply
General Preferences	General Settings	Navigation	Date and Time	No Tabs
Menus				
CSS menus		© 0		
Superfish		C 0 D		
Menu user levels		0		
Featured links		09		
Use folder icons for menu se	ction (parent) items	0		
Menu icons		C 🛛 🖸		
Default path for the icons		img/icons/large		
Edit menu icon		C 0 D		

Click to expand

Then, for the specific menu which you would like to use Icons, you must check the option 'Configure icons for menu entries'. This can be found at Settings > Menus > Edit ('edit' is found in the 'wrench' icon to the right of the menu you want to use Icons')

Finally, for each option, you can give the name of the file containing the icon (the file will be fetched from the directory you specified at: Settings > Control Panels > Admin > General > Navigation > Menus > 'Default path for the icons') or you can give the path of an icon relative to tikiroot.

Drag and drop

Since Tiki18 menu management allows drag and drop of items.

nage menu Documentation_Menu Preview Preview Preview Preview Preview Previe	Newitem i Sove	.ist Menus	+	Create m	enu opi	tion	🕼 Edit	This Men	i 📩 Export	🔔 Import			
 Newitem i Szc 	Newitem i Saxe • Home i • / C • All the document i • ((All the Documentation)) C • Troubleshooting i • ((Troubleshooting)) C • Tutorials / HowTc i • ((Tutorials)) C • New in version i • URL or ((page name)) C • Tiki 18.LTS (sho i • ((Trki18)) C	nage menu	Docum	entation_N	1enu	Pre	eview						ľ
 Home i / 	Home All the document i O((All the Documentation)) I the document I the document </th <th>enu o</th> <th>ptio</th> <th>ns 😰</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	enu o	ptio	ns 😰									
 All the document i <l< th=""><th> All the document i ((All the Documentation)) X Troubleshooting i ((Troubleshooting)) X Troubleshooting i ((Troubleshooting)) X Tutorials / HowTc i ((Trutorials)) X New in version i (URL or ((page name)) X Tiki 18.x LTS (sho i ((Triki18)) X </th><th>New</th><th>item</th><th></th><th>i</th><th></th><th>Save</th><th></th><th></th><th></th><th></th><th></th><th></th></l<>	 All the document i ((All the Documentation)) X Troubleshooting i ((Troubleshooting)) X Troubleshooting i ((Troubleshooting)) X Tutorials / HowTc i ((Trutorials)) X New in version i (URL or ((page name)) X Tiki 18.x LTS (sho i ((Triki18)) X 	New	item		i		Save						
Troubleshooting Troubleshooting Troubleshooting Troubleshooting Troubleshooting Tutorials/HowTc Troubleshooting Troubleshooting Troubleshooting Troubleshooting Troubleshooting Troubleshooting Troubleshooting Troubleshooting Troubleshooting Troubleshooting	Troubleshooting Troubleshooting Tutorials/HowTe Tutorials/HowTe i Mew in version. i VRW in version. i version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version. Version.	\$	Home			i	90	J		٩	×		
Tutorials / HowTe i	 Tutorials / How Tc i (Tutorials)) X New in version i URL or ((page name)) X Tiki 18.x LTS (sho i (Tiki 18)) X 	\$	All the	document		i	ø	((All the I	Documentation))	٩	×		
	New in version i % URL or ((page name)) If X Tiki 18.x LTS (sho i % ((Triki18)) If X	\$	Troub	leshooting		i	%	((Trouble	shooting))	٦	×		
• New in version Image: Image		\$	Tutori	als / HowTc		i	9 0	((Tutoria	s))	Ø	×		
		\$	Newi	n version		i	90	URL or ((page name))	٩	×		
◆ Tiki 18.x LTS (sho □ i % ((Tiki 18)) ☞ ★	tiki 18 v from Tik i · · · · · · · · · · · · · · ·		\$	Tiki 18.x	LTS (sho		i	90	((Tiki18))		C	×	

Click to expand

See also

For more information about creating menus only for specific groups see: Tutorial - HowTo Create Menus

Alias

• Menus