

## Payment Preferences Tab

Option	Description	Default
Payment system	Currently a choice between PayPal, and Cclite (in development), or Tiki User Credits. <i>PayPal: see PayPal.com - Cclite: Community currency</i> ☰ PayPal   Cclite   Tiki User Credits	PayPal
Currency	Currency used when entering payments.	USD
Default acceptable payment delay	Number of days before a payment request becomes overdue. This can be changed per payment request.	30 days
Wiki page with manual payment instructions	Enter wiki page name	□□□□
User can only see own outstanding payments	Unless the user has administer-payment permissions, a user can only see his or her own outstanding payments	Disabled
User can only see own past or cancelled payments	Unless the user has administer-payment permissions, the user can only see his or her own past or cancelled payments	Disabled
Anonymous users can pay outstanding invoices	Anonymous users can see outstanding invoices to pay them through a simple shopping cart (without the need to set up the advanced cart).	Disabled
PayPal ID	Enable payments through PayPal. This account can be either Personal, Business Standard, or Business Pro. A Personal account allows the receiving of small payments from shopping carts. A Business Standard account allows also the receiving of periodic payments through Plugin GroupMembership or receiving bigger amounts. And a Business Pro account allows further customization. See paypal.com for more information and exact fees depending on your country and business type. <i>Primary email of your PayPal account (Personal or Business).</i>	□□□□
PayPal business password	The PayPal password associated with your PayPal Pro business account. This is NOT needed for PayPal Personal or PayPal Standard Business accounts. <i>Primary password of your PayPal Pro business account - OPTIONAL</i>	□□□□
Paypal business signature	Your API signature associated with your PayPal Pro business account. This is NOT needed for Paypal Personal or Paypal Standard Business accounts. <i>Your API signature associated with your PayPal Pro business account - OPTIONAL</i>	□□□□

Option	Description	Default
PayPal environment	Used to switch between the PayPal sandbox, used for testing and development and the live environment. ☰ Production   Sandbox	Production
PayPal instant payment notification (IPN)	Enable IPN for automatic payment completion. PayPal will ping back the site when a payment is confirmed. The payment will then be entered automatically. This may not be possible if the site is not on a public server.	Enabled
Payment data transfer (PDT)	Enable PDT for automatic payment completion. PayPal will include information that allow to validate the payment when redirecting the user back to your website without waiting for PayPal to ping back the website like IPN. The payment will then be entered automatically.	Enabled
Payment data transfer (PDT) token	Payment data transfer token to validate PDT messages, which should be available in the PayPal admin interface where you enable PDT.	□□□□
Redirect after PDT payment	Optionally, after receiving a successful payment, the user will be redirected to this page.	□□□□
Invoice prefix	The prefix must be set and unique if the same PayPal account is used for different Tiki sites, because PayPal checks that the invoice is not paid twice	□□□□
ILP server base url	Inter Ledger Protocol invoice server base url. ⚠	□□□□
ILP bearer token	Bearer token of ILP invoice server. ⚠	□□□□
Enforce SSL	Enforce SSL connecting to ILP server. ⚠	Disabled
ILP Asset scale	Scale of amount denoted in assetCode. ⚠	9
Cclite registries	Registries in Cclite <i>Registry names in Cclite</i>	□□□□
Cclite registry currencies	Currencies in Cclite <i>Each registry in Cclite can have its own currency. There must be one currency per registry (case sensitive).</i>	□□□□
Cclite server URL	Full URL of the repository for example, <a href="https://cclite.yourdomain.org/cclite/">https://cclite.yourdomain.org/cclite/</a>	□□□□
Cclite merchant user	Username in Cclite representing "the management"	Manager
Cclite merchant key	Corresponds with merchant key setting in Cclite	□□□□
Cclite enable payments	Select Cclite test or live operation. ☰ Live   Test	Test

Option	Description	Default
Hashing algorithm	Encryption type ☰ SHA1   SHA256   SHA512	SHA1
Cclite payment notification	To do	Enabled
Types of credit to use	This is a list of the types of Tiki user credits that are acceptable for payment.	☐☐☐☐
Exchange rate for types of credit to use	This is a corresponding list of the number of credits equivalent to 1 unit of the payment currency.	☐☐☐☐

Option	Description	Default
Payment system	Currently a choice between PayPal, and Cclite (in development), or Tiki User Credits. <i>PayPal: see PayPal.com - Cclite: Community currency</i> ☰ PayPal   Israel Post Payment Module   Cclite   Tiki User Credits	PayPal
Currency	Currency used when entering payments.	USD
Default acceptable payment delay	Number of days before a payment request becomes overdue. This can be changed per payment request.	30 days
Wiki page with manual payment instructions	Enter wiki page name	☐☐☐☐
User can only see own outstanding payments	Unless the user has administer-payment permissions, a user can only see his or her own outstanding payments	Disabled
User can only see own past or cancelled payments	Unless the user has administer-payment permissions, the user can only see his or her own past or cancelled payments	Disabled
Anonymous users can pay outstanding invoices	Anonymous users can see outstanding invoices to pay them through a simple shopping cart (without the need to set up the advanced cart).	Disabled
PayPal ID	Enable payments through PayPal. This account can be either Personal, Business Standard, or Business Pro. A Personal account allows the receiving of small payments from shopping carts. A Business Standard account allows also the receiving of periodic payments through Plugin GroupMembership or receiving bigger amounts. And a Business Pro account allows further customization. See paypal.com for more information and exact fees depending on your country and business type. <i>Primary email of your PayPal account (Personal or Business).</i>	☐☐☐☐

Option	Description	Default
PayPal business password	The PayPal password associated with your PayPal Pro business account. This is NOT needed for PayPal Personal or PayPal Standard Business accounts. <i>Primary password of your PayPal Pro business account - OPTIONAL</i>	□□□□
Paypal business signature	Your API signature associated with your PayPal Pro business account. This is NOT needed for Paypal Personal or Paypal Standard Business accounts. <i>Your API signature associated with your PayPal Pro business account - OPTIONAL</i>	□□□□
PayPal environment	Used to switch between the PayPal sandbox, used for testing and development and the live environment. ☰ Production   Sandbox	Production
PayPal instant payment notification (IPN)	Enable IPN for automatic payment completion. PayPal will ping back the site when a payment is confirmed. The payment will then be entered automatically. This may not be possible if the site is not on a public server.	Enabled
Payment data transfer (PDT)	Enable PDT for automatic payment completion. PayPal will include information that allow to validate the payment when redirecting the user back to your website without waiting for PayPal to ping back the website like IPN. The payment will then be entered automatically.	Enabled
Payment data transfer (PDT) token	Payment data transfer token to validate PDT messages, which should be available in the PayPal admin interface where you enable PDT.	□□□□
Redirect after PDT payment	Optionally, after receiving a successful payment, the user will be redirected to this page.	□□□□
Invoice prefix	The prefix must be set and unique if the same PayPal account is used for different Tiki sites, because PayPal checks that the invoice is not paid twice	□□□□
ILP server base url	Inter Ledger Protocol invoice server base url. ⚠	□□□□
ILP bearer token	Bearer token of ILP invoice server. ⚠	□□□□
Enforce SSL	Enforce SSL connecting to ILP server. ⚠	Disabled
ILP Asset scale	Scale of amount denoted in assetCode. ⚠	9
Israel Post payment environment	Switch between test transactions and real transactions ☰ Production   Test	Production
Israel Post business ID	Provided by Israel Post, usually the business name.	□□□□

Option	Description	Default
Israel Post API password	Provided by Israel Post.	□□□□
Israel Post use pre-authorization	Use the pre-authorization mechanism prior to processing the real transaction. Must match the account configuration at Israel Post.	Disabled
Cclite registries	Registries in Cclite <i>Registry names in Cclite</i>	□□□□
Cclite registry currencies	Currencies in Cclite <i>Each registry in Cclite can have its own currency. There must be one currency per registry (case sensitive).</i>	□□□□
Cclite server URL	Full URL of the repository for example, <a href="https://cclite.yourdomain.org/cclite/">https://cclite.yourdomain.org/cclite/</a>	□□□□
Cclite merchant user	Username in Cclite representing "the management"	Manager
Cclite merchant key	Corresponds with merchant key setting in Cclite	□□□□
Cclite enable payments	Select Cclite test or live operation. ☰ Live   Test	Test
Hashing algorithm	Encryption type ☰ SHA1   SHA256   SHA512	SHA1
Cclite payment notification	To do	Enabled
Types of credit to use	This is a list of the types of Tiki user credits that are acceptable for payment.	□□□□
Exchange rate for types of credit to use	This is a corresponding list of the number of credits equivalent to 1 unit of the payment currency.	□□□□

Option	Description	Default
Payment system	Currently a choice between PayPal, and Cclite (in development), or Tiki User Credits. <i>PayPal: see PayPal.com - Cclite: Community currency</i> ☰ PayPal   Israel Post Payment Module   Cclite   Tiki User Credits	PayPal
Currency	Currency used when entering payments.	USD
Default acceptable payment delay	Number of days before a payment request becomes overdue. This can be changed per payment request.	30 days
Wiki page with manual payment instructions	Enter wiki page name	□□□□

Option	Description	Default
User can only see own outstanding payments	Unless the user has administer-payment permissions, a user can only see his or her own outstanding payments	Disabled
User can only see own past or cancelled payments	Unless the user has administer-payment permissions, the user can only see his or her own past or cancelled payments	Disabled
Anonymous users can pay outstanding invoices	Anonymous users can see outstanding invoices to pay them through a simple shopping cart (without the need to set up the advanced cart).	Disabled
PayPal ID	Enable payments through PayPal. This account can be either Personal, Business Standard, or Business Pro. A Personal account allows the receiving of small payments from shopping carts. A Business Standard account allows also the receiving of periodic payments through Plugin GroupMembership or receiving bigger amounts. And a Business Pro account allows further customization. See paypal.com for more information and exact fees depending on your country and business type. <i>Primary email of your PayPal account (Personal or Business).</i>	<input type="checkbox"/>
PayPal business password	The PayPal password associated with your PayPal Pro business account. This is NOT needed for PayPal Personal or PayPal Standard Business accounts. <i>Primary password of your PayPal Pro business account - OPTIONAL</i>	<input type="checkbox"/>
Paypal business signature	Your API signature associated with your PayPal Pro business account. This is NOT needed for Paypal Personal or Paypal Standard Business accounts. <i>Your API signature associated with your PayPal Pro business account - OPTIONAL</i>	<input type="checkbox"/>
PayPal environment	Used to switch between the PayPal sandbox, used for testing and development and the live environment. ☰ Production   Sandbox	Production
PayPal instant payment notification (IPN)	Enable IPN for automatic payment completion. PayPal will ping back the site when a payment is confirmed. The payment will then be entered automatically. This may not be possible if the site is not on a public server.	Enabled
Payment data transfer (PDT)	Enable PDT for automatic payment completion. PayPal will include information that allow to validate the payment when redirecting the user back to your website without waiting for PayPal to ping back the website like IPN. The payment will then be entered automatically.	Enabled

Option	Description	Default
Payment data transfer (PDT) token	Payment data transfer token to validate PDT messages, which should be available in the PayPal admin interface where you enable PDT.	□□□□
Redirect after PDT payment	Optionally, after receiving a successful payment, the user will be redirected to this page.	□□□□
Invoice prefix	The prefix must be set and unique if the same PayPal account is used for different Tiki sites, because PayPal checks that the invoice is not paid twice	□□□□
Israel Post payment environment	Switch between test transactions and real transactions ☰ Production   Test	Production
Israel Post business ID	Provided by Israel Post, usually the business name.	□□□□
Israel Post API password	Provided by Israel Post.	□□□□
Israel Post use pre-authorization	Use the pre-authorization mechanism prior to processing the real transaction. Must match the account configuration at Israel Post.	Disabled
Cclite registries	Registries in Cclite <i>Registry names in Cclite</i>	□□□□
Cclite registry currencies	Currencies in Cclite <i>Each registry in Cclite can have its own currency. There must be one currency per registry (case sensitive).</i>	□□□□
Cclite server URL	Full URL of the repository <i>for example, <a href="https://cclite.yourdomain.org/cclite/">https://cclite.yourdomain.org/cclite/</a></i>	□□□□
Cclite merchant user	Username in Cclite representing "the management"	Manager
Cclite merchant key	Corresponds with merchant key setting in Cclite	□□□□
Cclite enable payments	Select Cclite test or live operation. ☰ Live   Test	Test
Hashing algorithm	Encryption type ☰ SHA1   SHA256   SHA512	SHA1
Cclite payment notification	To do	Enabled
Types of credit to use	This is a list of the types of Tiki user credits that are acceptable for payment.	□□□□
Exchange rate for types of credit to use	This is a corresponding list of the number of credits equivalent to 1 unit of the payment currency.	□□□□