## Overview

Use this tab to specify a Tiki repository URL and data channel

**Related Topics** 

• Tiki Profiles

## To Access

From the Profiles Admin page, click the Advanced tab.

Option	Description	Default
Automatically approve wiki- plugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wikiplugins that are on wiki pages created via profiles are automatically approved.  • Make sure your profiles are not executable or editable by untrusted users.	Disabled
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved.  • Make sure you review the profiles you install.	Disabled
Repository URLs	List of URLs for the profile repositories that will be used Enter multiple repository URLs, one per line.	http://profiles.tiki.org/pr
Data channels	Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations.  Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) *profilerequest:input* matches to groups.  A There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.	None

Option	Description	Default
Automatically approve wiki- plugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wikiplugins that are on wiki pages created via profiles are automatically approved.  • Make sure your profiles are not executable or editable by untrusted users.	Disabled

Option	Description	Default
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved.  • Make sure you review the profiles you install.	Disabled
Repository URLs	List of URLs for the profile repositories that will be used Enter multiple repository URLs, one per line.	http://profiles.tiki.org/pr
Data channels	Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations.  Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) *profilerequest:input* matches to groups.  A There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.	None

Option	Description	Default
Automatically approve wiki- plugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wikiplugins that are on wiki pages created via profiles are automatically approved.  • Make sure your profiles are not executable or editable by untrusted users.	Disabled
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved.  • Make sure you review the profiles you install.	Disabled
Repository URLs	List of URLs for the profile repositories that will be used Enter multiple repository URLs, one per line.	http://profiles.tiki.org/pr

Option	Description	Default
Data channels	Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations.  Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) *profilerequest:input* matches to groups.  A There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.	None