

Tiki9

To check all the commits in this branch, see: <https://sourceforge.net/p/tikiwiki/code/HEAD/tree/branches/9.x/changelog.txt>

Tiki9 was first released on June 26th, 2012 and is a [Long Term Support](#) (LTS) version and thus will be supported until November 2015. (when Tiki 16 is released)

This is the last version which supports PHP 5.2.x. But really, PHP 5.2.x is no longer supported by PHP itself so you should upgrade to PHP 5.3 See: [Version Lifecycle](#)

Related links:

- [Roadmap](#)
- [Tiki9](#)
- Release notes are [here](#)

Development of Tiki9 started after 8.0 Beta was released. [Tiki7](#) and [Tiki8](#) were huge releases. Tiki9 is expected to be more modest because it's an LTS. [Tiki10](#) is expected to be bigger than Tiki9, but likely not as big as 7.

(alphabetically sorted)

1.1. Articles show similar articles based on

common^ freetags

The [Articles](#) feature has been enhanced to show links to similar articles at the bottom of one article, based on a number of similar [Freetags](#) in common between them.


1.2. Batch^ actions

Some batch actions have been improved so that they can be run based on a url with a token access. They comprise:

See [Batch](#) and [Token Access](#)

1.3. Banning spammers from Action Log data

There is a new option to allow selection of multiple items shown in the action log interface, and sending that information of their ip's to the banning feature, with the minimum number of clicks to have multiple ip's banned at once:



For more information, see [Banning](#)

1.4. BigBlueButton

BigBlueButton (BBB) system for audio/videoconference allows recording the meetings since BBB 0.8. Tiki nowadays can show the recordings to users without the permission to join the meeting, since a new permission `tiki_p_bigbluebutton_view_rec` has been added.

For more information, see: [BigBlueButton](#)

1.5. Calendar

1.5.1. Calendar names^ translatable

Calendar names are now translatable (but not individual events).

- This is useful if you have a calendar ID which has events in several languages. Ex. Training/Formation for CalendarID #4 and each event's info (ex.: name/description) can be in any language or you can make bilingual. The translation of the calendar name label is done like any other translation string in Tiki (lang/**/language.php or lang/**/custom.php or [Interactive Translation](#). See [Calendar](#)

1.5.2. New interfaceÂ "FullCalendar"

A new interface called "FullCalendar" in tiki has been added, which allows to edit events through drag and drop edition of items in the calendar. See [FullCalendar](#).

1.5.3. Calendar: new options

New options have been added to set default new events to all day, and another option to put the name of the event on each day.
See [Calendars](#).

1.6. Cron jobs

Some webhosts don't allow users to set up cron jobs in shared hosting. To avoid this issue, Tiki9 includes another system to manage cronjob calls in a tiki site, in order to allow launching cron jobs from external servers with a special security [token](#).

See [Cron jobs](#).

1.7. Daily reports

[Daily reports](#) feature has been internally revamped, and has a few improvements for end users. These include improvements in internationalization of messages sent, footer added to messages, and tracker item comments are also include in the reports.

1.8. Draw

[Draw](#) has the ability to edit tracker files (through the tracker 'files' field) and wikiplugin_img.
(ref r39344)

1.9. File galleries

1.9.1. Maximum displayed name converted to a preference

Maximum displayed name length a pref (default now 40)

1.9.2. Thumbnails with transparency (png with transparent bgÂ supported)

Thumbnails use png image format for thumbnails if the source file is .png. This preserves transparency in thumbnails.

1.9.3. VCS

[File Gallery](#) include a simple version control system (VCS), which adds revision information to file versions. (Ref. r38587, r38596 in trunk)

1.9.4. Wiki Attachments in File GalleriesÂ fixed

There is a new preference to allow handling attachments in file galleries which is fixed in [Tiki9](#) (r38997).

1.10. File upload improvements in text areas (and new toolbar icon)

New icon and tool in the textarea toolbars allows for faster insertion of file in file galleries for end users, with a reduced number of clicks.

1.11. HtmlFeeds

Introduced in [Tiki9](#), this feature adds a way to push and pull html bits around from one site to another. See [Html Feeds](#).

1.12. Image directoryÂ revamp

The 3 directories for image storing (images/, img/, img/) has been consolidated under img/ directory. See details [here](#)

⚠️ Important

Clear Tiki cache after upgrade, otherwise you get missing icons

1.13. MapÂ Improvements

Additional improvements were made on mapping support to improve the integration with OpenLayers.

- Ability to use different base layers (OpenStreetMap, Google Street/Satellite/Physical)
- Create tracker items from the map view (when using the tracker input module)
- Display search results with periodic refresh on the map using arguments on the map plugin
- Associate icon to the tracker items rendered on the map
- Improved pop-up/infobox
- Added support for Google Street View
- Added the possibility to Draw over Maps via OpenLayers tools.
- And many more.

This was done for the [CartoGraf project](#), an interactive web-based mapping application to enhance learning in history and geography classes in high schools. CartoGraf is mainly based on [Maps](#), [Drawings](#), [PluginAppFrame](#) and [Trackers](#). This is a great example of how to use [profiles](#) to use a general purpose app (Tiki) to make a very specific application (CartoGraf).

1.14. Menu

Some enhancements to the menu admin which include some usability improvements, separated sections into tabs, fixed "quick urls" box, added autocompletes for pages, prefs and perms, and improved preview.

See [Menu](#)

From 9.2 you can also use wiki syntax (including plugins) in menu labels to allow customized formatting and special effects.

1.15. Modules: new and updated

1.15.1. moduleÂ map_edit_features

New module, to edit features on [Maps](#) and adapt tracker input/markers to avoid internal conflicts in OpenLayers. See [Module map_edit_features](#).

1.15.2. module months_links (blog and postsÂ archive)

Improved Module. The module has been improved to display blog posts or articles grouped by months and years, and when clicking in a month, the list of posts or articles will be expanded in real time to shown their titles.

1.15.3. moduleÂ users_own_rank

New module, which shows the users' own rank and score in the 'My Score' module.

1.16. Multilingual ArticlesÂ improved

Multilingual articles had some issues fixed and some interface improvements has been added

1.17. PDF from (jQuery.S5)Â Slideshow

[Slideshows](#) using jQuery.S5 allows to print the presentation in a single PDF file, using "dompdf" library, already included in Tiki9.

See [PluginSlideshow](#)

1.18. Plugins: new and improved!

1.18.1. Pending approval notification

The feature "**Plugin pending notification**" in "**Admin home > Editing and plugins > Plugins (tab)**" has been improved since its addition in [Tiki7](#). It currently sends a copy of the plugin pending approval in the email message to the admin users.

See [Plugins](#) for more information.

1.18.2. Plugin AppFrame

New plugin allowing to integrate various wiki pages and modules into a custom frame divided into tabs and columns. The frame will take up as much space as possible in the screen.

See [PluginAppFrame](#).

1.18.3. Plugin Category→ Transition

New plugin that displays controls to trigger [Category transitions](#) for any object. See [PluginCategoryTransition](#)

1.18.4. Plugin Contribution Dashboard

New plugin that lists users contributions to your work. See [PluginContributionsDashboard](#)

1.18.5. Plugin Convene ("Doodle"-like)

New plugin that allows a group to indicate their preferences for the best option to convene a date for a meeting, action, etc. The interface and purpose is very similar to the basic goal that is commonly achieved by using the website "Doodle" (<http://doodle.com>).

The image displays two screenshots of the 'Convene' plugin interface. The top screenshot, titled 'Meeting for next month', shows a grid for selecting dates and times. The columns represent dates: 2012-05-19 11:00, 2012-05-20 11:00, 2012-05-26 11:00, and 2012-05-27 11:00. The rows represent users: Mary, Xavi, and admin. The grid cells contain checkmarks (green for 'Ok', red for 'Not ok', and yellow for 'Unconfirmed') or question marks. A legend at the top indicates: CHOICES: Ok (+1), Not ok (-1), Unconfirmed (+0). Annotations include: 'STEP 2: Edit user choices' pointing to the user list, 'Remove user choices' pointing to a minus icon, 'Add User' pointing to an input field, 'STEP 1: Write username + press ENTER' pointing to the input field, 'Remove date' pointing to a minus icon on the date header, 'Add date' pointing to a plus icon on the date header, and 'Send winning choice to the predefined Calendar' pointing to a plus icon on the date header. The bottom screenshot, titled 'Convene', shows a user selection form for 'Xavi'. It has a 'Add User' button and a 'STEP 4: Save' button. The form displays four time slots: 18/05/13 11:00h, 18/05/13 17:00h, 19/05/13 11:00h, and 19/05/13 17:00h. Below each slot are dropdown menus for 'Ok', 'Unconfirmed', and 'Not ok'. A 'STEP 3: Choose your options' annotation points to these dropdowns. At the bottom, there are 'Add User' and 'Add Date' buttons.

	2012-05-19 11:00	2012-05-20 11:00	2012-05-26 11:00	2012-05-27 11:00
Mary	✓		?	?
Xavi	✓		✓	?
admin		✓	✓	?
	1	-1	2	0

CHOICES: Ok (+1) Not ok (-1) Unconfirmed (+0)

STEP 2: Edit user choices

Remove user choices

Add User

STEP 1: Write username + press ENTER

Remove date

Add date

Send winning choice to the predefined Calendar

Convene

18/05/13 11:00h 18/05/13 17:00h 19/05/13 11:00h 19/05/13 17:00h

Ok Unconfirmed Not ok Not ok

Add User Add User

STEP 4: Save

STEP 3: Choose your options

Add Date

See [PluginConvene](#)

1.18.6. Plugin Countdown

Many fixes and improvements to [Plugin Countdown](#) have been implemented.

1.18.7. Plugin Exercise

New plugin. See [PluginExercise](#)

1.18.8. PluginÂ HTMLfeed

New plugin. See [PluginHTMLfeed](#)

1.18.9. Plugin PageÂ Tabs

Introduced in [Tiki9](#), it allows the display of content in Tabs, where tabs = wiki pages.
(ref. r39020). See [PluginPageTabs](#).

1.18.10. Plugin List

New parameters maxRecords and offset added, and use the preference for maximum records if this is not set in plugin parameters. See [PluginList](#).

1.18.11. PluginÂ Map

Improved plugin, which currently allows to specify layers to load via search. See [PluginMap](#).

1.18.12. PluginÂ MemberPayment

Improved plugin, which currently allows for giving of free periods on the purchase of at least 1 real full period. Moreover, the plugin shows 2 decimal places even if there is only one. See [PluginMemberPayment](#).

1.18.13. PluginÂ Now

Display the current date or time -> [PluginNow](#)

1.18.14. PluginÂ Report

New plugin, that builds a [Report](#), stores it in a wiki page, and has the ability to edit it from the wiki page itself. See [PluginReport](#).


1.18.15. PluginÂ Slideshow

It includes the option to generate a [PDF](#) from the presentation itself. See [PluginSlideshow](#)

1.18.16. PluginÂ Timesheet

This plugins allows to use the new feature [#Timesheet](#) inside a wiki page.

See [PluginTimeSheet](#)




1.18.17. PluginÂ TrackerFilter

It allows filtering for the fields [Tags Tracker Field](#) and [Auto-Increment Field](#).
And basic support has been added for [Item link](#) field type also.

1.18.18. Plugin WYSIWYG

This plugin permits to have a WYSIWYG section for part of a page. For example, you want to use **WYSIWYG** for a table, but keep most of the page as wiki syntax.

See PluginWYSIWYG



1.19. Profiles

Tiki9 allows to update tracker item via configuration [profiles](#).

1.20. Reports

A new feature for reporting based on other tiki features has been added, deprecating the previous partial "tracker reports". See [Reports](#).

Tracker

Tracker Time sheet - 34

Start

End

Item Id

Status Toggle Checked

☒ o

☒ p

☒ c

Search Summary - 254 for

Fields Toggle Checked

☒ Summary - 254

☒ Associated project - 255

☒ Description - 256

☒ Amount of time spent - 257

☒ Done by - 258

Preview Save Export As CSV

	A	B	C	D	E
1	254	255	256	257	258
2	Watch TV		Taking it easy	5	
3					

1.21. Search: shell script added for cron and index maintenance

Shell script for use in cron tasks for search index maintenance. See [Search and List from Unified Index](#) and [Cron](#).

1.21.1. Lucene Search

When using Lucene Search, now:

- the page alias is displayed if the page is in a Structure and an alias is set
- the search result snippet can be wiki parsed (pref in admin screen)
- content items in designated Categories can be excluded from search results (pref in admin screen) - this stops the items from being indexed so a Rebuild Index is needed whenever this is used/changed

1.22. Security

A new preference has been added (`trust_input`) to allow (or disallow) the `tiki_p_trust_input` permission in a tiki-wide sense to increase security. It defaults to `n` for safety. See [General Security](#)

1.23. SEO enhancements

You can now automatically generate a site map for SEO performance. See [Search Engine Optimization](#) for details.

1.24. Server Check

The "Server check" feature (tiki-check.php) was introduced in Tiki 9.2. and it checks if the server is appropriately configured for Tiki. See: [Server Check](#)

1.25. Smarty updated to 3.1

Smarty, the template engine used in Tiki, has been updated to its version 3.1.
More information for developers (end users shouldn't notice too much difference):
http://smarty-php.googlecode.com/svn/trunk/distribution/SMARTY_3.1_NOTES.txt

1.26. Spam protection through multiple ip banning from comments and action log

[Spam protection](#) has been enhanced by means of adding the ability to send multiple ip information to the Admin [Banning](#) directly from either the [Comment moderation](#) or from the [Action log](#).

1.27. Structures

See [#Wiki_Structure_enhancements](#) below

1.28. TextBacklink Protocol


Introduced in [Tiki9](#), this feature allows to create a dynamic compendia. See [TextBacklinkProtocol](#)

1.29. Themes

Raspberry theme option added for FiveAlive theme. See [Themes](#)

1.30. Timesheet

Timesheet allows to track time spent on different tasks and projects. It uses an special [jQuery](#) plugin called JTrack, which allows to have time counters on even if the users closes the browser or logout for some reason. It is a very useful feature for project management, in which workers are expected to record the time spent on different tasks.



The screenshot shows the Tiki Wiki CMS groupware interface. The top header features the Tiki logo and the text "wiki cms groupware". A "LOG OUT" button is visible in the top right. The main content area is titled "Menu" and includes a sidebar with links: Home, Wiki, File Galleries, Spreadsheets, Trackers, Admin, and TimeSheet. The "TimeSheet" link is highlighted. The main content area displays a "Time Tracker" section with tabs for "Local Cache (Not Committed)" and "Saved (Committed)". The "Local Cache (Not Committed)" tab is active, showing a list of tasks with their start dates, descriptions, and durations. The tasks are as follows:

Date	Task Description	Duration
14.10.2011	testing timesheet from robert in trunk	0:08:48
14.10.2011	Email	1:01:35
14.10.2011	Another email box tralari-tralara through thunderbird also	0:03:59
14.10.2011	screenshotting timesheet for robert and marc	0:00:00

See [TimeSheet](#)

1.31. Token Access

It has been improved with an interface in the admin panels, and another interface to manage created tokens and create new ones. Moreover, tokens can have no limit in time or clicks. See [Token Access](#)

Admin Tokens

List tokens Add new token No Tabs

List tokens

Id	Entry	Token	Creation	Timeout	Hits	Max	E-hits	mail	Parameters	Groups	Actions
4	/tiki-print.php	90b404063[redacted]a595d77	2011-11-28 17:08:45	60	9	1			page=Configuració dels Equips	Admins, Editors, Registered, Anonymous, [redacted]	

1.32. Trackers

1.32.1. Exporting itemsÂ improvement

New option added to export ItemLink fields by reference instead of displayed value for cases when the purpose is to reimport later. See the new checkbox saying "**Export ItemLink type fields as the itemId of the linked item (to facilitate importing)**". For more information, see also [Item Link](#).

1.32.2. Files field allows replacing files instead of just adding them in file galleries

Tracker Files field has the ability to replace existing file, instead of simply adding files in the file gallery. See [Files Tracker Field](#)

1.32.3. Item link improvements

Some new parameters have been added to tracker field "item link", which allows selecting more than one item from Tracker B as linked with that item in Tracker A, and many other improvements.

The screenshot shows the 'Edit Field' dialog box for the 'item link' field. The dialog has a title bar 'Edit Field' with a close button. The main content area contains several configuration options:

- Multiple Fields:** A text input field containing '314|317|244|317|270'. Below it is a description: 'Display the values from multiple fields instead of a single one.'
- Status Filter:** A dropdown menu with 'all' selected. Below it is a description: 'Limit the available items to a selected set.'
- Link Page:** A text input field. Below it is a description: 'Link to a wiki page instead of directly to the item.'
- Add Items:** A text input field. Below it is a description: 'Display text to allow new items to be added - e.g. "Add item..." (requires jQuery-UI)'.
- Add Item Template Page:** A text input field. Below it is a description: 'Wiki page to use as a Pretty Tracker template.'
- Preselect item based on value in this field:** A text input field containing '0'. Below it is a description: 'Preselect item based on value in specified field ID of item being edited.'
- Preselect based on value in this remote field:** A text input field containing '0'. Below it is a description: 'Match preselect item with this field ID in tracker that is being linked to.'
- Preselection matching method:** A dropdown menu with 'Exact Match' selected. Below it is a description: 'Method to use to match fields for preselection purposes.'
- One item per value:** A dropdown menu with 'Displays all the items for a same value with a notation value (itemid)' selected. Below it is a description: 'Display only one random item per value.'
- Select multiple values:** A dropdown menu with 'Yes' selected. Below it is a description: 'Allow the user to select multiple values.'

At the bottom of the dialog, there are three expandable sections: 'Validation', 'Permissions', and 'Advanced'. At the very bottom, there are 'OK' and 'Cancel' buttons.

See Tracker Field [Item Link](#).

1.33. TRIM

The Tiki Remote Instance Manager (TRIM) supports to backup wordpress instances. See [TRIM](#) and [WordPress importer](#).

1.34. Wiki StructureÂ enhancements

1.34.1. Structure management with drag& drop

Nodes from Wiki Structures can be moved around in the tree through drag and drop.
In addition, "add new page" form has been moved into a dialog and add + buttons have been added to page actions

Modify Structure:

Structures

Structure Layout

Top Alias: Update

1. Tutorials	Page alias...	     
1. Tutorial: Registration and Login	Page alias...	     
2. Editing Wiki Pages	Page alias...	     
1. Lost edit	Page alias...	     
3. Menu HOWTO	Page alias...	     
4. Tutorial: Navigating Maps	Page alias...	     
5. Create a profile	Page alias...	     

See [Structures](#)

1.34.2. Structures allows managementÂ delegation

The permission to edit structures (tiki_p_edit_structures) has now object scope, which allows to delegate it's management to some groups of users, without granting the same permission globally or to the other structures.

This management allows to add new pages to the sttucture or to move pages to different positions in the same structure.

See [Structures](#)

1.35. WYSIWYGÂ enhancements

- WYSIWYG editor which saves in Wiki syntax (instead of HTML) has been improved quite a bit.

To activate: `tiki-admin.php?page=wysiwyg` -> Use Wiki syntax in WYSIWYG

Tiki9 add a new option, Visual Wiki.

It is available from the WYSIWYG admin panel "Use Wiki syntax in WYSIWYG" and can be set on or off. With Visual Wiki, Wiki syntax and HML can be used together on the same text area.

It still have some limitations as it is very new. (note: it is experimental 🚧)

Setting it on add a new toolbar set "Visual Wiki" in conjunction with previous Wiki and WYSIWYG toolbar that stay the same as previous version.

Upgrading

Upgrade from Tiki8

If you had some toolbars with custom icons, you might need to reset them, since there was a general directory revamp of icons in Tiki, and the toolbar admin interface won't work with these "bad" tools in there, if the icon paths are wrong.

- There is a "**delete all custom tools**" option that you can launch with this url:
tiki-admin_toolbars.php?reset_all_custom_tools=y
- ... and you should get a confirm message - confirm it and all the custom tools will be gone. You will have to remake them afterwards with the correct icon paths.

Hopefully there will be an upgrade script to fix this before Tiki 9, but just in case, and for early tester, this workaround should do.

Upgrade from earlier than Tiki8 (Tiki6 LTS,Â ...)

Besides reading the general [Upgrade](#) notes, keep in mind also that [Tiki7](#) introduced several major changes from prior versions. If you are upgrading from an earlier version, you are encouraged to read first the pages describing the changes introduced in earlier versions of Tiki, such as:

- [Tiki8](#)
- [Tiki7](#), especially http://doc.tiki.org/Tiki7#Upgrade_notes
- [Tiki6](#)
- [Tiki5](#), especially http://doc.tiki.org/Upgrade#If_you_need_to_fix_the_encoding_issue
- [Tiki4](#)
- [Tiki3](#)

If you were using trackers in your [Tiki configuration profiles](#), beware of the changes in the tracker fields. See the section [Profiles](#) in the Tiki8 page.

Upgrade steps

Remember these steps if you are upgrading from a previous version up to 9.

1. Read the general [Upgrade](#) notes, if you haven't done so in the last few years.
2. Remember to run setup.sh again (if you have console access).
3. Beware of changes in modules and their management:
<http://dev.tiki.org/Modules+Revamp>
4. Check these two pages for notes specific on upgrading your theme style:
 - <https://themes.tiki.org/Upgrading>
 - <https://themes.tiki.org/Theme+header+modules>

Keep in mind that your Custom site header might be gone, in which case you'll need to manually re-do it using module management.

In other cases, custom top bar code or other custom sections you had coded in **Admin Home > Look & Feel > General Layout Options** might be misplaced. If so, go to **Admin > Modules** and set the proper order of the modules (see [Theme Header Modules](#) for more information on the proper order for header modules).

5. You might need to re-approve some of your plugin calls.

Go to <http://example.org/tiki-plugins.php> as admin and approve them all (after revision, if

needed, as always)

See [Upgrade](#) for more details.

Pages linking to Tiki9

61 pages link to [Tiki9](#)

- [Tiki11](#)
- [Tiki12](#)
- [Tiki9](#)
- [Tiki10](#)
- [Module users_own_rank](#)
- [Module map_edit_features](#)
- [Documentation](#)
- [Slideshow](#)
- [PluginSlideshow](#)
- [OpenStreetMap,fr](#)
- [Protection contre le Spam](#)
- [Spam Protection](#)
- [Rebuild Unified Index](#)
- [Cron Job to Rebuild Search Index](#)
- [PluginRegisterMemberPayment](#)

- Maps General information
- PluginMap
- Timesheet
- PluginTimesheet
- Files Tracker Field
- PluginConvene
- dompdf
- PluginContributionsDashboard
- Reports
- FullCalendar
- Numeric Tracker Field
- Items List and Item Link Tracker Fields
- Token Access
- Tags Tracker Field
- PluginDataChannel
- Structure Admin
- How to Remove SPAM
- ë©"ë%ö´
- ì,,æëª...ì,,æ
- æ-†æ¡£
- ìŠœíŒ, ë°©ì§€

- `ë¹...ë¸"ë£"ë²,,íŠ¼ (BigBlueButton)`
- `ìš"êµ¬ ì,¬í•`
- `PluginNow`
- `PluginPageTabs`
- `PluginReport`
- `PluginAppFrame`
- `PluginExercise`
- `PluginCategoryTransition`
- `PluginWYSIWYG`
- `Daily Reports`
- `jQuery`
- `Structures`
- `Newsletter Admin`
- `Cron`
- `HTML Feed`
- `PluginHtmlFeed`
- `PluginHtmlFeedLink`
- `HtmlFeed í"ŒëŸ¬ê·,ì¸`
- `Geolocation`
- `PDF`
- `í<°í,11`

- [í<°í,ꝥ9](#)
- [WYSIWYG vs Wiki](#)
- [Auto-Increment Field](#)
- [Category Transitions](#)

Alias

[Tiki9.0](#) | [TikiWiki9](#) | [TikiWiki9.0](#) | [TikiWiki 9.0](#) | [TikiWiki 9](#) | [Tiki 9](#) | [Tiki 9.0](#)