

# Security Tokens tab

## Related Topics

- [security admin](#)
- [Token Access](#)
- [PluginGetAccessToken](#)

## Overview

Use this tab to configure Tiki to use tokens for site access.

## To Access

From the [Security](#) Admin page, click the **Tokens** tab.

## Option

[Token access](#)

---

## **Description**

With the presentation of a token, allow access to the content with elevated rights. The primary use of this authentication method is to grant temporary access to content to an external service.

**Default**

Disabled

# Option

Token access default timeout

Token access default maximum hits

Share access rights with friends when using Share

## Description

The default duration for which the generated tokens will be valid.

The default maximum number of times a token can be used before it expires.

Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.

**Default**

604800 seconds

10 hits

Disabled

# Option

Do not delete temporary users when token is deleted/expired

---

## Description

Normally temporary users created (see tiki-adminusers.php) are deleted when their access token is deleted/expired. If turned on, this will keep those users around (and can be manually deleted later) but they will have no groups and therefore no perms

---



**Default**

Disabled

**Option**

Token access

---

## **Description**

With the presentation of a token, allow access to the content with elevated rights. The primary use of this authentication method is to grant temporary access to content to an external service.

**Default**

Disabled

# Option

Token access default timeout

Token access default maximum hits

Share access rights with friends when using Share

## Description

The default duration for which the generated tokens will be valid.

The default maximum number of times a token can be used before it expires.

Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.

**Default**

604800 seconds

10 hits

Disabled

## Option

Do not delete temporary users when token is deleted/expired

---

## Description

Normally temporary users created (see tiki-adminusers.php) are deleted when their access token is deleted/expired. If turned on, this will keep those users around (and can be manually deleted later) but they will have no groups and therefore no perms

---



**Default**

Disabled

**Option**

Token access

---

## **Description**

With the presentation of a token, allow access to the content with elevated rights. The primary use of this authentication method is to grant temporary access to content to an external service.

**Default**

Disabled

# Option

Token access default timeout

Token access default maximum hits

Share access rights with friends when using Share

## Description

The default duration for which the generated tokens will be valid.

The default maximum number of times a token can be used before it expires.

Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.

**Default**

604800 seconds

10 hits

Disabled

# Option

Do not delete temporary users when token is deleted/expired

---

## Description

Normally temporary users created (see tiki-adminusers.php) are deleted when their access token is deleted/expired. If turned on, this will keep those users around (and can be manually deleted later) but they will have no groups and therefore no perms

---



**Default**

Disabled

For more details see [Token Access](#).