


Structure of the Bootstrap Navbar

In Tiki it is easily possible to integrate all Bootstrap components by using HTML code in custom modules. In custom modules these components can be enhanced with Smarty Syntax. This draft shows the basic structure and code of the Bootstrap navbar and might be a base to create a dedicated module "bootstrap_navbar" for Tiki.

First we have a look at the basic structure

The black elements are navbar standard

The red italic underlined elements have to be individually added or altered per navbar



And now let's see it with HTML and Smarty code.

A dedicated module "module_ "navbar would have to offer *options* for the *red italic items* in the blue "div" fields and additionally *zones* for the *red italic code* in the gray "ul" fields.

```
<nav class="navbar navbar-default" role="navigation">
<div class="container-fluid">
<!-- Brand and toggle get grouped for better mobile display -->
<div class="navbar-header">
<button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="HomePage">This is the Brand</a>
</div>
<!-- Collect the nav links, forms, and other content for toggling -->
<div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
<ul class="nav navbar-nav"> <!-- in this ul we use classic HTML without Smarty -->
<li><a href="#">Link</a></li>
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">Dropdown <span class="caret"></span></a>
<ul class="dropdown-menu" role="menu">
<li><a href="#">Action</a></li>
<li><a href="#">Another action</a></li>
<li><a href="#">Something else here</a></li>
<li class="divider"></li>
<li><a href="#">Separated link</a></li>
</ul>
</li>
</ul>
<ul class="nav navbar-nav navbar-right"> <!-- and here we add some Smarty syntax like {tr}translatable{/tr}, {if $user}}this{else}that{/if}, {module ...-->
<li><a href="#">Login</a></li>
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">{tr}All Tiki Community Sites{/tr}<b class="caret"></b></a>
<ul class="dropdown-menu">
<li><a href="http://info.tiki.org"><b>{tr}Information{/tr}</b> {tr}(News and why/when you should pick Tiki for your next project){/tr}</a></li>
<li><a href="http://doc.tiki.org"><b>{tr}Documentation{/tr}</b> {tr}(What Tiki does, how to use, install, etc){/tr}</a></li>
<li><a href="http://dev.tiki.org"><b>{tr}Development{/tr}</b> {tr}(Report bugs, suggest enhancements, contribute code){/tr}</a></li>
<li><a href="http://tiki.org/Community"><b>{tr}Community{/tr}</b> {tr}(Communication, meetings, events, forums, etc.){/tr}</a></li>
</ul>
</li>
{if !$user}
<li><a href="register"><span class="glyphicon glyphicon-user"></span> {tr}Create Account{/tr}</a></li>
{else}
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-toggle="dropdown"><span class="glyphicon glyphicon-user"></span> {tr}my Account{/tr}
<b class="caret"></b></a>
<ul class="dropdown-menu">
<li><a href="my">{tr}Preferences{/tr}</a></li>
<li class="divider"></li>
<li class="custom_li_fixed-top">{wiki}{literal}{module module="messages_unread_messages" nobox="y"}{/literal}{/wiki}</li>
</ul>
</li>
{/if}
<li>{if !$user}<a href="login" style="color:#fffff;"><span class="glyphicon glyphicon-log-in"></span> {tr}Login{/tr}</a>
{else}<a href="logout" style="color:#fffff;">{tr}Logout{/tr} <span class="glyphicon glyphicon-log-out"></span></a>{/if}</li>
<li class="input"><div class="slim-fixed-top_navbar">{module module="switch_lang" nobox="y"}</div></li>
</ul>
</div><!-- /.navbar-collapse -->
</div><!-- /.container-fluid -->
</nav>
```

The data-target must be custom, to prevent that different navbars collapse each other!