

이 페이지의 번역은 완료되지 않았습니다.

# 위키 인수 변수

이 제목은 티키에서 사용될 수 있는 일부 변수를 나타냅니다, 예를 들면 : user, page, itemId. 간단한 이중 중괄호로 싸아서 위키 문법 using double angle brackets around them, once this preference is enabled in "Admin > Editing & Plugins" panel, you can put them in your wiki syntax enabled text area and have them to become automatically replaced by their actual value anywhere where they are used.

## Permanent variables

(on a tracker item)

위키 인수 변수 (on a wiki page)

**4829** (id from a wiki page; added in Tiki 12.1)

(when a user is logged in)

**doc.tiki.org.** (site domain; added in Tiki 12.1)

**doc.tiki.org./** (site domain ending with a slash; added in Tiki 12.1)

**doc.tiki.org./** (only when in a multitiki installation,

site domain ending with a slash;

if the page doesn't belong to a multitiki installation,

nothing is returned; added in Tiki 12.1)

**2** (last version of the wiki page; added in Tiki 12.2)

**Marc Laporte** (last editor of the wiki page; added in Tiki 12.2)

**Thu 18 Oct, 2018 14:19 GMT-0000** (last modification date, in short format, of the wiki page; added in Tiki 12.2)

(last version of the tracker item indicated in the url; added in Tiki 12.2)

(last editor of the tracker item indicated in the url; added in Tiki 12.2)

(last modification date, in short format, of the tracker item indicated in the url; added in Tiki 12.2)

(last approved version of the wiki page when revision approval is on; added in Tiki 12.3)

(last approver of the wiki page when revision approval is on; added in Tiki 12.3)

(last approval date, in short format, of the wiki page when revision approval is on; added in Tiki 12.3)

## Example

If you put this syntax on a page named "My Profile":

```
* #
* 위키 인수 변수
*
* doc.tiki.org.
* doc.tiki.org./
```

it will produce (assuming you're viewing the page logged in as user admin):

- #1
- My Profile
- admin
- doc.tiki.org
- doc.tiki.org/

## Live example

You are currently on the page id 4829 with the name "위키 인수 변수". Check [wiki source!](#).  
Your name is .

## User defined variables

When this option is active, it is possible to show the value of variables passed by argument on the URL. Note that a default value can be provided.

## Live example

```
*'lalala' is:  
*'lalala' is:
```

Shows:

- *lalala* is:
- *lalala* is:

Follow the link to give a value to *lalala*: <tiki-index.php?page=Wiki+Argument+Variables&lalala=trololo>