

Translation of this page is incomplete.

크레딧

- 크레딧
 - Credit Details
 - Admin Credits
 - Add credits to users
 - Use Credits
 - Developer Tips

티키6에서 소개된 크레딧은 티키 사용자로 하여금 크레딧의 상이한 저장된 값 유형들을 보유하도록 하는 한 방법입니다. 이는 점수, 토큰, 시간, 분, 어떤 사용 회수, 기타 등등이 될 수 있습니다. 이 기능은 각 사용자에게 대하여 크레딧을 추가하고 사용할 API 와 함께 제공됩니다.

Somehow, it implies having the ability to define and use multiple currencies within a single Tiki site, similarly to what can be achieved with [Community Currencies](#) linked to a [CCLite](#) server, which allows using those multiple currencies with other sites (intertrading), sites which can be powered by Tiki or other CMS/Softwares, such as Joomla, Drupal, Elgg, etc.

Credit Details

Credits have a few characteristics:

- Credits have expiry dates and validity periods.
- Admins can configure different credit types and you can have different credit types for different sites

Admin Credits

- The admin panel for this feature is at [tiki-admin_credits.php](#)

The screenshot shows the 'Manage Credits' admin interface. At the top, there is a search box for 'Username' with a 'Search' button. Below this, it says 'No such user'. The main section is titled 'Manage Credit Types' and contains a table with columns: Type, Display Text, Unit Text, Is Static, and Display Bar Length. There are two rows of input fields. The first row has 'TUC-Hour' in the Type field, 'Hour/s' in Display Text, 'h' in Unit Text, 'No' in Is Static, and '1' in Display Bar Length. The second row is labeled 'New' and has empty fields for Type, Display Text, Unit Text, Is Static, and Display Bar Length. Below the table is a 'Save' button. At the bottom, there is a section titled 'Purge Expired and Used Credits (All Users)' with a 'Purge' button.

Type	Display Text	Unit Text	Is Static	Display Bar Length
			Level Credit	Scaling Divisor
TUC-Hour	Hour/s	h	No ▼	1
New			No ▼	1

- You also need to define which TUC types are allowed in the tiki site, through "[Admin home](#) > [Payments](#) > [Tiki User Credits](#)" ([tiki-admin.php?page=payment](#)):

Payment System: ⓘ ↻
PayPal: see PayPal.com - Cclite: Community currency
 Requires **Payment** (OK)

Currency: ⓘ ↻

Default acceptable payment delay: ⓘ *days*

Wiki page containing the instruction to send manual payment like check:
 ⓘ
 Requires **Payment** (OK)

PayPal

Cclite

Tiki User Credits

Types of credit to use:
 ⓘ
 Requires **Payment** (OK)
 Requires **Tiki User Credits** (OK)

Exchange rate for types of credit to use:
 ⓘ
 Requires **Payment** (OK)
 Requires **Tiki User Credits** (OK)

- Credits are used in the order of the earliest expiration date. Credits with no expiration date are used last.

Some definitions (useful for the admin panel):

Add credits to users

You add credits to users through `tiki-admin_credits.php?userfilter=username` (being username the name of the user; which you can type in the username search bo

Manage Credits

Username:

Type	Creation Date (YYYY-MM-DD HH:MM:SS)	Expiration Date (YYYY-MM-DD HH:MM:SS)	Used (level credits always 0)	Total
<input type="checkbox"/> TUC-Hour	<input type="text" value="2010-09-24 10:00:00"/>	<input type="text" value="2010-09-25 23:55:00"/>	<input type="text" value="0"/>	<input type="text" value="20"/>
<input type="checkbox"/> TUC-Hour	<input type="text" value="2010-10-01 10:00:00"/>	<input type="text" value="2010-10-02 23:55:00"/>	<input type="text" value="0"/>	<input type="text" value="20"/>
New <input type="text" value="TUC-Hour"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text"/>

User Credits Expiry Summary (Plans)

User Plan	Start of Latest Plan	Start of Next Plan	Expiry
TUC-Hour	2010-09-24 10:00:00	2010-10-01 10:00:00	2010-10-02 23:55:00

An admin can also set that a user has already consumed some of that set of allocated credits:

Use User Credits

Use:

Amount:

And a report on the historical usage can be shown also:


Historical Usage Report

Type	Usage Date	Amount Used
TUC-Hour	25-09-2010 15:31:26	5

Use Credits

You can pay invoices of Tiki [Payments](#) using [Tiki User Credits](#).

The credits that a user has left can be seen at any time by means of the module [Module credits](#):



Developer Tips

You could make use of functions in [lib/credits/creditlib](#):

function `useCredits` to use up credits and function `addCredits` to add credits for users. Also use `getCredits` to get a user's credit information, and `getScaledCredits` which extends `getCredits` with more human readable information.

`alias`

[Credit](#) | [TUC](#) | [TUCs](#) | [Tiki User Credit](#) | [TikiUserCredit](#) | [TikiUserCredits](#) | [Tiki User Credits](#)