Email bounce handling

New in Tiki25. Leveraging rambomst/php-bounce-handler and Email filters, handle email bounces in Tiki: add system tracker to hold bounce information, add bounce handler lib, add sieve filters to check for bounces and add to bounce list in system trackers.

Initial commit: https://gitlab.com/tikiwiki/tiki/-/merge_requests/1879

What is bounce

A bounced email, or bounce, is an email message that gets rejected by a mail server. When an email bounces, it has for some reason not reached the intended destination.

A bounced email can be either a hard bounce or a soft bounce. A hard bounce means that the email address is permanently unavailable and should not receive electronic mail. A soft bounce is temporary, and may be caused by server outages or a full inbox. Most email service providers will designate soft bounces as a hard bounce after three failed sends.

How to configure

Step 1: Configure system tracker holding bounce information

Go to System-Trackers, access it from /tiki-admin.php?page=trackers and check Email bounces tracker then:

- Choose which tracker will store the bounced emails and statistics.
- Choose an email field that stores the email address that bounced.
- Choose an email folder field that stores the bounced messages read by Tiki.
- Choose a numeric field that stores the total number of soft bounces occured for an email address.
- Choose a numeric field that stores the total number of hard bounces occured for an email address.
- Choose a checkbox field that stores the blacklist state for an email address whether Tiki should skip sending emails to that email address or not.

terright The the territy of te	Access ▼ Content ▼ System ▼ Tools ▼		٤
Search preferences Q	Email bounces tracker	0 C 0 D	
🔒 Admin Dashboard	Choose tracker	Email bounces X	~
💥 Global Setup			
🏛 Main Features	Mailbox field	email	~
🗈 Wiki		S C 8	
🕑 Editing and Plugins	Email folder field	emailfolder ×	~
 WYSIWYG File Galleries 		Q C ()	
B Blogs	Total soft bounces field	soft bounces X	~
🗰 Calendar		© C ()	
 Comments Articles 	Total hard bounces field	hard bouces X	~
 Articles Forums 		© C 8	
Trackers	Blacklisted field	blacklisted ×	~
A Miscellaneous		© C (2)	
···· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·		Apply	

click to enlarge

Create a tracker with these fields before

ID	Name	Туре	List	Title	Search	Public	Mandatory	Action
61	name emailbounceName <mark>r</mark>	Text Field					<	×
60	emailfolder emailbounceMailbox(Email Folder						×
62	email emailbounceEmailt	Email						×
63	soft bounces emailbounceSoftBounces	Numeric						×
64	hard bouces emailbounceHardBouces	Numeric						×
65	blacklisted emailbounceBlacklisted	Checkbox						×

Tracker Fields: Email bounces •

click to enlarge

Step 2: Configure the filter

Go to Webmail, Click on **filters** in settings section then click on **add filter** and set other details of filter: name, priority and test. In the conditions & actions section, Add **is bounce** as a condition and select **type** of condition soft, is not soft, hard, not hard. Then click on add action and pick **add to bounce list**

ilter Name:		
Your filter name		
Priority:		
)		
est:		
ALLOF (AND)		×
Conditions & Actions	ndition	
	ndition Soft ~	Add Conditi
Iters must have at least one action and one con		
Iters must have at least one action and one con Conditions Is Bounce	Soft ~	Dele

click to enlarge

Step 3: Set up cron job

Finally add **php console.php sieve:filters** command to Tiki Scheduler or a cron job

When these are configured and condition is met (using https://github.com/rambomst/PHP-Bounce-Handler/) item is created/updated in the bounce tracker, updating soft/hard bounce counts, the email added to the tracker email field (if configured)