

Plugin Markdown

Introduced in [Tiki20](#)

Use this [wiki plugin](#) to parse a page content using Markdown syntax. CommonMark flavor of Markdown was used for the implementation. See <https://commonmark.thephpleague.com/>

Coming to [Tiki25](#) and much improved in [Tiki26](#): [Tiki-Flavored Markdown](#)

Parameters

Parse the body of the plugin using a Markdown parser.

Introduced in [Tiki 20](#).

[Go to the source code](#)

Preferences required: `wikiplugin_markdown`

Parameters
<i>(body of plugin)</i> - Markdown syntax to be parsed
<i>no parameters</i>

Examples

Example 1

This code:

```
{MARKDOWN()} # This is an h1 tag ## This is an h2 tag ##### This is an h6 tag *This text will be italic* (hard line break after this because of two spaces -->) _This will also be italic_ **This text will be bold** (there's alternative syntax for line break after this parenthesis)\ _This will also be bold__ _You can combine them_ {MARKDOWN}
```

Would produce on this site:

This is an h1 tag

This is an h2 tag

This is an h6 tag

This text will be italic (hard line break after this because of two spaces -->)

This will also be italic

This text will be bold (there's alternative syntax for line break after this parenthesis)

This will also be bold

You *can* combine them

Related pages

- <https://dev.tiki.org/Markdown>
- [Markdown syntax](#) (original project page but we don't use this syntax because it's ambiguous)
- <https://blog.codinghorror.com/standard-markdown-is-now-common-markdown/>