

Plugin ShareThis

Introduced in *Tiki3*

Use this [wiki plugin](#) to place a ShareThis button (from www.sharethis.com) on the page. Users can click on the button and select from a number of social networking services to share the page with their network. A ShareThis account is not necessary.

Parameters

Add a ShareThis button

Introduced in *Tiki 3*.

[Go to the source code](#)

Preferences required: `wikiplugin_sharethis`

Parameters	Accepted Values	Description	Default	Since
<code>buttontext</code>	text	Custom link text for the button.		3.2
<code>headertitle</code>	text	Optional header title text for the widget.		3.2
<code>style</code>	(blank) horizontal vertical rotate	Set button style.		5.0
<code>headerbg</code>	text	HTML color code (not color name) for the background color for the header if an optional header title is used.		3.0
<code>headertxtcolor</code>	text	HTML color code (not color name) for the header text if an optional header title is used.		3.2
<code>linkfg</code>	text	HTML color code (not color name) for the link text for all send and post services shown in the widget		3.0
<code>multiple</code>	word <i>separator:</i>	Enter pipe-separated list of services, e.g., <code>email facebook twitter sharethis</code> .		5.0
<code>rotateimage</code>	(blank) y n	A value of y (Yes) will cause the button icon to rotate every 3 seconds between a few icons, cycling through twice before stopping.		3.2
<code>embed</code>	(blank) (blank) true	Allow embedded elements (like flash) to be seen while iframe is loading.		3.0
<code>postfirst</code>	word <i>separator:</i>	Input a list of post services (like <code>Facebook Myspace Digg</code> , etc.) separated by a to customize the services that are shown in the opening panel of the widget.		3.2
<code>popup</code>	(blank) (blank) true	Set whether the widget will show in a popup window.		3.0

sendsvcs	(blank) aim aim email aim sms email email sms <i>separator:</i>	By default, <code>email</code> , <code>aim</code> and <code>sms</code> are available. Input one or two of the services separated by a <code> </code> to limit the choice of send services.	3.2
----------	---	--	-----

Example

This code:

```
{sharethis rotateimage="y" embed="true" buttontext="ShareThat" headertitle="Share this page!" headerbg="333333" headertxtcolor="e6d46e"}
```

Would produce this:

Related pages

- [alert](#)