



Windows Azure

Create a website



Pick "Custom Create"




Choose options for site


NEW WEBSITE - CUSTOM CREATE

Create Web Site


URL


mytikitest  .azurewebsites.net

REGION


North Central US 


DATABASE

Create a new MySQL database 

DB CONNECTION STRING NAME 

DefaultConnection

☒ Publish from source control 

 2 3

Accept name for the database


NEW WEBSITE - CUSTOM CREATE

New MySQL Database



NAME

mytikitAI1KsflDv

REGION


North Central US 

☒ I agree to ClearDB's [legal terms](#) and that Microsoft will transfer my subscription and contact information to ClearDB. See also ClearDB's [privacy statement](#).

  3


Indicate source for the code

Pick Github You should fork <https://github.com/lphuberdeau/tiki-azure> and use this.



Authenticate with Github

and pick repo



See the dashboard

Windows Azure

web sites **PREVIEW**

NAME	STATUS	SUBSCRIPTION	LOCATION	MODE	URL
mytikitest	→ ✓ Running	Free Trial	North Central US	Free	mytikitest.azurewebsites.net

Tiki side configuration

Set MySQL SSL connection

It is recommended to use an SSL connection when using cloud based databases. See [MySQL SSL](#) for details

Troubleshooting

Deployment failed

Windows Azure

mytikitest **PREVIEW**

DASHBOARD DEPLOYMENTS MONITOR CONFIGURE SCALE LINKED RESOURCES

GITHUB [http://github.com/marclaporte/tiki-azure](#)

⚠ DEPLOYMENT FAILED: Thursday, June 13, 2013 11:37 AM

Fetch from <https://github.com/marclaporte/tiki-azure>

ID: temp-b9bcc AUTHOR: N/A DEPLOYED BY: GitHub

Not Modified: Thursday, June 13, 2013 11:46 AM

+ NEW BROWSE SYNC DISMISS