

# Ä²€Ä¬f%o Ä¬f%oÄ¬Ä,

Ä°Ä,ÄÄ¬~ Ä²€Ä¬f%o Ä¬—"Ä¬Ä§,,Ä¬€ Ä°Ä°Ä,ÄÄ7 Ä¬,, Ä¬œ,,Ä•~Ä¬—Ä¬ Ä«ÄÄÄ¬¬œ Ä¬Ä œÄ¬ž'Ä«~Ä¬—^Ä¬œÄ¼Ä«Ä°Ä°  
Ä«Ä³Ä, Ä«Ä¬Ä,Ä¬,,œÄ«S" Ä«Ä²,,Ä¬Ä ,, 7 Ä«Ä° Ä²Ä·Ä, Ä¬Ä'Ä»,Ä¬—Ä«Ä§œ Ä¬Ä Ä¬šÄ©Ä«Ä©Ä«^Ä«ÄÄ.

Ä°Ä,ÄÄ¬—Ä¬,,œÄ¬~ Ä²€Ä¬f%o Ä«SÄÄÄÄ ÄÄÄ¬¬€, PluginList Ä~Ä¹Ä¬€ Ä†ÄµÄ·Ä© Ä²€Ä¬f%o Ä«^Ä±Ä¬—Ä¬,,œ  
Ä¬,Ä¬Ä¬šÄ©Ä«~Ä«Ä°Ä°, Ä²€Ä¬f%o Ä¬f%oÄ¬Ä,Ä¬— Ä¬~Ä¬Ä;Ä'Ä·Ä©Ä«^Ä«ÄÄ.

Ä°Ä,ÄÄ«S" Ä«,Ä'Ä«Ä¶€Ä¬Ä Ä¬œÄ¼Ä«Ä;œ Ä¬—Ä¬Ä«YÄ¬ Ä²Ä°œÄ¬~ Ä²€Ä¬f%oÄ¬—"Ä¬Ä§,,Ä«^ÄÄÄ¬,, Ä¬Ä§€Ä¬¬Ä·Ä Ä¬~  
Ä¬ž^Ä¬šÄµÄ«^Ä«ÄÄ. Ä²Ä°Ä²Ä°Ä¬~ Ä²€Ä¬f%oÄ¬—"Ä¬Ä§,,Ä¬€ Ä«ÄÄÄÄÄÄÄ, Ä«SÄÄÄÄ ÄÄÄ²Ä¼ Ä¬Ä œÄ·œÄ¬,,  
²Ä°Ä€Ä¬Ä§€Ä²œ Ä«Ä Ä²Ä²fÄ¬ž...Ä«^Ä«ÄÄ. Ä²Ä,Ä°Ä«Ä³Ä, Ä¬—"Ä¬Ä§,,Ä¬€ Ä¬ÄÄ'Ä¬†œÄ²Ä·œÄ«ÄÄ"Ä¬~ Ä¬,Ä¬Ä¬Ä'ÄšÄ,Ä¬—  
«œÄ·~Ä¬—Ä¬ Ä¬Ä¶Ä©Ä«Ä¶,,Ä·œ Ä«SÄÄÄÄ ÄÄÄ¬¬, Ä¬Ä œÄ²Ä³ÄµÄ·~Ä¬—Ä¬Ä¬·Ä¼ Ä·Ä©Ä«^Ä«ÄÄ. Ä«œÄ·~Ä¬,Ä¬Ä¬Ä'Ä'  
SÄ,Ä«S" Ä¬ÄµœÄ«œÄ·œÄ¬~ Ä¬,,Ä±Ä«SÄÄÄ¬, Ä¬—Ä»Ä²Ä,Ä° Ä¬œ,,Ä·~Ä¬—Ä¬ Ä¬Ä¶"Ä²Ä°€ Ä¬Ä,Ä",Ä«Ä¼Ä¬šÄÄšÄ,Ä«YÄ-  
Ä¬Ä³Ä²Ä°€ Ä·,,Ä¬š"Ä·Ä Ä¬~Ä«, Ä¬ž^Ä¬šÄµÄ«^Ä«ÄÄ.

## LUCENE (PHP Ä¬Ä Ä¬šÄ©)

Ä²Ä,Ä°Ä«Ä³Ä, Ä²ÄµÄ¬Ä~,,Ä¬€ Zend\_Search\_Lucene Ä¬— Ä²Ä,Ä°Ä«Ä°Ä·~Ä²Ä³Ä Ä¬ž^Ä¬œÄ¼Ä«Ä°Ä°, Ä¬Ä'Ä«S" Ä¬žÄ«Ä°Ä"Ä¬~  
PHP Ä²ÄµÄ¬Ä~,,Ä¬ž...Ä«^Ä«ÄÄ Lucene index engine. Ä¬—"Ä¬Ä§,,Ä¬€ Ä¬™Ä,Ä«Ä¶€Ä¬~Ä¬Ä;Ä'Ä«,Ä²Ä°€ Ä¬—†Ä¬œÄ¼Ä«Ä°Ä°  
Ä«ÄÄ"Ä«Ä Ä¬Ä,Ä¬šÄÄšÄ,Ä¬—Ä¬,,œ Ä¬¬ÄÄ¬-%oÄ«Ä Ä¬~ Ä¬ž†Ä¬"Ä«^Ä«ÄÄ. Ä·~Ä¬Ä§€ÄÄ§œ, Ä¬~Ä¬šÄ©Ä·ÄÄ Ä«Ä§œÄ·œ  
Ä¬,,Ä±Ä«SÄÄÄ¬— Ä«,Ä«Ä¬Ä¬·~Ä²Ä,Ä° Ä¬œ,,Ä·Ä'Ä¬,,œÄ«S" Ä«Ä†Ä«Ä† Ä²ÄµÄ¬Ä¬,,Ä±Ä¬,,ÄÄÄ¬Ä·Ä¬Ä'Ä¬š"Ä²ÄµÄ¬Ä«Ä  
Ä¬~Ä«, Ä¬ž^Ä¬šÄµÄ«^Ä«ÄÄ.

Ä¬™,,Ä«Ä²Ä½Ä·œ Ä¬f%oÄ¬Ä,Ä¬,, Ä«Ä¹œÄ«œÄ·~Ä²Ä,Ä° Ä¬œ,,Ä·~Ä¬—Ä¬ Ä·,,Ä¬š"Ä·œ Ä¬¬œÄ²Ä°,Ä¬€ Ä¬,Ä¬Ä¬Ä'ÄšÄ,Ä¬—  
Ä¬Ä»Ä"Ä...Ä¬Ä,Ä Ä¬— Ä«^Ä«Ä¼ Ä«ÄÄÄ¬¬'Ä·Ä Ä²Ä²fÄ¬ž...Ä«^Ä«ÄÄ. Ä¬Ä°Ä,Ä²Ä³Ä Ä«Ä;œ,

• doc.tiki.org (Ä¬Ä'Ä¬,Ä¬Ä¬Ä'ÄšÄ), Ä«S" 1400Ä²Ä°œÄ²Ä°€ Ä«,~Ä«S" Äž~Ä¬Ä'Ä¬Ä§€Ä²Ä°€

Ã¬ž^Ã¬œĀ¼Ā«Ā©Ā°, Ã¬žĀ¬Ā¬Ā, Ā«Ā±Ā¬Ā±Ā¬— 3Ā«Ā¶,, Ā¬Ā •Ā«,,

ĀªĀ±Ā, Ā«Ā!Ā½Ā«Ā^Ā«Ā

- themes.tiki.org, Ā«Š” Ā«ĀªĀ«ĀªĀ ĀŽ~Ā¬Ā'Ā¬Ā§€Ā¬™€ Ā¬^~Ā«Ā°Ā±ĀªĀ²€ĀªĀ°€ Ā«,, ~Ā«Š” ĀªĀ²€Ā¬œĀ€ ĀªĀ²€Ā¬œĀ«Ā¬Ā¼Ā¬Ā' Ā¬ž^Ā¬œĀ¼Ā«Ā©Ā°, Ā¬žĀ¬Ā¬Ā, Ā«Ā±Ā¬Ā±Ā¬— 15Ā¬Ā'^ Ā¬Ā •Ā«,, ĀªĀ±Ā, Ā«Ā!Ā½Ā«Ā^Ā«Ā
- Āš€Ā¬,Ā¬ Ā¬Ā, ĀŠĀ, Ā«Ā¼Ā«,,Ā•Ā¬œĀ¼Ā«Ā;œĀ¬Ā” Ā€€Ā¬Ā¼ ĀªĀ°ĀªĀ«ĀŸĀ¬Ā«Ā!Ā¬Ā¬— Ā¬^~ ĀªĀ,Ā°ĀªĀ°€Ā«Ā°”Ā¬Ā'ĀŠĀ,Ā¬~ Ā«Ā°Ā¬Ā'Ā,,Ā°Ā«Š” Ā•œ Ā¬œĀªĀ°, Ā«,, ~ĀªĀ²€ ĀªĀ±Ā, Ā«Ā!Ā' Ā¬^~ Ā¬ž^Ā¬ŠĀµĀ«Ā^Ā«Ā

Ā•~Ā¬Ā§€Ā«Ā§€, Ā¬Ā!Ā«Ā¶,,Ā¬Ā Ā¬f%oĀ¬Ā,Ā¬Ā' Ā¬,Ā¬Ā¬šĀ©Ā«Ā Ā¬^~ Ā¬ž^Ā¬œĀ¼Ā«Ā©Ā°, Ā¬Ā' ĀªĀ²Ā½Ā¬šĀ° Ā¬™,,Ā¬Ā,, Ā¬žĀ¬Ā¬Ā, Ā«Ā±Ā¬šĀªĀ«Š” ĀŠĀ¹Ā¬Ā • ĀªĀ,Ā°ĀªĀ°,,Ā«Ā§^Ā«Āª Ā~Ā¹Ā¬€ Ā¬—...ĀªĀĀ,Ā«Ā ^Ā¬Ā'Ā«œ Ā¬œĀ¬—Ā«Ā§€ Ā•,,Ā¬š”Ā•Ā©Ā«Ā^Ā«Ā.

Alexander Veremy, Ā«Š” Ā¬Ā»Ā'ĀĀ¬Ā«,,€ĀŠĀ,Ā¬~ Ā¬Ā €Ā¬žĀ«Ā;œĀ¬Ā” Ā«Ā³€Ā¬^~Ā«ĀªĀ¼ Ā¬Ā;Ā°Ā¬Ā ^Ā¬— Ā«€Ā•œ Ā«ĀªĀ«ĀªĀ Ā¬Ā'Ā•Ā' Ā¬,, Ā¬Ā œĀªĀ³ĀµĀ•~ĀªĀ³Ā Ā¬ž^Ā¬šĀµĀ«Ā^Ā«Ā.

## Ā•,,Ā«“€

Ā¬•,,Ā«ž~Ā«Š” Ā•,,Ā«“œĀ¬™€ ĀªĀ°œĀ¬Ā²Ā' Ā¬œĀ Ā~•ĀªĀ°,Ā¬~ Ā-%oĀ«Ā Ā¬Ā¬ž...Ā«Ā^Ā«Ā.

Ā«Ā²”Ā«Ā;€:

- ĀĀĀ ĀĀ°Ā™”Ā«Ā”, Ā¬Ā,,Ā¬Ā²Ā' Ā...Ā¬šĀªĀšĀ, ĀªĀ²€Ā¬f%oĀ¬,, Ā¬œ,,Ā•œ Ā«ĀĀ”Ā¬Ā'Ā«ĀªĀ«Ā;œ Ā«Ā¶,,Ā•Ā'Ā«œ Ā«Ā°Ā©Ā¬œĀ¼Ā«Ā;œ..
- Ā¬Ā •Ā«Ā Ā¬ĀªĀ°€Ā«šĀŸ

Generic

**object\_type**

**object\_id**

**title**

**language**

**modification\_date**

**contributors**

**description**

Ã†Â ÃÂ°Ã™ ”Ã«Â”    Ã¬Â •Ã«Â Â¬ÃªÂ°€Ã«ŠÂ¥

X

X

X

X

X

X

X

Ã¬œ,,Ã,Â Ã Ã Ã Ã Ã

X

X

X

X

X

X

X

$\tilde{A} \approx \hat{A}^2 \ll \tilde{A}^{-1} \ll \tilde{A} \ll \hat{A}^{-1} \hat{A}^{1/4}$

X

X

X

/

X

X

$\tilde{A} \ll \hat{A}, \quad \tilde{A} \ll \hat{A}; \quad \omega \tilde{A} \approx \hat{A} \cdot \hat{A}, \quad \tilde{A} \approx \hat{A}^2 \quad \text{or} \quad \tilde{A} \ll \hat{A} \rightarrow \hat{A}^{1/4}$

X

X

X

/

X

X

$\tilde{A} \hat{A}, \hat{A}^\circ \tilde{A} \neg, \hat{A} \neg \quad \tilde{A} \subseteq \subseteq \tilde{A} \neg \hat{A}^{1/4}$

X X X

X X X

X X X

X /

X X X

X X X

X X X



Ã«Œ“ÃªÂ,€

X

X

?

/

X

X

Ã¬,Â¬Ã¬šÂ©Ã    Ã¬Â œÃ²Â³ÂµÃ«~Ã«Š”    Ã<Â°Ã,Âœ  
¬ž    Ã«Â²,,Ã¬Â,,

X	7
X	7
X	7
	7
	7
	7
	7

**contents**

Specific

**wiki\_content**

**wiki\_uptodateness**

**wiki\_approval\_state**

**post\_content**

**parent\_thread\_id** (not to be confused with  
parent\_object\_id)

**blog\_id**

**blog\_excerpt**

X

X

X

X

X

X

X

X

X

X

X

X

X





X

X

X 7

X 7

7

11

7

8

7

7

**blog\_content**

**topic\_id**

**article\_content**

**article\_topleft**

**article\_subtitle**

**article\_author**

**article\_type**

**gallery\_id**

**filename\_id**

**filetype**

X

X

X

X

X







X

X

X

X

X

X

X

X

X





7

7

7

7

7

9

9

7

7

7

**file\_comment**

**file\_content**

**tracker\_id**

**tracker\_status**

**tracker\_field\_ID**

**sheet\_content**

**comment\_content**

**user\_country**

Internal

**view\_permission**

X

X

?

X

X

X

X







X

X

X

X

X

X

X

X

X

7

7

7

7

7

7

7

10

7

X

**parent\_object\_type**

**parent\_object\_id**

**parent\_view\_permission**

**global\_view\_permission**

**hash**

**url**

Global

**categories**

**deep\_categories**

**allowed\_groups**

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X X  
X X  
X X

X X  
X X  
X X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

7

7

7

7

7

7

7

7

7

**freetags**

**freetags\_text**

**adv\_rating\_ID**

**comment\_count**

**relations**

**attachments**

**attachment\_contents**

**geo\_located**

**geo\_location**

**visits**

X

X

X

X

---

X

X

X

X

X


X

X

X

X

X



X

X

X

X


X

X

X

X

X



X

X

X

X

X

X


X

X

X

X			X	
X			X	
X			X	
X			X	
X			X	
X			X	
X			X	
X			X	
X			X	
			X	

---



X

X

X

X

X

X

X

X

X

X

X

X

X


X

X

X

X

X



X

X

X

X

X

X

X

X

X

7

7

X

7

8

X

8

7

7

X

9

X

9

9.2

---



- $\tilde{A} \cdot \hat{A} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \hat{A}; \tilde{A}^a \hat{A}^3 \hat{A}^{1/4} \tilde{A} \cdot \hat{A} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \hat{A} \S \tilde{A} \hat{A} \neg \tilde{A} \cdot \text{,,} \tilde{A} \ll \text{"} \text{œ}$ 
  - `tracker_field_ID_text`  $\tilde{A} \ll \text{"} \text{Š" ID } \tilde{A} \ll \text{œ} \text{€} \tilde{A} \neg \langle \hat{A} \tilde{A} \neg \text{—} \tilde{A} \dots \tilde{A} \neg \text{Š} \hat{A} \alpha \tilde{A} \text{Š} \hat{A} \text{,} \tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \hat{A} \neg \tilde{A} \cdot \hat{A} \text{"} \tilde{A} \neg \hat{A} \odot \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$
- $\tilde{A} \ll \hat{A} \S \text{œ} \tilde{A} \neg \cdot \hat{A}^{1/2} \tilde{A} \neg \neg \hat{A} \text{,} \tilde{A} \neg \neg \hat{A}' \tilde{A} \cdot \text{,,} \tilde{A} \ll \text{"} \text{œ} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \text{Š} \hat{A} \text{,} \tilde{A} \ll \text{ž} \sim \tilde{A} \neg \hat{A} \rangle \hat{A} \alpha \tilde{A} \cdot \hat{A} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \neg \text{—} \tilde{A} \ll \text{œ} \text{€} \tilde{A} \neg \sim \tilde{A} \neg \text{—} \hat{A} \neg \tilde{A} \neg \text{,,} \hat{A} \alpha \tilde{A} \neg \hat{A} \cdot \tilde{A} \ll \sim \tilde{A} \neg \neg \hat{A}' \tilde{A} \neg \text{ž} \hat{A} \ll \langle \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}' \text{,} \tilde{A} \cdot \hat{A}' \tilde{A} \ll \langle \hat{A}^1 \tilde{A} \neg \neg \hat{A} \text{,} \tilde{A} \neg \neg \hat{A}' \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \neg \cdot \text{,,} \tilde{A} \neg \hat{A}' \tilde{A} \neg \dots \text{œ} \tilde{A} \neg \neg \hat{A} \text{,} \tilde{A} \neg \neg \hat{A}' \tilde{A} \ll \hat{A}; \text{œ} \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \ll \hat{A} \odot \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

**buildQuery/tiki-searchindex.php**  $\tilde{A} \neg \text{—} \tilde{A} \neg \text{,} \hat{A} \neg \tilde{A} \neg \text{š} \hat{A} \odot \tilde{A} \ll \sim \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \neg \hat{A}^{1/4} \tilde{A} \ll \hat{A} \text{€} (\tilde{A} \neg \hat{A}' \tilde{A} \ll \text{"} \hat{A} \alpha \tilde{A} \neg \hat{A}' \tilde{A} \neg \langle \hat{A} \alpha \tilde{A} \neg \hat{A} \text{œ} \tilde{A} \neg \text{,,} \tilde{A} \ll \text{"} \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \sim \hat{A}^1 \tilde{A} \neg \text{€} \tilde{A} \ll \text{,,} \tilde{A} \neg \text{š} \hat{A} \circ \tilde{A} \ll \hat{A} \neg \hat{A} \text{,} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \neg \text{—} \tilde{A} \ll \text{œ} \text{€} \tilde{A} \cdot \text{œ} \tilde{A} \neg \text{,,} \hat{A} \alpha \tilde{A} \ll \hat{A}^a \dots \tilde{A} \cdot \text{,,} \tilde{A} \neg \text{š"}$ ):

**type:**  $\tilde{A} \ll \text{"} \text{Š"}$  **object type**  $\tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \neg \hat{A} \circ \hat{A} \text{,} \tilde{A} \neg \hat{A}; \hat{A} \circ \tilde{A} \cdot \hat{A} \odot \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

**deep:**  $\tilde{A} \ll \hat{A} \S \text{œ} \tilde{A} \neg \cdot \hat{A}^{1/2} \tilde{A} \neg \hat{A}' \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \hat{A}' \tilde{A} \neg \text{,,} \hat{A} \alpha \tilde{A} \neg \hat{A} \cdot \tilde{A} \ll \sim \tilde{A} \neg \text{—} \hat{A} \ll \langle \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}' \text{,} \text{categories } \tilde{A} \ll \text{,} \text{deep-categories } \tilde{A} \ll \hat{A}; \text{œ} \tilde{A}^a \hat{A}^3 \hat{A} \tilde{A} \ll \hat{A} \hat{A} \alpha \tilde{A} \ll \hat{A} \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

**autocomplete:**  $\tilde{A} \neg \text{€} \tilde{A} \cdot \hat{A}' \tilde{A} \ll \langle \hat{A}^1 \tilde{A} \ll \text{,} \hat{A}' \tilde{A} \neg \text{š} \hat{A} \odot \tilde{A} \neg \text{œ} \hat{A}^{1/4} \tilde{A} \ll \hat{A}; \text{œ} \tilde{A} \neg \langle \text{œ} \tilde{A} \neg \text{ž} \tilde{A} \ll \sim \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \neg \hat{A} \text{œ} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \neg \text{,,} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \hat{A} \S \text{,,} \tilde{A} \cdot \hat{A} \neg \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \text{"} \hat{A} \alpha \tilde{A} \neg \text{,,} \tilde{A} \neg \hat{A} \circ \hat{A}^3 \hat{A} \neg \text{,,} \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

$\tilde{A}^a \hat{A}^2 \text{€} \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \text{ž} \hat{A} \neg \tilde{A} \ll \hat{A}^1 \text{œ} \tilde{A} \ll \text{"} \text{œ}$

$\tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \text{€} \text{temp/unified-index/ } \tilde{A} \neg \text{—} \tilde{A} \neg \hat{A} \text{€} \tilde{A} \neg \text{ž} \hat{A} \forall \tilde{A} \ll \hat{A} \odot \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$ .  $\tilde{A} \neg \text{ž} \hat{A} \neg \tilde{A} \ll \hat{A}^1 \text{œ} \tilde{A} \ll \text{"} \text{œ} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \hat{A} \S \text{,,} \tilde{A} \neg \% \text{œ} \tilde{A} \ll \sim \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \ll \text{™} \tilde{A} \neg \cdot \hat{A} \text{,} \tilde{A} \ll \text{"} \text{"} \tilde{A} \ll \hat{A} \% \text{œ} \tilde{A} \text{,,} \hat{A} \circ \tilde{A} \ll \hat{A}; \hat{A} \neg \text{temp/unified-index-new/ } \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \ll \text{,} \tilde{A} \text{f} \text{€} \tilde{A} \ll \text{,} \hat{A} \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$ .  $(\tilde{A} \neg \hat{A}' \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \neg \text{f} \hat{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \hat{A}' \tilde{A} \neg \hat{A} \alpha \text{€} \tilde{A} \ll \hat{A}^1 \text{,,} \tilde{A} \ll \hat{A} \tilde{A} \ll \cdot \text{œ} \tilde{A}^a \hat{A}^1 \text{œ} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A}^a \hat{A} \text{,} \hat{A} \circ \tilde{A} \neg \hat{A}; \hat{A}' \tilde{A} \neg \sim \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \hat{A}' \tilde{A} \neg \text{,} \hat{A} \neg \tilde{A} \neg \text{š} \hat{A} \odot \tilde{A} \ll \sim \tilde{A} \ll \text{"} \text{Š" } \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{,,} \tilde{A} \neg \hat{A} \neg \text{š} \hat{A} \odot \tilde{A} \cdot \tilde{A}^a \hat{A} \text{,} \hat{A} \circ \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha)$   $\tilde{A} \ll \hat{A} \S \text{œ} \tilde{A} \neg \cdot \hat{A}^{1/2} \text{temp/unified-index-new/ } \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \text{ž} \hat{A} \neg \text{—} \dots \tilde{A} \neg \sim \tilde{A} \neg \hat{A} \text{œ} \dots \tilde{A} \ll \hat{A} \text{f} \text{œ} \tilde{A} \text{,,} \tilde{A} \neg \text{,} \hat{A} \neg \tilde{A} \ll \hat{A}^{1/4} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \neg \cdot \text{Š} \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \ll \langle \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}' \text{,} \tilde{A} \ll \hat{A} \neg \hat{A}' \tilde{A} \neg \text{—} \text{†} \tilde{A} \neg \hat{A} \text{,} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \text{ž} \sim \tilde{A} \ll \hat{A}^a \hat{A} \rangle \tilde{A} \ll \text{œ} \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$ .  $\tilde{A}^a \hat{A} \text{€} \tilde{A} \neg \hat{A}' \tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \neg \text{,} \hat{A} \neg \hat{A} \text{œ} \tilde{A} \cdot \sim \tilde{A}^a \hat{A}^3 \hat{A} \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \text{,,} \tilde{A} \ll \langle \hat{A} \alpha \tilde{A} \neg \langle \text{œ} \tilde{A} \neg \langle \text{œ} \tilde{A} \ll \text{,,} \tilde{A} \cdot \hat{A}' \tilde{A} \ll \hat{A}^3 \hat{A}' \tilde{A} \neg \langle \hat{A} \alpha \tilde{A} \neg \hat{A} \sim \tilde{A} \neg \text{ž} \hat{A} \neg \text{š} \hat{A} \mu \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$ .  $\tilde{A}^a \hat{A} \text{€} \tilde{A} \neg \hat{A}' \tilde{A} \ll \hat{A}^a \hat{A} \text{"} \tilde{A} \ll \text{' OK } \tilde{A} \neg \hat{A}' \tilde{A} \ll \hat{A}^{1/4} \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \text{™} \cdot \tilde{A} \neg \langle \hat{A} \tilde{A} \neg \text{,,} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \ll \hat{A} \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}' \text{" sh setup.sh" } \tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \neg \langle \hat{A} \alpha \tilde{A} \neg \% \text{œ} \tilde{A} \cdot \tilde{A} \neg \langle \hat{A} \alpha \tilde{A} \neg \sim \tilde{A} \ll \text{,,} \tilde{A} \neg \text{ž} \hat{A} \neg \text{š} \hat{A} \mu \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$



- PluginList
- PluginCustomSearch
- Unified Search