

Ã«“Â±ÃªÂ,‰ (Rating)

Ã«“Â±ÃªÂ,‰Ã¬€ Ã¬,Â¬Ã¬šÂ©Ã¬žÃ«“Â±ÃªÂ,‰^ Ã¬œ,,Ã,Â± Ãž~Ã¬Â´Ã¬Â§€, Ã«œ“ÃªÂ,€, ÃªÂ,Â°Ã¬,Â¬, Ã¬
~Â´Ã¬¬€ ÃšÂ,Ã«ž~Ã¬Â»Â± Ã·Â´Ã«ÂªÂ©ÃªÂ³Â¼ ÃªÂ°™Ã¬¬€ Ã¬Â°Ã,Â± Ã¬Â»Â´Ã¬...Ã¬Â´Â´Ã«Â±Â¼ Ã‰ÃªÂ°€Ã·ÃªÂ,Â° Ã¬œ,,Ã·œ Ã¬
·œ Ã«Â°Â©Ã«Â²·Ã¬ž...Ã«^Ã«Â±. ÃªÂ·Â´Ã«ÿÂ¬Ã«Â´€Ã«Â±œ, Ã«Â°Â©Ã«Â¬Â´,ÃªÂ°Ã¬¬€ Ã«Â±Ã¬œÃªÂ³Â¼ ÃªÂ°™Ã¬¬€ Ã¬
“Â¼Ã«“œÃ«Â°Â±Ã¬,, Ã¬Â´œÃªÂ³ÂµÃ·Â´ Ã¬~ Ã¬ž^Ã¬šÂµÃ«^Ã«Â±:

- Ã¬Â´ Ãž~Ã¬Â´Ã¬ž Ã«Â¬Â´,Ã¬Â´œÃ«Â±Â¼ Ã·Â´ÃªÂ²Â°Ã·Ã«š”Ã«Â° Ã«,,Ã¬¬€Ã¬Â´
Ã«~Ã¬¬^Ã¬šÂµÃ«^ÃªÂ¹œ?
- Ã¬Â´ Ãž~Ã¬Â´Ã¬Â§€ÃªÂ°€ Ã¬Â´Ã·Â´Ã·~ÃªÂ,Â°Ã¬— Ã¬‰Â¬Â¬Â´Ã¬šÂµÃ«^ÃªÂ¹œ?
- ÃªÂ·Â´,ÃªÂ,Â°Ã¬,Â¬Ã¬— Ã«^ÃªÂ,Â´Ã¬Â´€Ã¬žÃ¬~ Ã¬~ÃªÂ²Â¬ÃªÂ³Â¼ Ã¬¬Â´Ã«š Ã¬Â´·Ã«,,
Ã«™Ã¬~Ã«Â±Â¼ Ã·~Ã¬<Ã«^ÃªÂ¹œ?
- ÃªÂ·Â´,Ã«œ“ÃªÂ,€ÃªÂ³Â¼ Ã¬¬Â´Ã«š Ã¬Â´·Ã«,, Ã«™Ã¬~Ã«Â±Â¼ Ã·~Ã¬<Ã«^ÃªÂ¹œ?

TABLE OF CONTENTS

- ÃªÂ´€Ã«Â¬ÃœÃ«”Ã«,,
- Ã¬œ,,Ã,Â± Ãž~Ã¬Â´Ã¬Â§€ Ã«^Ã«Â±€Ã¬~ Ã’œÃ¬Â±€ Ã«“Â±ÃªÂ,‰ Ã¬<œÃ¬šÂ±Ã¬...œ
- Ã¬œ,,Ã,Â± Ãž~Ã¬Â´Ã¬Â§€ Ã«^Ã«Â±€Ã¬~ Ã«^Ã¬¬^œÃ·œ Ã«“Â±ÃªÂ,‰
- ÃªÂ,Â°Ã¬,Â¬Ã¬—Ã¬,,œÃ¬~ Ã¬,Â¬Ã¬šÂ©Ã¬žÃ«“Â±ÃªÂ,‰
- Ã«œ“ÃªÂ,€Ã¬—Ã¬,,œÃ¬~ Ã¬,Â¬Ã¬šÂ©Ã¬žÃ«“Â±ÃªÂ,‰
- ÃªÂ²œÃ¬<œœœÃ¬—Ã¬,,œÃ¬~ Ã¬,Â¬Ã¬šÂ©Ã¬žÃ«“Â±ÃªÂ,‰
- ÃšÂ,Ã«ž~Ã¬Â»Â± Ã«^Ã«Â±€Ã¬—Ã¬,,œÃ¬~ Ã¬,Â¬Ã¬šÂ©Ã¬žÃ«“Â±ÃªÂ,‰

• ã¬â¶"ã³â°€ ã¬â •ã«â³â´

ã³â´€ã«â!â¬ ãœâ"ã«,,

ã«"â±ã³â, %ã³â³â¼ ã³â´€ã«â â"ã«œ ã«œã«â¶¶ã«â¶,,ã¬~ ã¬,,â¬ã¬â •ã¬~ ã«,,ã³â³â ã¬â¼œã³â,â°ã«s" ã«â¬ã¬œã¬~ ã³â´€ã«â!â¬ ãœâ"ã«,, ã«â\$ã¬â¬â¬â¬,,œ ã³â°€ã«sâ¶â•â©ã«^ã«â¬: tiki-admin.php?page=rating ("ã³â´€ã«â!â¬ ã™^ > ã«"â±ã³â, %")

Rating ⓘ

Preference Filters

Basic Advanced Experimental Unavailable [Set as my default](#)

Configuration search: [Search](#)



[Apply](#) [Reset](#)

Global configuration

Rating recalculation mode: [Recalculate on vote](#) ⓘ

IP can be checked
Check anonymous votes by user's IP

Wiki

Rating ⓘ ➔

Simple wiki ratings ⓘ ➔

Wiki rating options:
[0,1,2,3,4,5](#) ⓘ
➔

Permissions involved:

- wiki > wiki_vote_ratings
- wiki > wiki_view_ratings
- tiki > ratings_view_results

Articles

User ratings on articles ⓘ ➔

Article rating options:
[0,1,2,3,4,5,6,7](#) ⓘ
➔

Permissions involved:

- articles > rate_article
- tiki > ratings_view_results

- You also need to set: **Admin Types > Comment can rate article**

• "ÃªÃ´€Ã«Ã¡Ã¬ > ÃªÃ´,Ã´°Ã«ŠÃ¥ > Ã´Ã¬Ã´œ"

Ã«"Ã±Ã«Ã¡;Ã«œ Ã¬,Ã¬Ã«žCEÃ«"ÃªÃ¬Ã´ Ã«"Ã±ÃªÃ´, %œÃ¬,, Ã«Ã³Ã´ÃªÃ³Ã´ Ã´Ã¬Ã´œÃ«Ã¥Ã¼ Ã´•Ã´ Ã¬~ Ã¬ž^Ã«Š" Ã¬Ã´,,Ã¬—Ã´
ÃªÃ´¶CEÃ´œÃ¬,, Ã«Ã³Ã´Ã¬œÃ´ Ã´~ÃªÃ³Ã´ Ã¬ž^Ã«Š"Ã¬Ã´š€ (Ã¬Ã´ ÃªÃ´¶CEÃ´œÃ«"ÃªÃ¬,, Ã¬,,Ã´ ÃfÃ¬— Ã«"Ã´Ã«Ã¼ Ã¬,,ÃªÃ¬Ã´ •Ã´-
•Ã¬<Ãª¬<œÃ¬~Ãª) Ã™•Ã¬Ã´,Ã´~Ã¬<Ãª¬<œÃ¬~Ãª (Ã´Ã¹Ã¬€ Ã¬,,Ã´ Ã´,Ã´~Ã¬<œÃ«Š" Ã«Ã´"Ã¬— Ã«"Ã´Ã«Ã¼
Ã¬Ã´µÃ«Ãª...Ã¬,Ã¬Ã¬šÃ©Ã¬žÃ¬—Ãª²CEÃ«, ÃªÃ´¶CEÃ´œÃ¬,, Ã«Ã´¶€Ã¬—Ã¬Ã´•Ã´ Ã¬~ Ã¬ž^Ã¬šÃµÃ«^Ã«Ãª).
ÃªÃ´•Ã´,Ã«Ã´!Ã¬Ãª³Ã´ ÃªÃ´°œÃ«Ã³,, ÃªÃ´°œÃ¬Ã²Ã´Ã´fÃ¬— Ã¬Ã´š€Ã¬—Ã´ ÃªÃ´¶CEÃ´œÃ¬œÃ¼Ã«Ã¡;œ Ã¬^~Ã¬Ã´ •Ã´•Ã´ Ã¬^~
Ã¬ž^Ã¬šÃµÃ«^Ã«Ãª (Ã´,,Ã¬š"Ã´~Ã«<ÃªÃ«Ã´©Ã´', ÃªÃ´¶CEÃ´œ Ã¬,,ÃªÃ¬Ã´ •Ã¬,, Ãª²€Ã¬†Ã´ Ã´~Ã¬<Ãª¬<œÃ¬~Ãª).

Ã´•Ã´,Ã«Ã´!Ã¬Ãª³Ã´ "ÃªÃ´'€Ã«Ã´!Ã¬ > Ã¬,,ÃªÃ«Ã´—Ã´," Ã¬œÃ¼Ã«Ã¡;œ ÃªÃ´°€Ã¬,,œ Ã¬,,ÃªÃ«Ã´—Ã´, Ã...œÃ"CEÃ«Ã´!Ã´;Ã¬,, Ã¬fÃ¬,,Ã±Ã´
•Ã´Ã¬•Ã¼ Ã´•Ã´©Ã«^Ã«Ãª (tiki-admin_polls.php - Ã¬Ã´fÃ¼ Ã¬'Ã¬šÃ© Ã´,,Ã«Ã¡;œÃª•Ã´,Ã«žÃ´" Ã«Ã´"Ã«%œÃ´' Ã«,Ã´Ã«Ã´¶€Ã¬~
Ã¬,,Ã´ ÃfÃ¬,Ã¬Ã´•Ãª¬œÃ¼Ã«Ã¡;œÃ¬—Ã´" ÃªÃ´'€Ã«Ã´!Ã¬ Ã¬,,Ã¹Ã¬...~Ã¬— Ã¬ž^Ã¬CE):

Admin Polls



[Set last poll as current](#) [Close all polls but last](#) [Activate all polls](#)

Create/edit Polls

Title:

Active:


Categorize: [\[show categories \]](#) [\[hide categories \]](#)

PublishDate: at

ÃªÃ´•Ã´,Ã«Ã´!Ã¬Ãª³Ã´ Ã¬Ã´' Ã¬,,ÃªÃ«Ã´—Ã´, Ã...œÃ"CEÃ«Ã´!Ã´;Ã¬— Ã¬,,Ã´ ÃfÃ¬,Ã¬Ã´•Ãª¬,, Ã«Ã´†Ã«Ã´† Ã¬Ã´¶"ÃªÃ´°€Ã´•Ã´©Ã«^Ã«Ãª

Edit: TikiWiki CMS Groupware

Categorize	[show categories hide categories]
Apply template:	none ▾
Use rating:	type <input type="text" value="Wiki"/> title <input type="text"/> or use ... an existing poll ▾
Language:	Unknown ▾
Smileys:	
Description:	A presentation of www.tikiwiki.org
Edit:	<code>Tikiwiki, also known as Tiki CMS/Groupware/whate</code>



TikiWiki CMS Groupware

A presentation of www.tikiwiki.org


[Democracy Platform](#)




backlinks... ▾

Rating

Tikiwiki, also known as Tiki CMS/Groupware/whatever (later referenced as Tiki for short), is powerful wiki-based Content Management System (CMS), Groupware, Blogging System, Image/File Gallerv. Bug Tracker or anvthing vou imagine to manage your data on-line via web browser. Tiki is Free





Ń→fŃ→žŃ→~ Ń→œ,,Ń→— Ń→ž^Ń«Š”) Ń^Ń→Ń'œ Ń«ŃŠŃŃ→Ń«ŃŃ¼ ŃŃ'Ń«Ń!ŃŃ•œ Ń>,,, Ń•Ń'Ń«Ń¹ Ń→,,ŃŃŃ«Ń→Ń,Ń→,, Ń†ŃμŃ•~Ń→—Ń→
ŃªŃ•Ń, Ńž~Ń→Ń'Ń→ŃŃ€Ń«Ń;œ Ń«Ń¹Ń→ŃŃ Ń→~ Ń^Ń→Ń'œŃ«ŃŃ¼ Ń→,,Ń½Ń→ž...Ń•Ń Ń→~ Ń→ž^Ń→,, ŃªŃ²fŃ→ž...Ń«Ń^Ń«ŃŃ.



Ń→,,Ń ŃfŃ→,Ń→Ń•ŃŃ→,, Ń•~Ń«,, Ń→,,Ń ŃfŃ•~ŃªŃ³Ń (Ń→ŃŃŃŃŃ→Ń«Ń!Ń°Ń→fŃ•Ń→—Ń→,,œŃ«Š” "Good") Ń^Ń→Ń'œ Ń«Ń²,,ŃŃŃ¼Ń→,, Ń→
Ń'Ń«Ń!ŃŃ•~Ń→ŃŃŃ→œŃ→~ŃŃ. Ń→Ń'Ń«Š” ŃªŃ•œŃ•~Ń→~ Ń→,,Ń ŃfŃ→,Ń→Ń•ŃŃ→,, ŃªŃ,Ń°Ń«Ń;Ń•Ń ŃªŃ²fŃ→Ń'ŃªŃ³Ń, Ń«ŃŃŃ→œ
ŃªŃ²Ń°ŃªŃ³Ń¼Ń«ŃŃ¼ Ń«Ń³Ń'Ń«ŃŃŃ→ ŃªŃ°œŃªŃ²œŃ«Ń~Ń«Ń©Ń' Ń«ŃŃŃŃŃ→œŃ→,, Ń«Ń³Ń'ŃªŃ²œŃ«Ń ŃªŃ²fŃ→ž...Ń«Ń^Ń«ŃŃ:

~œ,,~ ~ ~SÂxÂ~Â~Â!Â°~fÂ·Â~ ~ ~Â~Â~Â œÂ«Â¥Â¼ Â«Â³Â'Â~<Â~<œÂ~Âx


Â²œÂ~<œÂœÂ~—Â~,œÂ~ ~ ~,Â~Â~ŠÂ©Â~Ž ~«"Â±Â²Â, %

"Â'œÂ!Â~ Â™ ^ > ~«"Â±Â²Â, % > ~œ"Â²Â, € > ~«Â"Â~^œ ~œ,,Â,Âx ~œ"Â²Â, € ~«"Â±Â²Â, %" ~«Â° "Â~œ,,~
,Âx ~«"Â±Â²Â, % ~,,Â ~fÂ,Â~Â·Â:" (1, 2, 3, 4, 5; or less/more options than those) Â²,Â°Â~ŠÂ¥Â~,, Â™ œÂ~,,Â±Â™ "Â-
• ~Â³Â, Â²'œÂ~<Â~<Â' ~ž^Â~Š" Â²œÂ~<œÂœÂ~— ~œœÂ~ ~ ~—Â~ "Â²œÂ~<œÂ«Â~¼Â~€ ~«"Â±Â²Â, %Â~Â'
Â«Â¶œÂ~—Â~Â~«Â ~ ~ ~ž^Â~œ" ~ ~ ~,,ÂxÂ~Â·Â~,, Â™ œÂ~,,Â±Â™ " ~ ~ ~<Â~<œÂ~Âx.

Â~Â~'œÂ~™ € ~«"Â±Â²Â, % Â²Â²Â°Â²Â³Â¼Â«Â¥Â¼ ~«Â³Â¼ Â²Â¶œÂ~œÂ~,, ~>Â~ ~Â~Š" ~Â·Â~Â~«Â£Â¹(Â«"Âx)Â~—Â²œ
Â«Â¶œÂ~—Â~Â~ ~ ~€Â~Š"Â~Â~€Â¥Â¼ Â™ ·Â~Â, ~ ~ ~<Â~<œÂ~Âx

- forums > tiki_p_forum_vote
- tiki > tiki_p_ratings_view_results


Â²œÂ~<œÂœÂ ~«,Â'Â«Â¶œÂ~—Â~,œ ~œœÂ™ " ~—"Â°Â«Â ^Â«"œ (Thread) ~«Â²Â©Â«Â;Â~ ~ ~^Â~Â œÂ«Â;œÂ~Â", Â²Â°
Â—"Â°Â«Â ^Â«"œÂ~ ~ ~²Â« ~«Â©"Â~<œÂ~Â~€ (Â—"Â°Â«Â ^Â«"œ Â†Â ~"Â½) ~— ~œœÂ·œ ~²Â²Â°Â²Â³Â¼Â«Â¥Â¼
Â«Â³Â'Â~—Â~<Â~<Â£Â¼Â²Â³Â ~ž^Â~œÂ¼Â«Â©Â°, ~fÂ,,Â, Â²Â²Â°Â²Â³Â¼Â~™ € ~«"Â±Â²Â, % ~Â'Â«Â²Â"Â~<Â~<Â½~Â~Â'
Â«Â²Â"Â«' Â™ œÂ~,,Â±Â™ " ~ ~ ~—Â~<Â~<œÂ~



Â™ ·œœÂ~ ~Â ÂxÂ«Â©Â' Â²'Â«Â!

Â·Â'Â«Â¹ Â²œÂ~<œÂœÂ~ ~ ~—"Â°Â«Â ^Â«"œ ~—Âx' ~ ~, ~«Â¥Â¼ ~«Â²Â©Â«Â~Â, ~ ~«Â©Â', ~—"Â°Â«Â ^Â«"œ Â†Â ~"Â½

(Ä→“Â°Ã«Â ^Ã«“œÄ→~ Ä→Â²Ã«Ã«Â²^Ä→ÂŠÄ, Ä«Â©”Ä→→œÄ→ÂŠ€) Ä→~ Ä«“Â±Ä³Ä, %Ä→— Ä→fÄ→‘Ä•~Ä«Š” Ä→“Â°Ä«Â ^Ä«“œ Ä«Â²Ä©Ä«Ä;Ä→— Ä«“Â±Ä³Ä, %Ä→Ä’ Ä’œÄ³Ä, Ä°Ä«~Ä«Š” Ä³Ä²fÄ→,, Ä«Â³Ä¼ Ä→^~ Ä→ž^Ä→Œ. Ä•Ä’Ä«Ä¹ Ä†Ä Ä”Ä½Ä→— Ä«Œ€Ä•œ Ä«ÄµÄ³Ä, €Ä«“ÂœÄ→€ Ä→,Ä→Ä→šÄ©Ä→žÄ→— Ä→~Ä•~Ä→Ä→ Ä«“Â±Ä³Ä, % Ä«Ä¶€Ä→—Ä→Ä³Ä°€ Ä³Ä°€Ä«ŠÄ¥Ä•Ä”.



Ä™•Ä«Œ€Ä•~Ä«Â ÄœÄ«Ä©Ä’ ÄÄ’Ä«Ä¼Ä

ÄŠÄ, Ä«ž~Ä→Ä»Äœ Ä«, Ä’Ä«Ä¶€Ä→—Ä→,, ŒÄ→~ Ä→, Ä→Ä→šÄ©Ä→ž Ä«“Â±Ä³Ä, %

Ä<Â°Ä, Äœ12 Ä→—Ä→,, œÄ«Š” ÄŠÄ, Ä«ž~Ä→Ä»ÄœÄ→— Ä«Œ€Ä•~Ä→—Ä→ Ä→, Ä→Ä→Ä’ÄŠÄ, Ä→Ä, Ä«Ä°~Ä→— Ä³Ä±Ä, Ä→Ä³ Ä™ œÄ→,, Ä±Ä™” Ä«Ä¥Ä¼ Ä•Ä Ä•,, Ä→š”Ä³Ä°€ Ä→—†Ä→šÄµÄ«<^ Ä«ÄœÄ«ÄŠŒ, Ä«ÄŠŒÄ→•Ä½ Ä³Ä•€Ä•~Ä→~ Ä→, Ä→Ä→Ä’ÄŠÄ, Ä→—Ä→,, œ Ä«“Â±Ä³Ä, %Ä→Ä’ Ä«ž€ ÄŠÄ, Ä«ž~Ä→Ä»Äœ Ä•,, Ä«“œÄ³Ä°€ Ä«Ä¹, Ä™ œÄ→,, Ä±Ä™” Ä«~Ä→—Ä’Ä→ž^Ä«ÄœÄ«Ä©Ä’, Ä→Ä’Ä«Ä¥Ä¼ Ä™ œÄ→,, Ä±Ä™” Ä•~Ä«Â ÄœÄ«Ä©Ä’ ”Ä³Ä’€Ä«Ä¼Ä→ Ä™ ^ > ÄŠÄ, Ä«ž~Ä→Ä»Äœ > Ä•,, Ä«“œ Ä→œÄ Ä~• > Ä«“Â±Ä³Ä, %” Ä→—Ä→,, œ Ä™ œÄ→,, Ä±Ä™” Ä•Ä Ä→^~ Ä→ž^Ä→Œ.

Ä→Ä£Ä¼Ä→:

Ä-Ä'Ä-Ä œÄ«Š" "ÄŠÄ, Ä«ž~Ä-Ä»Äœ > ÄŠÄ, Ä«ž~Ä-Ä»Äœ Ä«, ~Ä-Ä'Ä-Ä "Ä-Ä-Ä,,œ ÄŠÄ, Ä«ž~Ä-Ä»ÄœÄ«Ä;œ Ä-Ä'Ä«™ Ä•Ä Ä-Ä~
Ä-ž^Ä-œÄ¼Ä«Ä©Ä° Ä«Ä²Ä©Ä«Ä;Ä-Ä-Ä,,œ Ä²Ä•Ä•Ä~Ä-Ä~ ÄŠÄ, Ä«ž~Ä-Ä»ÄœÄ«Ä½Ä¼ Ä-Ä,,Ä ÄfÄ•Ä Ä-Ä~ Ä-ž^Ä-ŠÄµÄ«^Ä«Äœ
(Ä-Ä' Ä-Ä~^Ä-Ä œÄ-Ä-Ä,,œÄ«Š" "Proposals"). Ä-ž...Ä«Ä Ä½ Ä-Ä-Ä-Ä,, Ä«Ä³Ä'Ä²Ä²œ Ä«Ä Ä²Ä²fÄ-ž...Ä«^Ä«Äœ:






Insert new item	
	<input type="button" value="save"/>
Status	open <input type="button" value="v"/>
Rating	<input type="radio"/> -2 <input type="radio"/> -1 <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2
Proposal body *	<div><input type="button" value="+"/> Quicktags ...</div> <div></div>
Agreement degree *	? <input type="button" value="v"/>
	<input type="button" value="save"/> <input type="checkbox"/> View inserted item

*fields marked with a * are mandatory*

ÄŠÄ, Ä«ž~Ä-Ä»ÄœÄ«Ä½Ä¼ Ä«Ä²Ä«Ä² Ä•ÄÄ«Ä²Ä©Ä-œÄ¼Ä«Ä;œ Ä-Ä±,,Ä-ÄœÄ«,,ÄfÄ-œÄ¼Ä-ÄœÄ²Ä³Ä, ÄŠÄ, Ä«ž~Ä-Ä»Äœ Ä•Ä
Ä«Ä²Ä©Ä-Ä,, Ä%Ä²Ä°Ä•Ä~Ä-ÄÄ-ÄœÄ-Äœ. Ä-Ä~^Ä«Ä½Ä¼ Ä«ÄœÄ-žÄ«Ä©Ä':

~"~;œ ~'~—, "Proposals" ~'~¼ ~"~—~ž^~š" ~ œ~ª~ © ~"~;œ ~<œ~ž'~•~ª²œ
~ ~ª©° ~'~š" Š,~ž~»~ œ~ª~ª~©~ž,,):

Draft Proposals

[WPE](#)      backlinks... English

In 'Draft Proposals', you can post your proposals to the WPE voting site, so that other members can help you with improvement and feedback, before they become **future votes**. We suggest that all proposals shall be short, to the point, and anonymous in order to avoid bias caused by ego conflicts. If you want your name to be public after the acceptance of your proposal, send an e-mail to jmstenborg@gmail.com about your wish, and your name will be published.

- [Proposals with high agreement](#)
- [Suggestion to users](#)
- [Cooperate with Humanitad in order to set up World Problem Solving Internet Site](#)
- [Register WPE with the People's Congress](#)

Proposals

Proposals of items through trackers in the e-democracy system!

Proposal body *

Agreement degree *

Fields marked with a * are mandatory.

ª·,~ª!~ª³ª ~ªª~œ~ª³ª¼ªª°™ ~' TRACKERLIST ~"œ~Ÿ~ª·,~ª,~ª,~ª~šª©~ª ~^~ª,,
~ž^~œ:

!!! Proposals with high agreement {TRACKERLIST(trackerId=>1,fields=>1:2:3,showtitle=>y,showlinks=>y,showdesc=>y,showinitials=>y,showstatus=>y,status=>opc,max=>10,filterfield=>3,filtervalue=>5,exactvalue=>5)}Notice to users{TRACKERLIST}

• $\hat{A} \hat{A}^2 f \hat{A} \rightarrow \hat{Z} \dots \hat{A} \ll \hat{A} \ll \hat{A} \alpha$:

Proposals with high agreement

Proposals

Proposals of items through trackers in the e-cdemocracy system!

	Rating	Proposal body	Agreement degree	created	lastModif	coms
	2 -2 -1 0 1 2	<u>Trial 4</u>	5	Tue 05 of Jun, 2007 [17:43]	Tue 05 of Jun, 2007 [17:43]	0
	4 -2 -1 0 1 2	<u>Use an e-democracy system to propose things, and gather opinion from others</u>	5	Tue 05 of Jun, 2007 [17:20]	Tue 05 of Jun, 2007 [17:40]	0

$\hat{A} \rightarrow \hat{A} \eta \text{ " } \hat{A}^a \hat{A}^o \in \hat{A} \rightarrow \hat{A} \cdot \hat{A} \ll \hat{A}^3 \hat{A} \text{ '}$

$\hat{A} \ll \hat{A} \alpha \hat{A} \rightarrow \mathbb{E} \hat{A} \rightarrow \sim \hat{A} \cdot \text{TM} \hat{A} \rightarrow \hat{S} \hat{A} \mu \hat{A} \rightarrow \text{,,} \text{oe} \hat{A} \rightarrow \sim \hat{A} \rightarrow \text{,,} \text{oe} \hat{A} \rightarrow \hat{A} \eta \text{ " } \hat{A}^a \hat{A}^o \in \hat{A} \rightarrow \hat{A} \cdot \hat{A} \ll \hat{A}^3 \hat{A} \text{ ' } \hat{A}^a \hat{A}^o \in \hat{A} \rightarrow \hat{Z} \hat{A} \rightarrow \hat{S} \hat{A} \mu \hat{A} \ll \hat{A} \ll \hat{A} \alpha$:
<https://doc.tiki.org/E-democracy+system>

$\hat{A}^a \hat{A} \text{ ' } \in \hat{A} \ll \hat{A} \hat{A} \text{ "}$

• $\hat{A}^a \hat{A}^3 \hat{A} \hat{A}^a \hat{A} \text{ , } \% \hat{A} \ll \text{ " } \hat{A} \pm \hat{A}^a \hat{A} \text{ , } \% \hat{A}$

$\hat{A} \ll \hat{A}^3 \text{ , } \hat{A} \rightarrow \hat{A}^1 \hat{A}$