

## TABLE OF CONTENTS

- [Ã¬,Â¬Ã¬šÂ©Ã¬ž Ã¬Â§€Ã¬Â • Ã«Â©"Ã«%oÂ' Ã«Â§€Ã«"Â±ÃªÂ,Â°](#)
- [Ã¬,Â¬Ã¬šÂ©Ã¬ž Ã¬Â§€Ã¬Â • Ã«Â©"Ã«%oÂ' Ã«Â§€Ã«"Â±ÃªÂ,Â°](#)
- [ÃªÂµÂ¬Ã¬Â¡Â°Ã¬Â²Â' Ã«ÂªÂ©Ã¬Â°Â"Ã¬—Ã¬,,œ Ã«Â©"Ã«%oÂ' Ã¬fÃ¬,,Â±Ã•~ÃªÂ,Â°](#)
- [Ã«Â§žÃ¬Â¶Â±Ã~ • Ã«Â©"Ã«%oÂ' ÃªÂµÂ¬Ã¬,,Â±Ã•~ÃªÂ,Â°](#)
- [Allow viewing options/sections only under some conditions](#)
- [Include menu in a new user module or in templates](#)
- [Multilingual menu](#)
- [CSS \(Suckerfish\) Menus](#)
- [External Links in Menus](#)
- [Links in iframe](#)
- [Perms](#)
- [Change the folder icons of a tiki menu](#)
- [Ã«Â©"Ã«%oÂ'Ã¬~ ÃªÂ° Ã¬,,Â ÃfÃ¬,Â¬Ã•ÂÃ¬— Ã¬•,,Ã¬Â'Ã¬Â½~ Ã¬Â¶"ÃªÂ°€](#)
- [Ã¬Â¶"ÃªÂ°€ Ã¬žÃ«Â£€](#)

[Ã¬,Â¬Ã¬šÂ©Ã¬ž Ã¬Â§€Ã¬Â • Ã«Â©"Ã«%oÂ' Ã«Â§€Ã«"Â±ÃªÂ,Â°](#)



Admin Menu: Site Maintenance

[List menu] [Edit this menu]

### Preview Menu

- [ Site Maintenance ]
- Home
- Statistics
- Categories
- FAQs
- Wiki
- Image Galleries
- Articles
- Blogs
- Forums
- Links Directory
- File Galleries
- Quizzes
- Trackers
- Admin (Click!)

### Edit Menu Options

Name:

URL:

Sections:

Permissions:

Groups:

Type:

Position:

### Some Useful URLs

Home:

General:

Wiki:

Images:

Articles:

Blogs:

Files:

Forums:

FAQs:

Quizzes:

### Menu Options

Search:

ID	Position	Name	URL	Type	Sections	Permissions	Group	Action
42	0	Home	bki-index.php	o				
42	5	Chat	bki-chat.php	o	feature_chat	bki_p_chat		
42	10	Contact Us	bki-contact.php	o	feature_contact			
42	15	Statistics	bki-stats.php	o	feature_stats	bki_p_view_stats		
42	20	Categories	bki-browse_categories.php	o	feature_categories	bki_p_view_categories		
42	25	FAQs	bki-list_faqs.php	o	feature_faqs	bki_p_view_faqs		
42	30	Games	bki-list_games.php	o	feature_games	bki_p_play_games		
42	35	Calendar	bki-calendar.php	o	feature_calendar	bki_p_view_calendar		
42	40	{debug}	javascript:toggle('debugconsole')	o	feature_debug_console	bki_p_admin		
42	50	My Area	bki-my_bki.php	s			Registered	
42	55	Preferences	bki-user_preferences.php	o	feature_userPreferences		Registered	

~f~,,± ~°€«ŠŸ•œ ~© "«% '—«Š" 3~°€—Ÿ€ ~«x~Ÿ, ~ç...~Ÿ~°€ ~ž^—Šµ~«^~«x:

• ~³~ ~ (f): ~© "«% '—«Š" ~ • ~ ~¼ ~²f~ž...~«^~«x; ~°~ " ~ ~,, ~ f~,, ~• ~€ ~© "«% ' ~°~Ÿ " ^ ~— ~'œ~°, ~°~ ~²f~ž...~«^~«x.

~—~Ÿ°, ~— ~Šx~—~!°~f~. ~,,½~ž...~•~'~•¼ ~•~"

• ~ 'Źœ ~œ~ ~™ ~• (d): ~' ~© "«% '—«Š" ~œ~ ~™ ~• ~ž...~«^~«x; ~© "«% ' ~«, ~' ~Ÿ€— ~ŸŸ€~Ÿ,, ~« "x~Ÿœ~°, ~°~ ~Ÿ~©~°, ~ŸŸ€~Ÿ,, ~« "x~,, ~—~' ~°, ~/~«~Ÿ°, ~°~ ~Ÿ¼ ~œ,, ~•œ +/- ~ŸŸ~— ~~¹~—€ ~ ~'~«" ~•,, ~—~' ~½ ~—~' ~'œ~°, ~°~ ~Ÿ ~²f~ž...~«^~«x. ~°~Ÿ, ~x ~«, ~' ~ŸŸ€— ~ ~'~—š~©~", ~Ÿ;œ~•~Ÿ, ~ž~ " ~© "«% '—«Š" ~© "«% '— ~ ~³, ~-

Ā'Ā«ž~Ā→šĀαĀ→~ Ā•œĀ→~^Ā→Ā œĀ→ž...Ā«<^Ā«<Āα.

Ā→-Ā→ĀªĀ,Ā°Ā→- Ā→šĀαĀĀ→Ā«Ā!Ā°Ā→fĀ. Ā→,Ā½Ā→ž...Ā•Ā'Ā→•Ā¼ Ā•Ā"

• ĀžĀ¼Ā→Ā³Ā→Āš,, Ā→œĀ Ā«™ Ā~• (e): Ā→œ,,Ā→™ ∈ Ā«™ Ā→Ā¼Ā•~Ā→Āš€Ā«Āš€ Ā«ĀªĀ"Ā«"Ā Ā«Ā¶€Ā«Ā¶,,Ā→Ā' ĀªĀ,Ā°Ā«Ā³Ā,Ā→œĀ¼Ā«Ā;œ ĀžĀ¼Ā→Ā³Ā→Ā Ā,Ā→ž^ĀªĀ³Ā Ā→,Ā→Ā→šĀ©Ā→žĀªĀ°€ Ā«<Ā«ĀªĀ,Ā°Ā«Ā¶Ā¼ Ā→>Ā•~Ā«š" Ā«Ā¶€Ā«Ā¶,,Ā→~ (-) Ā~Ā¹Ā→€ ĀĀ'Ā«" Ā→•,,Ā→Ā'Ā→Ā½~Ā→œĀ¼Ā«Ā;œ Ā«<Ā«Ā→,, Ā→^~ Ā→ž^Ā→šĀμĀ«<^Ā«<Āα.

Ā→-Ā→ĀªĀ,Ā°Ā→- Ā→šĀαĀĀ→Ā«Ā!Ā°Ā→fĀ. Ā→,Ā½Ā→ž...Ā•Ā'Ā→•Ā¼ Ā•Ā"

ĀªĀMĀ→Ā→Ā;Ā°Ā→Ā²Ā' Ā«ĀªĀ©Ā→Ā°Ā"Ā→-Ā→,,€ Ā«Ā©"Ā«%Ā' Ā→fĀ→,,Ā±Ā-  
•~ĀªĀ,Ā°

ĀªĀμĀ→Ā→Ā;Ā°Ā→Ā²Ā' Ā→,Ā→Ā→šĀ©Ā→ž Ā«Ā¶Ā¼ Ā→Ā°Ā,Ā→Ā;Ā°

From Tiki 7 or 8 (definitely in 8) the module\_menu is working for structures.â†µ  
â†µ

You can either make a navigation menu from a "menu Id" od from a "structure Id".â†µ

Ā«ĀšžĀ→Ā¶ĀαĀ~• Ā«Ā©"Ā«%Ā' ĀªĀMĀ→Ā→,,Ā±Ā•~ĀªĀ,Ā°

Ā→fĀ→,,Ā±Ā«~ĀªĀ³Ā Ā«,~Ā«Ā©Ā', Ā→Ā' Ā→f^ Ā«Ā©"Ā«%Ā'Ā→~ Ā-%Ā→- Ā→ž^Ā«š" Ā→,,ĀαĀ→Ā • Ā«Ā²,,ĀšĀ¼Ā→,, ĀĀ→Ā«Ā!ĀĀ-  
•~Ā→ĀĀ→œĀ→~Āα, Ā→Ā'Ā«š" /tiki-admin\_menu\_options.php?menuId=n Ā→œĀ¼Ā«Ā;œ Ā→Ā'Ā«™ Ā~ĀªĀ²€ Ā«Ā©Ā«<^Ā«<Āα

Ā«Ā©"Ā«%Ā' Ā•ĀĀ«ĀªĀ©Ā→,, Ā→fĀ→,,Ā±Ā•~Ā«Ā ĀαĀ«Ā©Ā', Ā«Ā©"Ā«%Ā' Ā→,,Ā ĀfĀ→,Ā→Ā•Ā Ā→,,œĀ→Ā→- Ā«,Ā'Ā→šĀ©Ā→,,  
ĀªĀ,Ā°Ā→ž...Ā•~Ā→ĀĀ→œĀ→~Āα : Ā→ĀμœĀ→†€ **Name**, **URL** (Ā→fĀ«€Ā→Ā Ā~Ā¹Ā→€ Ā→Ā ^Ā«€Ā→Ā), **Type** = "option" Ā«Ā°  
**osition** Ā→Ā'Ā«š" Ā«Ā©"Ā«%Ā' Ā•ĀĀ«ĀªĀ© Ā→^œĀ→,,œĀ«Ā¶Ā¼ Ā→,,ĀαĀ→Ā •Ā~ĀªĀ,Ā° Ā→œ,,Ā•œĀ Ā→Ā«Ā→žĀ→ž...Ā«<^Ā«<Āα

À-Â €Ã-žÂ¥Ã•~Ã-œÃ³Â Ã«Â©"Ã«%oÃ'Ã-~ Ã«Â-Â,Ã«Â!Ã-Ã«Â³Â'Ã³Â,Â°Ã«Â¥Â¼ Ã-,Â'ÃžÂ'Ã«Â³Â'Ã-Ã-œÃ-~Â. Ã«Â°Ã,Ã« >= 2.0 Ã-Ã-Ã-,œÃ«Š" , ((pageName)) Ã«Â-Â,Ã«Â²•Ã-œÂ¼Ã«Â;œ Ã«Â©"Ã«%oÃ' Ã-,Â'ÃfÃ-,Ã-Ã•Ã Ã«,Â'Ã«Â¶€Ã-Ã-œ,Ã,Ã« Ãž~Ã-Ã'Ã-Ã\$€Ã«Â;œÃ-~ Ã«Â\$ÃÃ'Ã«Â¥Ã' Ã-Ã\$€Ã-Â •Ã•Ã Ã-^~ Ã-ž^Ã-ŠÂµÃ««^Ã««Ã«. Ã-žÂ¥Ã-Â Ã-€ Ã-œ,,Ã,Ã« Ãž~Ã-Ã'Ã-Ã\$€ Ã-Ã'Ã«Â!, Ã-Ã' Ã«Â³€Ã³Â²Â½Ã«Â Ã«•œ Ã-,Â'ÃfÃ-,Ã-Ã•ÃÃ-~ Ã-Ã'Ã«Â!,Ã«Â³€Ã³Â²Â½Ã-, Ã•Ã Ã-^~ Ã-ž^Ã«Š Ã³Â²fÃ-Ã'Ã«Â©Â° SEFURLs Ã³Â,Â°Ã«ŠÂ¥Ã-Ã' Ã-Ã²Â'Ã-Ã«~Ã-^Ã-, Ã³Â²Â½Ã-ŠÂ° SEFURL Ã«Â\$ÃÃ-Ã«Â¥Â¼ Ã³Â°€Ã-Ã\$^ Ã-^~ Ã-ž^Ã«Š" Ã³Â²fÃ-ž...Ã««^Ã««Ã«. SEFURL Ã«Š" [http://mysite.com/tiki-index\\_raw.php?page=Home](http://mysite.com/tiki-index_raw.php?page=Home) Ã-™ € Ã³Â°™ Ã-€ Ã«Â³ÂµÃ-žÂ;Ã•œ Ã«Â\$ÃÃ-Ã«œ€Ã-Ã <http://mysite.com/Home> Ã-Ã²~Ã«ŸÂ¼ Ã«Â Ã³Â²fÃ-ž...Ã««^Ã««Ã«

To create a *section* (i.e. a folder) that can be opened or collapsed, fill in the edit menu options form with at least **Name**, **URL**, **Type** = "section" and **Position**.

NOTE: Do not put anything in **Sections** unless you know the tiki specific feature references e.g. feature\_wiki or feature\_blog\_rankings. These can be auto-filled using **Some useful URLs** pull-downs, or look at the **Tips** below to know how to guess the section name of the feature you are interested in.

- A **section** is an option that can fold the following options. The options dependant on a section are defined as the list of consecutive options with type 'option'. The options of a section stop when the next option is a section, a sorted section, or a separator.
- A **sorted section** sorts all its dependent options when displayed.
- A **separator** does nothing - except to stop a section (useful if you want to do a section followed by an option)

### EXAMPLE

- option1
- section1
  - option2

- option3
- option4
- section2
  - option5

will be

option1	option
section1	section
option2	option
option3	option
	separator
option4	option
section2	section

option5    option

In Tiki > 1.9.8, more levels have been introduced  
Example:

- option1
- section1
  - option2
  - section3
    - option3
    - option4
    - section4
      - option5
  - section5
- option6

will be

option1	option
section1	section level 0

option2	option
section3	section level 1
option3	option
option4	option
section4	section level 2
option5	option
section5	section level1
	separator
	separator
option6	option



Tip: Leave intentional gaps when numbering positional value for options. (Ex: 1,3,5,7,9). This will make future additions easier.

## ALLOW VIEWING OPTIONS/SECTIONS ONLY UNDER SOME CONDITIONS

### ALLOW ONLY TO SOME SPECIFIC GROUPS

You can restrict the view of some options and sections in the menu, so that only specific groups can view them. For instance, you could add a "User Preferences" option in position 100 to your customized menu that is seen by users only when they log in (registered group).

To do this, you would add:

Name:	<b>User Preferences</b>		
URL:	<b>tiki-user_preferences.php</b>		
Sections:			
Permissions:			
Group:	<b>Registered</b>		
Type:	<b>option</b>	Position:	<b>100</b>

You can specify a list of groups (separated by comma in Tiki =< 1:9.x, multiple select since Tiki 2.x). In this case, it means that the user needs to be in each group to see the option.

If you want a list of groups to see the option, = a user to be only in one of the groups to see the option, you have to insert has many options as groups. Each option must have the same parameters (same position, ...) except for the group.

The trick is, if you don't select any Groups, everyone can see the menu option. If you want to exclude a group, select all the other groups (but not the group you want to exclude).

Similarly, you can inadvertently exclude a logged-in group by selecting too many groups. You don't need to select all of your Administrator type groups (they can usually see everything anyway). Just select the one logged-in group that you want to be able to see the menu item. (Yes, this is all very weird.)

### ALLOW ONLY IF FEATURE X IS ENABLED

Imagine you want to add the option "Users Map" in position 110, to anonymous or registered groups, only when the feature Google Maps (gmap) is enabled in your site. You can do that with:

<b>Name:</b>	<b>Users map</b>
<b>URL:</b>	<b>tiki-gmap_usermap.php</b>
<b>Sections:</b>	<b>feature_gmap</b>
<b>Permissions:</b>	

Group:

Type: **option** Position: **110**

ALLOW ONLY IF FEATURE X ENABLED AND IF USER IN A GROUP WITH GIVEN PERMISSION

You could also restrict the menu option to be seen when the feature X is enabled, but also only when the user belongs to a group which has a specific permission.

For instance, you could add an option "Upload image" in position 120 which is seen only when the feature image galleries (feature\_galleries) is enabled AND only by users in groups which have the permission to upload images (tiki\_p\_upload\_images).

To achieve this behavior, you have to add something like:

Name: **Upload image**

URL: **tiki-upload\_image.php**

Sections: **feature\_galleries**

Permissions: **tiki\_p\_upload\_images**

Group:

Type: **option** Position: **120**

### TIPS

1. You could add to a menu entry any combination of settings for sections, permissions or groups.
2. If you need a same option with different perms or group, duplicate the option with the same position value.
3. To know the section names in order to allow only some new options when the feature is enabled, you can disable/enable them under "**Admin home > Features**" (**tiki-admin.php?page=features**), and you will see its name reported on top of the page when it's reloaded after you saved your changes. Then, you can enable/disable them again to its original state, if you don't want to change this setting.
4. To know the permission names, go to Admin > Groups > press on the key icon (⌘) next to a group) (**tiki-assignpermission.php?group=Registered**, for instance)

## INCLUDE MENU IN A NEW USER MODULE OR IN TEMPLATES

Once the menu has all or most of the options go to "Admin Modules" page (/tiki-admin\_modules.php), under " Create new user module" at the bottom, find your menu title in the pull-down "Menus" on the right, click **use menu** and "{menu id=n}" (where n = your menu ID) will appear in the "Create new user module" data box. Add a title (what will users will see) and a name (what admin

sees) and click **create/edit**.

Now you have created a new user module for the custom menu.

Moreover, it is possible to create dynamic pop-up menus by putting `{phplayers id=n}` in a TPL file. For older versions of Tiki, you might need to copy the layersmenu CSS entries out of `damian.css` into the `css` of your choice (or copy them from a later version).

On Admin Modules you can assign the module using the "Assign new module" form.

## MULTILINGUAL MENU

- [Multilingual Menu](#)

## CSS (SUCKERFISH) MENUS

In Tiki 2 and newer, it is possible to use a [suckerfish menu](#). This menu can be either vertical (in a [module](#)), or horizontal (in a [template](#) or in Site Identity custom code or, as of Tiki 3.0, as the topbar menu by just indicating the menu id number. Even nicer, jquery Superfish effects can be applied to CSS menus in Tiki 3.

To summarize: a menu created in Admin Menus can be displayed in one of three forms: a normal tiki menu (like the default menu in the side column), a PHP Layers menu, and a suckerfish (CSS) menu. In any form it can be integrated in tiki either directly in a module, in a template file `{menu id=1}` or in Admin Look and Feel (custom code in Tiki 2, or topbar menu selection in Tiki 3.0). To have a suckerfish menu used, in a module (via admin) or a template (via file editing) add the parameter `css=y` to the smarty tag `{menu}`.

## HOW TO SET UP A CSS MENU (IN PROGRESS)

1. Ensure that CSS menus are enabled in `admin>features`.
2. Create a menu in the normal way at `admin > menus`.

3. Note the ID number of the menu you have created.
4. Edit the module (within tiki) or .tpl file (via ftp) and include (along with whatever html is required the following syntax: `{menu id=1 css=y}`).
5. In Tiki 3.0, the module containing the CSS menu needs this parameter: `overflow=y`. This allows the submenu items to display outside the module's borders.

#### ADDITIONAL PARAMETERS

---

type                   horiz or vert op open

sectionLevel       numeric

toLevel               numeric

subMenu               numeric

---

---

open will close no submenus

all the submenus beginning at this level will be displayed if the url matches one of the option of this level or above or below

do not display option higher than this level

menu option ID root. Only the submenu of this option will be displayed

---

# CONTEXTUAL MENU EXAMPLE

Imagine this menu (id=101)

- flower
  - rose
    - monaco
  - daisy
- tree
  - tree
  - oak

will display when you are on rose, or flower or monaco

flower | tree

rose|daisy

will display when you are tree, oak

flower } tree

tree|oak

Three steps to a contextual menu

- I presuppose, that you know how to set up a menu.  
for getting this working well, you need:  
section level0 menu items for the top bar and  
option menu items for the left subnavigation menu (user module)



- First to setup a Contextual Menu, where the Top-Bar (or Top Menu) shows kind of rubrics and the submenutems are shown in a contextual submenu in the left or right culomn you have to do this:
- Put the following code into the "**Site menu custom code:**" box of Admin ' Look and Feel ' General Layout (2nd Tab) ' Top Bar  
use the number of the appropriate Menu ' in this example I did choose the Standard 'my menu' for the Top Bar with the Standard ID=43  
leave the "Menu ID" box empty
- Check on 'Top Bar' and then check on the 'Site menu bar' checkbox

```
<div id="topMenu"> {menu id=43 css=y type=horiz toLevel=0} <br clear="both" />
</div>
```

- Second, setup a custom user module in Admin ' Modules (.../tiki-admin\_modules.php)
- No menu need to be setup for that
- second tab 'user modules', scroll down to 'Create New User Module'
- name it for example 'mnu\_subMenu' and do NOT apply to inculde any objects.
- instead put in the following code into the data box:

```
<div id="subMenu"> {menu id=43 css=y type=vert sectionLevel=1} <br clear="both" />
```

</div>

- this Module has to be assigned in the first tab "assign/edit modules".
- as this kind of contextual menu might be most likely used for a Standard "small companies website" or similar, it should be assigned for "anonymous" group or anonymous and registered.
- perhaps a good place would be top left (Position: Left / Order: 1); no parameters needed to work

=> Now you should be done " technically the menu should work

- Third: Maybe you will have to adjust the style/template css-file, to get the contextual menu into the custom design of your website.
- in my style, I had to change the following css-items:
  - /\*\*\*\*\* XHTML Elements (other than body tag) \*\*\*\*\*/
    - a:link, a:visited {color: ...
  - /\*\*\*\*\* Site Header & Identity \*\*\*\*\*/
    - #tiki-top {font-size: 1em;}
  - /\*\*\*\*\* Menus, Links \*\*\*\*\*/ " CSS (suckerfish) menus \*\*/
    - .cssmenu li, .cssmenu\_horiz li, .cssmenu\_vert li {border-top: 0px solid #dedede}

- If and what you will have to change in your css-file, depends on your style/template, on your Tiki-version (2.x, 3.x, 4.x, 5.x etc.) and perhaps on more factors, that did not apply in my case.

This example works fine with Tiki 3.5 â†’ when I will find out major differences in higher Versions, I will add this here lateron. Please mind that there have been changes in the templates from Tiki4 on.

Update: works fine in 4.x, 5.x and 6.x .

Please mind, that this custom-contextual-menu will only show items, when you are "on a page" that is linked from the menu.

If you move forward on a more complex website, then the left submenu will show up "empty". That makes no sense and I am on to get more problems solved related to the contextual menu.

Example:

You link to a "startpage" of a Wikistrukture, but the other pages of the structure are not linked "in" the menu ...  
... clicking on the menuitem linking to that page will let appear the appropriate (not emty) contextual menu ...

... but if you "move" forward in the wikistrukture, the contextual menu will become empty.

## REQUIRED CSS CLASSES

As of Tiki 3.0, suckerfish menus are supported in CSS by default, and no additional CSS styles need to be added. The following information applies to Tiki 2.

### NOTES

For a CSS menu to work in the side column, these changes have to be made to the theme's stylesheet, after the .box selector in the file:

```
/* Needs to be set for CSS menu in col2 to work */ .box-menu_css_v_43, .box-menu_css_v_43 .box-data, .box-menu_css_v_43
ul {overflow: visible !important} .box-menu_css_v_43 {padding-left: 1em}
```

The number is the id number of the menu, so this will have to be changed if the menu has a different id number. In the future release, there will probably be a general CSS solution, but in the meantime (May 2008), this previous hack should do the job.

The first part is to enable the menu items to be visible outside of the module; the fourth item is probably necessary to bring the menu (top-level items) fully into view in the module. They are probably too far to the left initially. You might have to adjust the "1em" to another figure (whole numbers or decimal numbers like 1.4em are OK).

## EXTERNAL LINKS IN MENUS

If you want to let external links be opened in a new Tab or window, you need a `target=_blank`.

Please mind a difference in the notation regarded to "normal" HTML (the starting and ending quotes are intended to be missing):

In the menu you have to type:

```
target=_blank
```

```
http://foo.bar" target="_blank
```

And it will only work, if you enable the following in the admin panel "*general settings -> navigation*":

```
allow-HTML
```

Allow HTML in link text and do not escape the url in menu items (Please note: this might be insecure if you allow more people to edit menus)

Alternatively, you can try [How to make menu items open in a new window](#)

## LINKS IN IFRAME

Links to be opened inside an iframe in the main display area can be done this way ( [Featured Links](#) feature has to be enabled):

Link opens in iframe

```
tiki-featured_link.php?type=f&url=http%3A%2F%2Fwww.siemens.com%2f
```

All special characters have to be replaced with the html encoding, e.g. / has to be replaced with [%2f](#)!

## PERMS

- tikiwiki < 1.10: you need to have tiki\_p\_admin to create/edit the menus
- tikiwiki >= 1.10: to create a menu or delete one, you need tiki\_p\_edit\_menu, to create/edit a menu option, you need tiki\_p\_edit\_menu\_option (of course, you have implicitly the 2 perms when you have tiki\_p\_admin)

## CHANGE THE FOLDER ICONS OF A TIKI MENU

tikiwiki >= 1.10

There are 2 ways to change the folder icons

1) to change it as every other icons by overloading it at the templates level. You need to create 2 icons

- styles/my\_style/img/icons/folder.png
- styles/my\_style/img/icons/ofolder.png

2) to change locally for a menu. You must specify the path to the icon folder for close section like my\_modifications/my\_icon.gif and you must supply this icon and the closed icon that must be name my\_modifications/omy\_icon.gif (notice the o letter)

For the change to take effect, you may have to clear Tiki's caches (at tiki-admin\_system.php) and your browser cache, and/or log out of Tiki to clear session information.

Œ«Œ©"Œ«%Œ'Œ~ ŒªŒ° Œ¬,,Œ ŒfŒ¬,Œ¬Œ•ŒŒ¬— Œ¬•,,Œ¬Œ'Œ¬Œ½~ Œ¬Œ¶"ŒªŒ°Œ€

tiki>=?

ªŒ'Œ«Œ!Œ¬->Œ¬Œ¼Œ«Œ°~> Œ¬~ Œ«Œ'Œ«Œ¶Œ¬—Œ¬,,œ Œ¬Œ¼Œ«Œ°~ Œ¬,,Œ Œ~Œ,Œ¬,,ŒªŒ¬Œ•Œ¬,, Œ™ œŒ¬,,Œ±Œ™"Œ•Œ'Œ¬•Œ¼ Œ

•Œ©Œ«Œ^Œ«Œª

ŒªŒ•Œ,Œ«Œ!Œ¬ŒªŒ³Œ ŒŒŒ¹Œ¬Œ•Œ«Œ©"Œ«%Œ'Œ¬— Œ«Œ€Œ•Œ¬—Œ¬, Œ¬Œ' Œ«Œ©"Œ«%Œ'Œ«Œ¥Œ¼ Œ«ŒŒŒ«ŒªŒ°/Œ-  
ŒŒ,Œ¬ŒŒŒ'Œ•ŒªŒ,Œ° Œ•Œ Œ«Œ•Œ«Œ©"Œ«%Œ' Œ•ŒŒ«ŒªŒ©Œ¬— Œ«Œ€Œ•Œ¬—Œ¬ Œ¬•,,Œ¬Œ'Œ¬Œ½~ ŒªŒµŒ¬Œ¬,,Œ±' Œ¬,,Œ Œ-  
fŒ¬,Œ¬Œ•ŒŒ¬,, Œ¬Œ²Œ'ŒŒ¬Œ•Œ¬—Œ¬Œ¬•Œ¼Œ«ŒŒŒ Œ•Œ©Œ«Œ^Œ«Œª

ŒªŒ•Œ,Œ«Œ!Œ¬ŒªŒ³Œ ŒªŒ°ŒªŒ°Œ¬~ Œ¬,,Œ ŒfŒ¬,Œ¬Œ•ŒŒ¬— Œ«Œ€Œ•Œ¬—Œ¬, Œ¬•,,Œ¬Œ'Œ¬Œ½~Œ¬,, ŒŒ¬Œ•Œ"Œ•Œ~Œ«ŒŒ" Œ-  
ŒŒŒ¬Œ¼Œ¬~ Œ¬Œ'Œ«Œ!,Œ¬,, Œ¬Œª,, Œ¬^~ Œ¬ž^Œ¬ŒŒµŒ«Œ^Œ«Œª (ŒªŒ'Œ«Œ!Œ¬->Œ¬Œ¼Œ«Œ°~ Œ¬~ Œ«Œ'Œ«Œ¶Œ¬—  
Œ¬ŒŒŒŒŒŒŒ•Œ•œ Œ«Œ"Œ«Œ%Œ,,Œ°Œ«Œ!Œ¬Œ¬—Œ¬,,œ ŒŒŒŒŒ¬Œ¼Œ¬,, ŒªŒ°ŒŒŒŒ Œ,Œ¬~ŒªŒªŒ²ŒŒ«Œ©Œ«Œ^Œ«Œª) Œ~Œ¹Œ¬Œ€  
Œ¬•,,Œ¬Œ'Œ¬Œ½~Œ¬~ ŒªŒ²Œ½Œ«Œ!œŒ«Œ¥Œ¼ tikiroot Œ¬— Œ«Œ€Œ•Œ¬—Œ¬ Œ¬fŒ«Œ€ŒŒŒŒœŒ¼Œ«Œ!œ Œ¬Œª,, Œ¬^~Œ«,,  
Œ¬ž^Œ¬ŒŒµŒ«Œ^Œ«Œª.

Œ¬Œ¶"ŒªŒ°Œ€ Œ¬ŒŒŒ«ŒŒŒ

ŒŒŒ¹Œ¬Œ• ŒªŒ•Œ,Œ«ŒŒŒ¹Œ¬—Œ«ŒŒŒŒŒ Œ•Œ'Œ«Œ¹Œ•Œ~Œ«ŒŒ" Œ«Œ©"Œ«%Œ'Œ«Œ¥Œ¼ Œ«ŒŒŒ«ŒªŒ°œŒ«ŒŒ" ŒªŒ²fŒ¬— Œ«Œ€Œ•œ  
Œ¬Œ¶"ŒªŒ°Œ€ Œ¬Œ•Œ«Œ³Œ'Œ«ŒŒ" Œ«ŒªŒŒŒ¬ŒŒŒ¬,, Œ¬,Œ'ŒŒŒ'Œ«Œ³Œ'Œ¬ŒŒŒ¬œŒ¬~Œª: [Menu HOWTO](#)

Ã¬„œÃ¬Â»Â¸Ã¬Â¼Ã¬œ (Suckerfish) Ã¬Â©"Ã¬%oÂ´ (css Ã¬Â©"Ã¬%oÂ´):

- [http://users.tpg.com.au/j\\_birch/plugins/superfish/](http://users.tpg.com.au/j_birch/plugins/superfish/)
- <http://www.alistapart.com/articles/dropdowns>

Alias