

- Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä¬Ä • Ä«Ä³Ä’ Ä¬^~Ä¬Ä§’(Ä¬šÄ°ÄžÄ, Ä¬Ä£Ä¼Ä¬†Œ Ä~Ä¹Ä¬€ Ä¬Ä „Ä™” Ä«Ä²^Ä~Ä, Ä«“Ä±Ä«“Ä±)
 - Ä¬,Ä¬Ä¬šÄ©Ä¬žÄ«Ä|œ Ä•~Ä¬—Ä¬Ä¤Ä, ^ Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä¤Ä³„Ä¬•Ä½ Ä«,Ä’Ä¬šÄ© Ä-™ • Ä¬Ä, Ä¬š”Ä¤ÄµÄ¬
 - Ä¬šÄ¤ÄŒÄ”Ä«Ä”Ä, Ä«“Ä±Ä«Ä|Ä¬„ Ä«Ä°Ä©Ä¬Ä§€, Ä«Ä°Ä©Ä¬<Ä¬€ Ä¬f^ Ä¬,Ä¬Ä¬šÄ©Ä¬žÄ¬—Ä¤Ä²Œ Ä¬Ä°Ä, Ä¬—Ä¬Ä•~Ä«Ä Ä¤Ä«Š” Ä¬Ä’Ä¬œÄ Ä«Ä¥Ä¼ Ä¬Ä œÄ¤Ä³ÄµÄ•~Ä«Ä¼Ä¤Ä²Ä” Ä¬š”Ä¬Ä²ÄÄ•Ä” (Ä¬Ä§^Ä«Ä¬Ä, Ä¬€ Ä¬,Ä¬Ä¬šÄ©Ä¬žÄ¬—Ä¤Ä«Œ€Ä«<ÄµÄ«,Ä’Ä¬šÄ©Ä¬— Ä•Ä’Ä«<Ä¹ Ä¬,Ä¬Ä¬Ä’ÄšÄ, Ä¤Ä°€ Ä«Ä¬Ä’Ä¬—‡Ä¬„ Ä•~Ä«Š” Ä¤Ä³Ä³Ä¬Ä, Ä¬Ä§€ Ä«Ä¤...Ä™•Äž^ Ä¬Ä’Ä•Ä’Ä•~Ä¤Ä³Ä Ä¬ž^Ä«Š”Ä¬Ä§€Ä«Ä¥Ä¼ Ä¬Ä Ä¬—Ä’Ä«<Ä¬Ä«Ä¼Ä¤Ä³Ä Ä¬š”Ä¬Ä²ÄÄ•~Ä«Š” Ä¤Ä²fÄ¬Ä’ Ä¬Ä¢<Ä¬Œ)

Ã¬Â¶"Ã¤Â°€ Ã¬Â°Â,Ã¤Â³Â :Ã¤Â·Â,Ã«Â£Â¹Ã¬—Ã«Œ€Ã•œ Ã“Â±Ã«Â;Ã¬-Ã¬Ã¬,Ã—^Ã¬šÂ©Ã•~Ã«S"ÃŠÂ,Ã«ž~Ã¬Â»Â¤Ã¬—Ã«Œ€Ã•~Ã¬—Â¬Ã¬,œÃ«S"Ã¤Â·Â,Ã«Â£Â¹ÃŠÂ,Ã«ž~Ã¬Â»Â¤Ã«Â¥Â¹/4Ã¬Â°Â,Ã¤Â³ÂÃ•~Ã¬ÂÃ¬œÃ¬~Â¤.

„User Tracker“

profiles Å«Å¥Å¼ Å¬, Å¬Å¬Å¬Å©Å•~Å¬[~]Å¬ Å¬^~ Å¬ž^Å¬Å¬ÅµÅ«[^]Å«[^]Åµ, 3.0 Å¬—Å¬„œ Å¬f^Å«Å¡œ
Å«„Å¬ž...Å«~Å¬—^Å¬ÅµÅ«[^]Å«[^]Åµ)

1.1. ÅŠÂ, Å«ž~Å¬Å»Å¤ Å¤Â, Â°Å«ŠÂ¥Â Å- TM œÅ¬,,Å±Å™ ”

1. ÅŠÂ, Å«ž~Å¬Å»Å¤ Å¤Â, Â°Å«ŠÂ¥Â Å-
ŠÂ, Å«ž~Å¬Å»Å¤)



1.2. $\tilde{A} \ll " \hat{A} \pm \tilde{A} \ll \hat{A}; \tilde{A} \check{S} \hat{A}, \tilde{A} \ll \check{z} \tilde{A} \neg \hat{A} \gg \hat{A} \otimes \hat{A} \tilde{A}$
 $\text{TM} \quad \text{oe} \tilde{A} \neg, \hat{A} \pm \tilde{A} \text{ TM } "$



1.3. ŠA, A«ž~A¬A»A¤ A¤AµA¬A¬,,A±A- • ~A¤A, A°

1. A¬f^ ŠA, A«ž~A¬A»A¤ A¬fA¬,,A± (ŠA, A«ž~A¬A»A¤ A¤A'€A«A|A¬ A«A§A¬).

1. A¤A'€A«A|A¬ A«A©"A«%oA' A¬—A¬,,œ ŠA, A«ž~A¬A»A¤ > A-
ŠA, A«ž~A¬A»A¤ A¤A'€A«A|A¬ A«A§A¬ A¬,,A f.



2. ŠA, A«ž~A¬A»A¤ A¬fA¬,,A± A fA¬,, A A' A«A|A.

3. A¬A' A«A|,, A¬— ŠA, A«ž~A¬A»A¤ A¬— A«Œ€A•œ A¬A' A«A|,,
A¬ž...A«A A¥, A¬~^ : A¬f^ A¬,A¬A¬šA©A¬ž A«“A±A«A| A¬-'A¬.



4. ŠA, A«ž~A¬A»A¤ A¬A'€A¬žA¥.

• ŠA, A«ž~A¬A»A¤ A¬~ A•A A«A¤A©A¬,, A¬,A¬A¬šA©A¬žA«“A¤"A«A§Œ" A«A³A' A¬A' A¤A²Œ A-
• ~A«A A¤A«A©A', ŠA, A«ž~A¬A»A¤ A¬— ŠA¹A«A³,, A¤A¶ŒA•œA¬,, A¬,,A¤A¬A •A•A' A¬•A¹/₄
A•A©A«^A«A¤. A¬A' A«S" A¬,,A fA¬,A¬A•A A¬A' A«A©A° A¬»A•~A«A©A' A¬A¶"A»,A¬— A-
•A A¬~^A«,, A¬ž^A¬šAµA«^A«A¤.

• ŠÄ, Ä«ž~Ä¬Ä»Ä¤Ä¬— **tiki_p_create** Ä«Â¥Â¼ Ä¬Ä Ä¬šÄ©Ä•Ä’Ä¬•Ä¼Ä«Ä§Œ Ä•~Ä«Š” Ä¤Ä²fÄ¬€ "Ä¬•„Ä«TM Ä«[^]Ä«[<]Ä¤".

2. ÄŠÄ, Ä«ž~Ä¬Ä»Ä¤Ä¬— Ä•ÄÄ«Ä¤Ä© Ä¬Ä¶"Ä¤Ä°€.

1. Ä¬ÄµoeÄ¬†ŒÄ•œ Ä•œ Ä¤Ä°œÄ¬~ 1 (Ä¬žÄ«TM Ä•Ä Ä«[<]Ä¹) Ä¬~ Ä¤Ä, Ä°Ä«ŠÄ¥ Ä¬,, Ä¤Ä°€Ä¬Ä§,, "Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä¬,,Ä ÄfÄ¤Ä, Ä°" Ä¬œÄ Ä~• Ä¬~ Ä•„Ä«“œ Ä¤Ä°€ Ä¬ž^Ä¬-Ä’Ä¬•Ä¼Ä«Ä§Œ Ä-•Ä©Ä«[<]Ä«[<]Ä¤. Ä<Ä°Ä,Ä¤8 Ä«Ä¶€Ä,,Ä°Ä«Š”, Ä¬Ä’Ä«Š” Ä¬fÄ¬,,Ä±Ä¬žÄ¬—Ä¤Ä²Œ Ä¬žÄ«TM Ä•Ä Ä«[<]Ä¹ Ä¬,,Ä ÄfÄ¬,Ä¬Ä•ÄÄ¬, Ä¬,,Ä¤Ä¬Ä •Ä•Ä”Ä¬œÄ¼Ä«Ä¡œÄ¬Ä” Ä¬Ä’Ä«Ä£Ä”Ä¬-Ä’Ä¬Ä§’Ä«[<]Ä«[<]Ä¤ Ä¬Ä’ Ä•ÄÄ«Ä¤Ä©Ä¬€ Ä¬,Ä¬Ä¬šÄ©Ä¬žÄ¬~ Ä¬,Ä¬Ä¬šÄ©Ä¬žÄ«Ä¤...Ä¬,, Ä¬žÄ«TM Ä¬œÄ¼Ä«Ä¡œ ÄÄ¬Ä•Ä”Ä-•~Ä¤Ä²Œ Ä«Ä©Ä«[<]Ä«[<]Ä¤.

The screenshot shows a user interface for an 'Admin Tracker: New Registration Form'. At the top, there's a navigation bar with links like 'Admin Home', 'Edit the Header', 'View this Tracker's Data', and 'New Record'. Below the header, there are two input fields: 'Name:' with 'User' typed in and 'Type:' with a dropdown menu open. The dropdown menu has 'User' selected, and there's a note below it: 'Select from a selection from a specified list of users/records'.

• **Ä¬Ä¤'Ä¬š":** Ä¬Ä’ Ä•„Ä«“œÄ¬~ **FieldID** Ä«Â¥Â¼ Ä¬Ä£Ä¼Ä¬~Ä¤Ä¹ŠÄ¤Ä²Œ Ä«Ä’ Ä¬Ä£Ä¼Ä¬[<]ÄÄ¬œÄ¬~Ä¤. Ä¬Ä¶"Ä-„Ä¬— Ä•„Ä¬š"Ä•~Ä¤Ä²Œ Ä«Ä©Ä«[<]Ä«[<]Ä¤.

2. Ð¬>Ð•~Ð«Ñ" Ð¬Ð· Ð«Ð³Ð'Ð«Ð¥Ð½ Ð¬~Ð¬Ð§'Ð•~Ð¤Ð,Ð° Ð¬œ,,Ð-
 •~Ð¬—Ð¬ ÑŠÐ,Ð«ž~Ð¬Ð»Ð¤Ð¬— Ð«Ð¤Ð«Ð¥Ð, Ð•,,Ð«“œÐ«Ð¥Ð½
 Ð¬Ð¶"Ð¤Ð°Ð•~Ð¬Ð¤Ð¬ÐœÐ¬~Ð¤ (Ð¬~^: Ð¬Ð£Ð½Ð¬Ð†ÐŒ, Ð¬Ð„Ð-
 ™ "Ð«Ð²Ð¤Ð~, Ð«“Ð±Ð«“Ð±)

3. Ð•,,Ð«“œÐ«Ð¥Ð½ Ð¬Ð¤Ð €Ð¬ÐžÐ¥.

1.4. ÑŠÐ,Ð«ž~Ð¬Ð»Ð¤Ð«Ð¥Ð½
 "Ð«“Ð±Ð«Ð¡Ð«Ð”" Ð¤Ð·Ð,Ð«Ð£Ð½Ð¬Ð—Ð¬Ð¤Ð
 •Ð Ð¤Ð«Ð¹.

1. Ð¤Ð·Ð,Ð«Ð£Ð½ Ð¤Ð’Ð¤Ð«Ð¡Ð¬ Ðž~Ð¬Ð’Ð¤Ð«Ð¤Ð—Ð¬,,œ, Ð«“Ð±Ð«Ð¡Ð«Ð” Ð¤Ð·Ð,Ð«Ð£Ð½Ð¬,, Ð-
 ŽÐ,Ð¬Ð§'Ð•~Ð¬Ð¤Ð¬ÐœÐ¬~Ð¤.

| Name | Description | Members | Permissions | User Count | Permissions |
|---------------|-------------------------------------|---------|---------------|------------|---------------|
| Administrator | Administrator and accounts managers | 1 | Administrator | 1 | Administrator |
| Registered | Registered users who have logged in | 1 | Administrator | 9 | Administrator |
| Anonymous | Users logged into the system | 0 | Administrator | 0 | Administrator |

2. Ð¬,Ð¬Ð¤Ð©Ð¬Ðž Ð¬Ð· Ð«Ð³Ð'Ð«Ð¬Ð»Ð¤Ð¬~Ð¤ Ð•,,Ð«“œ Ð«,Ð¬—Ð¬,,œ, Ð¬Ð£Ð¬,,Ð±Ð-
 •œ ÑŠÐ,Ð«ž~Ð¬Ð»Ð¤Ð«Ð¥Ð½ Ð¬,,Ð¬Ð£Ð¬~Ð¤.

Admin group Registered

Group: Registered

Description:

Inherit permissions directly from following groups:

Users Information Tracker

User Information Tracker Fields (Only at Registration Time / Default User Information)

User can assign to the group himself:


3. $\tilde{A}^a \cdot \tilde{A}^b \ll \tilde{A}^1 \tilde{A}^{-1}$, $\tilde{A}^{-1} \tilde{A}^b = \tilde{A}^b$.

4. Registered $\mathbb{A}^a \mathbb{A} \cdot \mathbb{A} \ll \mathbb{A}^f \mathbb{A}^1 \mathbb{A} \neg$, $\mathbb{A} \neg \check{\mathbb{A}} \neg \mathbb{A} \check{\mathbb{Z}} \mathbb{A}$, $\mathbb{A} \neg \mathbb{A} \mathbb{S}' \mathbb{A} \bullet \sim \mathbb{A} \neg \langle \mathbb{A} \mathbb{A} \neg \langle \mathbb{e} \mathbb{A} \neg \sim \mathbb{A} \mathbb{x}$. $\mathbb{A} \neg, \mathbb{A} \neg \mathbb{A} \neg \check{\mathbb{S}} \mathbb{A} \odot \mathbb{A} \neg \check{\mathbb{Z}}$
 $\mathbb{A} \neg \mathbb{A} \bullet \mathbb{A} \ll \mathbb{A}^3 \mathbb{A}' \mathbb{A} \check{\mathbb{S}} \mathbb{A}, \mathbb{A} \ll \check{\mathbb{z}} \sim \mathbb{A} \neg \mathbb{A} \gg \mathbb{A} \mathbb{x}$ $\mathbb{A}^a \mathbb{A}^o \epsilon \mathbb{A} \neg \mathbb{A}' \mathbb{A} \neg \mathbb{A} \mathbb{e} \mathbb{A} \check{\mathbb{S}} \mathbb{A}, \mathbb{A} \ll \check{\mathbb{z}} \sim \mathbb{A} \neg \mathbb{A} \gg \mathbb{A} \mathbb{x}$ $\mathbb{A} \ll, \mathbb{A}' \mathbb{A} \ll \mathbb{A} \mathbb{P} \epsilon \mathbb{A} \neg - \mathbb{A} -$
 $\bullet, \mathbb{A} \ll " \mathbb{e} \mathbb{A} \ll " \mathbb{A} \mathbb{x} \mathbb{A} \neg \sim 2 \mathbb{A} \ll \mathbb{A}^2 \wedge \mathbb{A} \neg \mathbb{A} \mathbb{S} \mathbb{A}, \mathbb{A} \ll " \mathbb{e} \mathbb{A} \ll \mathbb{A} \mathbb{j} \mathbb{A} \mathbb{A} \ll \mathbb{A}^a \mathbb{A} \odot \mathbb{A} \ll \mathbb{A} \mathbb{j} \mathbb{A} \neg \mathbb{A}' \mathbb{A} \neg \check{\mathbb{z}} \wedge \mathbb{A}^a \mathbb{A}^2 \mathbb{C} \mathbb{E} \mathbb{A} \ll \mathbb{A} \odot \mathbb{A} \ll \mathbb{A} \ll \mathbb{A} \mathbb{x}$.

5. $\mathbb{A}^a \mathbb{A}, \mathbb{A}^o \mathbb{A} \ll \check{\mathbb{S}} \mathbb{A} \mathbb{Y} = 1$ ($\mathbb{A} \neg \check{\mathbb{z}} \mathbb{A} \ll \mathbb{A}^{\text{TM}} \mathbb{A} \bullet \mathbb{A} \mathbb{A} \ll \mathbb{A}^1$) $\mathbb{A} \neg \mathbb{e} \mathbb{A}^{1/4} \mathbb{A} \ll \mathbb{A} \mathbb{j} \mathbb{e} \mathbb{A} \neg \mathbb{A} \mathbb{j} \mathbb{A}^o \mathbb{A}^a \mathbb{A}, \wedge \mathbb{A} \neg \mathbb{A}$, $\mathbb{A} \neg f \mathbb{A} \neg, \mathbb{A} \pm \mathbb{A} \bullet \mathbb{e} \mathbb{A} \bullet, \mathbb{A} \ll " \mathbb{e} \mathbb{A} \ll \mathbb{A} \mathbb{Y} \mathbb{A}^{1/4} \mathbb{A} \neg, \mathbb{A} \mathbb{A} \mathbb{f} \mathbb{A} \bullet \sim \mathbb{A} \neg \langle \mathbb{A} \mathbb{A} \neg \langle \mathbb{e} \mathbb{A} \neg \sim \mathbb{A} \mathbb{x}$.



6. Ä«“Ä±Ä«Ä| Ä¬ Ä«Ä¬Ä, Ä¬~Ä•oe Ä¬Ä •Ä«Ä³Ä’ ÄŠÄ, Ä«ž~Ä¬Ä»Ä¤ Ä•„Ä«“oe
Ä¬, Ä¬Ä¬šÄ© Ä•„Ä«“oe Ä«, Ä’ Ä«Ä¶€Ä¬—Ä¬„oe, Ä«“Ä±Ä«Ä| Ä¬Ä ^Ä¬Ä°Ä”Ä¬~ Ä¬Ä¹/₄Ä-
™ ~Ä¬oeÄ¹/₄Ä«Ä| oe Ä¬, Ä¬Ä¬šÄ©Ä¬žÄ«“Ä¤Ä¬Ä’ Ä«Ä°~Ä«“oeÄ¬ Ä¬™ „Ä¬„Ä±Ä•Ä’Ä¬•Ä¹/₄ Ä-
•~Ä«Š” Ä¬-‘Ä¬ Ä«, Ä’ Ä«Ä¶€Ä¬— ÄÄ¬Ä•Ä”Ä«~Ä«Š” Ä¤Ä° ÄŠÄ, Ä«ž~Ä¬Ä»Ä¤ Ä•„Ä«“oeÄ¬~ ID
Ä«Ä¥Ä¹/₄ Ä¬Ä§€Ä¬Ä •Ä•~Ä¬ Ä¬~Ä¤.



Ã¬Ã±Ã£Ã¹/4Ã¬~:Ã¬,Ã¬Ã¬šÃ©Ã¬žÃ«Š” Ã«“Ã±Ã«Ã¡; Ã¬
Ã¬œÃ¤Ã·Ã,Ã«Ã£Ã¹Ã¬~Ã«Ã¤Ã©Ã©Ã«Ã¡; Ã¬Ã¤’Ã¬—Ã¬,,œÃ•œÃ¤Ã·Ã,Ã«Ã£Ã¹Ã¬,,
Ã¬,,ÃfÃ·Ã Ä¬~Ã¬ž^Ã¬ŠÃµÃ«^Ã«Ã¤ (Ã«Ã¤Ã©Ã«Ã¡;Ã¬€ "Ã¤Ã‘€Ã«Ã¡;Ã¬>Ã«Ã¡;œÃ¤Ã·Ã,Ã¬Ã,"Ã¬—Ã¬Ã§€Ã¬Ã·Ã«~Ã¬-Ã'
Ã¬ž^Ã¬ŠÃµÃ«^Ã«Ã¤),Ã¤Ã·Ã,Ã«Ã¡;Ã¬Ã¤Ã³Ã Ã¤Ã·Ã,Ã«Ã£Ã¹Ã¤Ã°Ã¤Ã°Ã¬—Ã¬fÃ¬Ã'Ã•œÃ¬,Ã¬Ã¬šÃ©Ã¬žÃŠÃ,Ã«ž~Ã¬Ã»Ã¤Ã¤°.
Ã¬†Ã·Ã'Ã¬Ã§^Ã¬~Ã¬ž^Ã«,Ã«Ã¡;Ã¬,Ã¤Ã¬Ã·Ã•Ã«Ã·Ã¬~Ã¬ž^Ã¬ŠÃµÃ«^Ã«Ã¤.Ã¬Ã·Ã«ÝÃ¬Ã•œÃ«Ã°Ã©Ã«Ã°·Ã¬œÃ¹/4Ã«Ã¡;œ
Ã«“Ã±Ã«Ã¡;Ã¬œÃ¤Ã·Ã°Ã«~Ã«Š”ÃŠÃ,Ã«ž~Ã¬Ã»Ã¤Ã«Š”Ã¬f^Ã¬,Ã¬Ã¬šÃ©Ã¬žÃ¤Ã°€Ã«“Ã±Ã«Ã¡;Ã¬œÃ¬Ã·Ã¬—Ã¬,Ã¬ÃfÃ·

• „Ā«Ā“ Š” Ā¤Ā·Ā„Ā«ĀƒĀ¹Ā¬— Ā•Ā Ā«Ā¹Ā«oe Ā¤Ā²fĀ¬Ā’ Ā«~Ā«,,Ā«Ā¡ Ā•Ā Ā¬^~ Ā¬ž^Ā¬ĀŠĀμĀ«Ā¤Ā¤Ā¤.

Ä a Â ¶ œ Ä • œ :

Ã«Â¹„Ã«Â¡ ÃŠÂ,Ã«ž~Ã¬Â»Â¤Ã— — Ã«Œ€Ã•~Ã¬—Ã¬ tiki_p_create_tracker_items Ã¬Â’ Ã¬—†Ã«
Ã¬,Ã¬Ã¬šÂ©Ã¬žÃ«S” Ã•ÂÃ«Â¤Â©Ã¬,Ã¬fÃ¬,Ã±Ã•ÂÃ¬~Ã¬ž~Ã¤Â²Œ Ã«ÂÃ¤Â²fÃ¬Â’Ã«Â©Â°Ã«Â§ŒÃ¬•Â½ (Ã•ÂÃ«Â¤Â©
Ã¬fÃ¬,Ã±Ã¬žÃ¤Â°€ Ã¬žÃ¬œÃ«SÃ¬Â’Ã•ÂÃ«Â¤Â©Ã¬,ÃŽÂ,Ã¬Â§'Ã•ÂÃ¬~Ã¬ž~Ã¬Œ) Ã¬œÂ¹/4Ã«Â¡œ Ã¬,Ã¤Ã¬Â•Ã¬Â’
Ã«~Ã¬-Â’Ã¬ž~Ã«Â¤Ã«Â©Â’,Ã¬~Ã¬Â•Ã•ÂÃ¬~Ã¬ž~Ã¤Â²Œ Ã«Â©Ã«^Ã«Â¤.

Ã¬,Â¬Ã¬šÂ©Ã¬ž ÅŠÂ„Å«ž Å¬Â»Â¤ Å•Â«Â¤Â©Ã¬œÂ¹/₄Å«Â¡œÃ¬~ Å¬Â‘Å¤Â·Â¹/₄:

Ā¬Ā¤’Ā¬š”: Ā¬-Ā’Ā«-Ā Ā•œ Ā¤Ā²Ā¹/₂Ā¬šĀ°Ā¬—Ā«š” ĀšĀ, Ā«ž~Ā¬Ā»Ā¤Ā«Ā¥Ā¹/₄ Ā«Ā³Ā’Ā¬œĀ Ā•œ Ā¤Ā·Ā, Ā«Ā£Ā¹Ā¬,,
¬Ā¬šĀ©Ā¬žĀ¬— Ā«€Ā•œ Ā¤Ā, Ā°Ā«Ā³Ā, Ā¤Ā·Ā, Ā«Ā£Ā¹Ā¬œĀ¹/₄Ā«Ā; œ Ā¬,,Ā¤Ā¬Ā •Ā•~Ā«š” Ā¤Ā²fĀ¬Ā’ Ā•,,Ā¬š”Ā•Ā Ā¬~
Ā¬ž~Ā¬šĀµĀ«[^]Ā«Ā¤.

Ã¬,Â¬Ã¬Ã¬Å©Ã¬žÃ«Š" Ã¬žÃ¬[~]Ã¬,Â¬Ã¬Å©Ã¬ž ÅŠÅ,Ã«ž~Ã¬Â»Å¤Ã«Â¥Â¼ Å«Å³Â¼ Å¬[~]Ã¬žÃ«Š"Ã«Â°,Ã¤Â¶CEÃ•œÃ¬Â
Å«[~]Å¤Ã¬CEÃ¤Â³Â¼ Å¤Â°™ Å¬Â' Å¬Â Å¬Â[~]Ã•Â Å¤Â²Â½Å¬šÂ°Ã¬ž...Ã«[~]Ã«[~]Å¤:

tiki-view tracker item.php?view=+user

tiki-view_tracker_item.php?user=yyyyy&view=+user

Ã¬Å£Å½Å¬~: Å¬,Å¬Å¬Å©Å¬žÅ«Š" Å¬žÅ¬[^]Å Å¬—Å¤Å²Œ Å«Å§ŽÅ¬€ ÅŠÅ,Å«ž~Å¬Å»Å¤ Å•ÅÃ«Å¤Å©Å¬Å' Å¬—Å°Å¤Å'€Å«~Å¬-Å
Å¬ž^Å¬,, Å¬^~ Å¬ž^Å¬ÅµÅ«[^]Å«[^]Å¤. Å¤Å° ÅŠÅ,Å«ž~Å¬Å»Å¤Å«Š" Å¬,Å¬Å¬Å©Å¬ž Å¬,,ÅfÅ¤Å,Å°Å¬™€ Å¬,,ÅfÅ¬,Å¬Å•Å
Å¬fÅ¬,,Å±Å¬žÅ¬~ Å•,,Å«“oe Å¬Å¢...Å«Å¥~Å¤Å°€ Å¬ž^Å¬-Å'Å¬•Å½Å«Å§Œ Å•Å©Å«[^]Å«[^]Å¤ (1). Å¬,Å¬Å¬Å©Å¬žÅ¬—Å¤Å²Œ
Å¬—Å°Å¤Å'€Å«oe Å•ÅÃ«Å¤Å©Å¬,, Å«Å³Å½Å¬~ Å¬ž^Å¬oeÅ½Å«Å Å¤Å«Å©Å' (Å«Å§ŒÅ¬•Å½ Å¤Å¶ŒÅ•oeÅ¬Å' Å¬Å Å¬Å ^Å-
•~Å«[^]Å¤Å«Å©Å'), Å«[^]Å¤Å¬ŒÅ¬,, Å¬,Å¬Å¬Å©Å•Å Å¬^~ Å¬ž^Å¬ÅµÅ«[^]Å«[^]Å¤:

tiki-view_tracker_item.php?group=xxx&user=yyyyy&view=+user - the group must have a user tracker

tiki-view_tracker_item.php?trackerId=yyyyy&view=+user - the tracker must be a user tracker

Ã¬,Ã¬Ã¬šÂ©Ã¬žÃ«Â¡œ Ä•~Ã¬—Ã¬Ã¤Â, ^
Ã¬œ,,Ã,Ã¤ Äž~Ã¬Ã’Ã¬Ã§€
Ã«,Ã’Ã«Â¶€Ã¬—Ã¬,,œ Ä¬,Ã¬Ã¬šÂ©Ã¬ž Ã-
šÂ,Ã«ž~Ã¬Ã»Ã¤Ã«Â¥Â¼ ÄžÂ,Ã¬Ã§’Ã-
•~Ã«,,Ã«Â¡Ã Ä•~Ã¤Â,Ã°

Ã¬~^Ã¬Ãœ (id Ã«“Ã¤Ã¬,,Ã¬>Ã•~Ã«Š” Ä¤Ã²fÃ¬œÂ¼Ã«Â¡œ Ä¤ÃµÃ¬Ã²Ã’Ã•~Ã¬
Ã¬Ã¤Ã¬œÃ¬~Ã¤)

```
{TRACKER(trackerId="1", fields="2:3:4:5:7:8:9:10:11:27:17:28:19:12:22:21:18:20: 23:24:25:26", max="-1",  
view="user")} {TRACKER}
```

Ã¬Ã¤Â¼Ã¬~: "Ã¬,Ã¬Ã¬šÂ©Ã¬ž Ä~Â¹Ã¬€ IP Ä«
Ã•œ Ä•Ã«Â¤Â©Ã«Â§Œ" ÄšÂ,Ã«ž~Ã¬Ã»Ã¤ Ä¬,,Ã ÄfÃ¬,Ã¬Ã•Ã¤Ã¬Ã’ tiki-
admin_trackers.php?trackerId=yyy Ä¬—Ã¬,,œ Ä¬Ã²Ã’Ã¤Ã¬Ã«~Ã¬-Ã’Ã¬•Ã¼Ã«Â§Œ Ä•Ã©Ã«~Ã«Ã¤.

Ã¬Ã’ Äž~Ã¬Ã’Ã¬Ã§€Ã¬~ Ä«" Ä«Â³Ã’Ã¤Â,Ã° Ä¬Ã¢
Ã¬œ Ä¬-Ã¬
Ã¬,Ã¬Ã¬šÂ©Ã•~Ã¬
Ã¤ Ä¬~^ Ä¬ž~Ã¬ŠÂµÃ«~Ã«Ã¤.

„Ä“<ÄœÄ«Ä„Ä... (realName) Ä„,Ä„Ä„šÄ©Ä„ž
Ä„äÄ„,Ä„°Ä„«Ä„³Ä„ Ä„„ÄœÄ„Ä„•Ä„„, Ä„-
šÄ„Ä„«ž~Ä„Ä„»Äœ Ä„«,Ä„Ä„«Ä„¶€Ä„~ Ä„-
• „Ä„«“oeÄ„™ € Ä„«™ Ä„äÄ„,Ä„°Ä„™ "Ä„ Ä„•~ Ä„äÄ„,Ä„°

Ã¬Ã¼Ã«Ã°~Ã¬Ã Ã¬œÃ¼Ã«Ã¡œ tiki-user_preference.php Ã¬—Ã¬,,œ Ã¬,,Ã¤Ã¬Ã •Ã«~Ã«Ã‘S” Ã¬Ã¤Ã«Ã¤...Ã¬,Ã¬Ã¬Ã¬Ã©Ã¬žÃ¤Ã,Ã°Ã«Ã³Ã,Ã¬,,Ã¤Ã¬Ã •Ã¬€ Ã«Ã¤Ã¬-Ã•œ Ã¬žÃ¥Ã¬†ŒÃ¬—Ã¬,,œ Ã’œÃ¤Ã,Ã°Ã«~Ã«,,Ã«Ã¡;Ã¬Ã°Ã,Ã¤Ã¬—Ã¬~Ã•~Ã¬—Ã¬Ã¬,Ã¬Ã¬Ã¬Ã©Ã«Ã©Ã«^Ã«Ã¤,Ã¬Ã°Ã!‰ÃžÃ,Ã¬Ã§'Ã¬—Ã«Œ€Ã•œ Ã¬†Ã¬,,Ã±Ã¤Ã³Ã¼Ã¤Ã,Ã°Ãf€ Ã“Ã±Ã«“Ã±Ã¬~Ã¤Ã²Ã¹Ã¬Ã°Ã¬ž...Ã«^Ã«Ã¤.Ã¬Ã°Ã,Ã¤ 6 Ã¬Ã’Ã»,Ã«Ã¡œÃ«Ã‘S”,Ã¬Ã’Ã¬Ã¬Ã¤Ã«Ã¤...Ã¬,Ã¬Ã¬Ã¬Ã©Ã¬žÃ¤Ã,Ã°Ã«Ã³Ã,Ã¬,,Ã¤Ã¬Ã •Ã¬Ã’Ã¬,Ã¬Ã¬Ã¬Ã©Ã¬žÃ¬Ã,Ã«žÃ¬Ã»Ã¤Ã¤Ã°€ Ã¤Ã°Ã±Ã¬ÃÃ«Ã Ã«•ŒÃ«Ã§^Ã«Ã¤Ã¬žÃ«™Ã¬Ã Ã¬œÃ¼Ã«Ã¡œ Ã¬—...Ã«Ã°Ã¬Ã’Ã¬Ã,Ã«Ã Ã¬^~Ã¬ž^Ã¬Ã¬ÃµÃ«^Ã«Ã¤.

Ã¬Ã'Ã«Ã¥Ã¼ Ã¬,,Ã¤Ã¬Ã•Ã•~Ã«Ã Â¤Ã«Ã©Ã', "User tracker IDs to sync prefs from:"Ã«Ã¥Ã¼Ã¬,,Ã¤Ã¬Ã•Ã•~Ã¬Ã¤Ã³Ã ,
Ã«Ã¤Ã«Ã¥Ã ,Ã¤Ã·Ã ,Ã«Ã£Ã¹Ã¬—Ã«Œ€Ã•~Ã¬—Ã«Ã¤Ã«Ã¥Ã ,ÃŠÃ ,Ã«ž~Ã¬Ã»Ã¤Ã¤Ã°€ Ã¬,,Ã¤Ã¬Ã•Ã~Ã¬—Ã'Ã¬ž~Ã¬,,Ã¬~^
Ã¬ž~Ã¬œÃ¼Ã«Ã~Ã¤Ã•œÃ¤Ã°œÃ¬Ã~fÃ¬~Ã¬,Ã¬Ã¬šÃ©Ã¬žÃŠÃ ,Ã«ž~Ã¬Ã»Ã¤Ã¤Ã°€ Ã¬ž~Ã¬,,Ã¬~^
Ã¬ž~Ã¤Ã ,Ã°Ã«Ã¬Ã ,Ã¬ž...Ã«Ã (Ã•~Ã¬Ã§€Ã«Ã§ŒÃ«Ã¶€Ã«Ã¶,,Ã¬~Ã¤Ã²Ã¹½Ã¬šÃ°,Ã•œÃ¤Ã°œÃ«Ã§ŒÃ¬ž~Ã¬,,
Ã¤Ã²fÃ¬ž...Ã«Ã).Ã¤Ã·Ã ,Ã«Ã|Ã¬Ã¤Ã³Ã , "Tracker field IDs to sync Real Name pref from:"Ã¬,,Ã¬,,Ã¤Ã¬Ã•Ã•~Ã¬Ã-
¬œÃ¬~Ã¤.Ã«Ã¤Ã¬~Ã¬~Ã•,,Ã«“œÃ«“Ã¤Ã«Ã|œÃ«Ã¶€Ã ,Ã°Ã¤Ã°Ã±Ã¬Ã ,Ã•Ã ,Ã¬~^Ã¬ž~Ã¬œÃ¼Ã«Ã©Ã°,Ã¬,,Ã¤fÃ¬,,Ã•Ã
Ã•,,Ã«“œÃ¬Ã§Ã•Ã©Ã¬,,Ã¬,,Ã¤Ã¬Ã•Ã•Ã ,Ã¬~^Ã¬ž~Ã¬ŠÃµÃ«Ã ,Ã¬~^Ã«Ã¥Ã¼Ã«Ã¤Ã«Ã©Ã',Ã«Ã§ŒÃ¬~Ã½ fieldId 10
Ã¬Ã'Ã¬Ã'Ã«Ã|,,Ã¬Ã'Ã¤Ã³Ã ,11Ã¬Ã'Ã¬,,Ã±Ã¬Ã'Ã¤Ã³Ã ,12Ã¤Ã°€Ã~Ã ,Ã¬Ã¹Ã(Preferred Name)Ã¬Ã'Ã«Ã¼Ã«Ã©Ã' "12,10+11
Ã«Ã|œÃ¬,,Ã¤Ã¬Ã•Ã¬,,Ã•~Ã¤Ã²ŒÃ«~Ã«Ã©Ã',Ã«Ã~Ã¹Ã¼Ã¬Ã€Ã¬,,Ã¬Ã¬šÃ©Ã¬žÃ¤Ã°€Ã~Ã ,Ã¬Ã¹Ã(preferred name)Ã¬Ã'
Ã¬ž~Ã«Š"Ã¬Ã§€Ã«Ã¥Ã¼Ã¬~Ã™•Ã¬Ã ,Ã•~Ã¤Ã³Ã ,Ã¬ž~Ã«Ã¤Ã«Ã©Ã'Ã¤Ã·Ã ,Ã¤Ã²fÃ¬,,Ã¬,,Ã¬Ã¬šÃ©Ãž™Ã«Ã ,
Ã¤Ã·Ã ,Ã«Ã|Ã¬Ã¤Ã³Ã ,Ã¬~†Ã«Ã¤Ã«Ã©Ã',Ã¬Ã'Ã«Ã|,,/Ã¬,,Ã±Ã¬~Ã¬Ã¡Ã°Ã•Ã©Ã¬,,Ã«~Ã¬,Ã¬Ã¬Ã'Ã¬—Ã¬ŠÃ¤Ã-
ž~Ã¬Ã'Ã¬ŠÃ¤Ã«Ã¥Ã¼Ã«Ã¤Ã³Ã ,Ã¬,,Ã¬Ã¬šÃ©Ã•~Ã¤Ã²ŒÃ«Ã©Ã«~Ã¤Ã .

{\$register_login} {\$register_email} {\$register_pass} {\$register_pass2} {\$register_passcode} {\$register_groupchoice}

{\$register antibot}

- register_pass2 Š“S” Š«Â¹„Ã«Â°€Ã«Â²^Ã~Â, Ã¬žÂ¬Ã¬ž...Ã«Â Â¥ Â• „Ã“œÃ«Â¥Â¼ Â¬~Ã«Â¬Â, Â-•Â©Ã«[^]Ã«Â¤.
 - register_passcode Š“S” Å¬,Â¬Å¬šÂ©Ã¬ž Å““Â±Ã«Â;Ã¬Â’ Â™ œÃ¬,,Â±Ã™” Å¤Â,Â°Ã«ŠÂ¥Ã¬Â’ Â™ œÃ¬,,Â±Ã™” Å«~Ã¬-Â’Ã¬ž^Ã¬,, Å¤Â²Â½Ã¬šÂ°, Å¬,Â¬Å¬šÂ©Ã¬žÅ¤Â°€ Å¬ž...Å«Â Â¥Ã-•Â’Ã¬•Â¼Ã•Â Å¬^Â«,, Å¬ž^Ã«S” ÅŒÂ”Ã¬ŠÂ¤Ã¬Â½”Å““œÃ«Â¥Â¼ Â¬~Ã«Â¬Â, Â-•Â©Ã«[^]Ã«Â¤.
 - register_groupchoice Š“S” Å¤Â·Â,Ã«Â£Â¹ Å¬,,Â Äf Å¤Â,Â°Ã«ŠÂ¥Ã¬Â’ Â™ œÃ¬,,Â±Ã™” Å«~Ã¬-Â’Ã¬ž^Ã¬,, Å¤Â²Â½Ã¬šÂ°, Å¤Â·Â,Ã«Â£Â¹ Å¬,,Â ÄfÃ¬,, Å¬~Ã«Â¬Â,Â•Â©Ã«[^]Ã«Â¤
 - Å«Â§ŒÃ¬•Â½ “Ã«Â;œÃ¤Â·Â,Ã¬Â,Ã¬œÂ¼Ã«Â;œ Å¬Â’Ã«Â©”Ã¬Â¼ Å¬,Â¬Å¬šÂ©” Å¤Â,Â°Ã«ŠÂ¥Ã¬Â’ Â™ œÃ¬,,Â±Ã™” Å«~Ã¬-Â’Ã¬ž^Ã«Â¤Ã«Â©Â’, register_login Å¬,, Å¬,Â¬Å¬šÂ©Ã¬~Ã¬...”Å¬•Â¼ Å•~Å¤Â³Â, register_email Å¬€ Å•,,Å¬š” Å¬-†Å¬ŠÂµÃ«[^]Ã«Â¤
- Ã¬Â¶”Ã¤Â°€ Å¬Â°Â,Ã¤Â³Â**
- http://fr.tikiwiki.org/tiki-index_raw.php?page=Formulaires%20utilisateurs%20et%20groupes
 - User / Group / IP / Page - Selector Tracker Field
 - Å¬,Â¬Å¬šÂ©Ã¬ž Å¤Â,Â°Ã«Â³Â,Ã¬,,Â¤Ã¬Â • Â• „Ã“œ

Ã«Â³,,Ã¬Â¹Â

- Å¬,Â¬Å¬šÂ©Ã¬ž Å”, „Ã«Â;œÃ•,,
- Å““Â±Ã«Â; ÅŠÂ,Ã«ž~Ã¬Â»Â¤