í‹°í‚¤ ì„œë²„Â ê²€ì‚¬

ê°œìš””

ì„œë²„ ê²€ì‚¬ë¥¼ ì‚¬ìš©í•˜ì—¬ ì„œë²„ ì„¤ì • ë°ì´í„°ë¥¼ ìˆ˜ì§‘í•˜ê³ ì´ë¥¼ ë¶„ì„í•˜ì—¬ í‹°í‚¤ ìœ„í•´ ì ‘ê·¼ì„± ì‹¤íŒ¨ë¥¼ 10ì—ì„œ ì‚¬ìš©í•˜ëŠ” ì„¤ì •ì„ ì‹¤í–‰í•©ë‹ˆë‹¤. **ì´ì „ ë²„ì „ì˜ ë‹¤ì´ì‹¤ë¡œê·¸ 9.2 ëŒ€ì´ì‹œë˜ì—ˆìŠµë‹ˆë‹¤** (í•˜ìœ„ë§Œ ë…ë¦½ì• ë²„ì „ ì‚¬ìš© ë²„ê·¸ ë²„ì „ ìžë™ì¸ì‹ í•˜ê³ ê·¸ì—ì„œ ì‹¤í–‰í•˜ê³ ìžˆìŠµë‹ˆë‹¤. ê·¸ëŸ¬ë¯€ë¡œ ì´ ê²€ì‚¬ë¥¼ ì‹¤í–‰í•˜ê¸° ì „ì— ì„œë²„ì˜ ê¸°ë³¸ PHP ë²„ì „ì´ ì˜¬ë°”ë¥¸ì§€ í™•ì¸í•˜ì‹ì‹œì˜¤.

ì ‘ê·¼ ë°©ë²•

tiki-check.php



Click to expand

ê´€ë ¨ ì£¼ì œ

- ìš”êµ¬ì‚¬í•
- ì„¤ì¹˜
- ServerCheck



eval()	Available	good	The eval() function is required by the Smarty templating engine.
error_reporting	30711	ugly	You will not get all errors reported. This is not necessarily a bad thing (and it might be just right for production sites) as you will still get critical errors reported, but sometimes it can be handy to get more information. Check your error_reporting level in php.ini in case of having issues.
ini_set	Enabled	good	ini_set is used in some places to accomodate for special needs of some features. Check disable_features in your php.ini.

MySQL

Property	Value	Tiki Fitness	Explanation
Version		good	Tiki requires MySQL >= 5.x.
max_allowed_packet	16M	good	Your max_allowed_packet setting is at 16M. You can upload quite big files, but keep in mind to set your script timeouts accordingly.

Click to expand

Setting	Description
Fieldset or section	
MySQL ë°ì´í„°ë² ì´ìŠ¤ ì†ì„±	MySQL ì´ í‹°í,¤ì— ì ˆí•œê°€?
MySQL í¬ëžˆì‹œ í‘œ	MySQL ì´ ë¬¸ì œì—†ì´ ì‹¤í–‰ë˜ê³ ìžˆëŠ”ê°€?
´ë©”ì¼ ì „ì†¡ì‹œê—˜	ì‹œœìŠ¤í……œì´ ë©”ì¼„ ë³´ë‚¼ ìˆ˜ ìžˆëŠ”ê°€?
„œë²„ ì •ë³´	ìš´ì˜ì²´ì œ, ì›¹ì„œë²„, ê¸°ëŠ¥ë“¤.
„œë²„ ì†ì„±	ì œê³µë˜ëŠ” ë”"ìŠ¤í¬ ê³µê°
PHP ìŠ¤í¬ë¦½íŒ… ì-¸ì-´ ì†ì„±	ì„¤ • ë°©ë²•ì— ëŒ€í•œ íŒ ì œê³µ
•„íŒŒì¹˜ ì†ì„±	ì„¤ • ë°©ë²•ì— ëŒ€í•œ íŒ ì œê³µ
PHP ë³´ì•ˆ ì†ì„±	ì„¤ • ë°©ë²•ì— ëŒ€í•œ íŒ ì œê³µ
MySQL ë³€ìˆ˜ ì •ë³´	MySQL ì˜ ì„¤ •ì— ëŒ€í•œ ì •ë³´ ¥
PHP ì •ë³´	PHP ì˜ ì„¤ •ì— ëŒ€í•œ ì •ë³´ ¥ (ì „ì²´ ë³©ëi)

âtµ

	ì¢ìŒ	ìˆœì¡ëiœìš´ ê²½í—˜ì„ ì œê³µí• ê²ƒìž„ âtµ
	ì§€ì €ë¶„í•¨	ì´ìƒì ì´§„ ì•Šì§€ë§Œ ë¹„êµì ê´œì°®ìž„. ë¬¸ì œì ë°œê²¬ ì¤œ, ìž¬ë°©ë¬¸ ê¶Œê³ .âtµ
	ë,˜ì¨	ë¬¸ì œ ë°œê²¬ ë°œìƒí•œ œë¤ê³ ì•Œë ¤ìâtµ
	ì •ë³´	ítµìƒì ìœ¼ëiœ ì-´ë–¤ ê²½ìš°ì—ëŠ” ì¢ìš€ë§Œ, ê·¸ ì™¸ì—ëŠ” ë,˜ì ìˆ˜ ìžˆëŠ” ì„¤ •ì— ëŒ€í•œ ê²ƒìž„.âtµ

ì¶”ê°€ ì •ë³´

í‹°í‚¤ ê²€ì‚¬ ë˜í•œ tiki-check.php on SourceForge.net ì—ì„œ ë…ë¦½í˜•ìœ¼ë¡œì¨ ì œê³µë˜ë©© í‹°í‚¤ë¥¼ ì„¤ì¹˜í•˜ê¸° „ì— í™˜ê²½ ê²€ì‚¬ë¥¼ ìœ„í•´ ëŒ€ë¶€ë¶„ ê²€ì‚¬ ì„¤ì¹˜ ìœ„ì¹˜ì—ì„œ ì‹¤í–‰í•˜ê¸° ì‰½ìŠµë‹ˆë‹¤.

ì‰˜ ì ‘ê·¼ì„ í†µí•˜ì—¬ tiki-check ë¥¼ ì–»ëŠ” ë°©ë²•

wget - -output-document=tiki-check.php
http://sourceforge.net/p/tikiwiki/code/HEAD/tree/trunk/tiki-check.php?format=raw

´ íŒŒì¼ì„ ì‚¬ìš©í• ìˆ˜ ìžˆë‹¤ë©´, ê¶Œí•œì´ ëª¨ë‘ OKì¸ì§€ í™•ì¸í•˜ì‹œê¸°ë¥¼ ë„ˆë¬´ ê²½ê³ í•©ë‹ˆë‹¤. ë„ˆë¬´ ì ê±°ë‚˜ ë„ˆë¬´ ê³¼í•œ ê¶Œí•œì€
ë¬¸ì œë¥¼ ì•¼ê¸°í• ìˆ˜ ìžˆìŠµë‹ˆë‹¤

ì•Œë ¤ì§„ ë¬¸ì œì ë“¤

ìž˜ëª»ëœ DB-ìžê²©ì¦ëª…ì„ ìž…ë ¥í• ê²½ìš°, ìŠ¤í¬ë¦½íŠ¸ê°€ ë³´ê¸° íŽ•í•œ ì˜¤ë¥˜ ë©”ì„¸ì§€ë¥¼ í‘œê¸°í•˜ë©° ì‹¤íŒ¨ì‹œ ë©ë‹ˆë‹¤. ë” ë³´ê¸° ì¢‹ì€ ì˜¤ë¥˜ ë©”ì„¸ì§€ë¥¼ ë§Œë“¤ê¸° ì˜†ì—ìš”. ê·¸ ì´ìœ ëŠ” (exception)ì„ catch í• ìˆ˜ ì—†ìœ¼ë©°, ìŠ¤í¬ë¦½íŠ¸ë¥¼ ì§„í–‰í• ìˆ˜ ì—†ìœ¼ë©° ê²€ì‚¬ì˜ ë‚´ìš©ì´ ìž˜ëª»ëœ ê²½ìš°ì—ë„ ìˆ˜ë™ìœ¼ë¡œ ì˜ˆì™¸ë¥¼ ë°œìƒì‹œí‚¤ê¸° ë•Œë¬¸ìž…ë‹ˆë‹¤. ê·¸ ì´ìœ ëŠ” ëŠ PHP 4ì™€ì˜ í˜¸í™˜ì„±ì„ ìœ„í•´ì„œìž…ë‹ˆë‹¤ (ê·¸ë¦¬ê³ PHP 4ì—ì„œëŠ” ì—°ê²° ì‹œê°„ PDOê°€ í—ˆìš©í•˜ëŠ” ì˜¤ë¥˜ë¥¼ ì²˜ë¦¬ì˜ ìœ¼ë¡œ ë°©ë²•ì´ exepction ì— ëŒ€í•œ ë¬¸ë²•ì´ ë•Œë¬¸ìž…ë‹ˆë‹¤). ê·¸ëŸ¬í•œ ì´ìœ ëŠ iœ, ì €í¬ëŠ” error_reporting ì„ ê°€ìž¥ ê¼ëŒ€ê¸°ê¹Œì§€ ì„¤ì • •í•˜ê³ ì˜¤ë¥˜ë¥¼ ë³´ê¸° ê°€ì— í‘œí•œ ë°©ë²•ìœ¼ë¡œ í•´ê²°ì±…ìœ¼ë¡œ í•´ê²°í•˜ê¸°ë¥¼ í•´ìŠµë‹ˆë‹¤.

ë°±ê·¸ë¼ìš´ë“œ ì •ë³´

´<°í‚¤ëŠ” ë‹¤ë…„ê°„ ë§Žì€ ì‹œë‚˜ë¦¬ì˜¤ì—ì„œ ì„œë²„ì˜ ë©”ëª¨ë¦¬ ì œí•œì´ ë¶€ì¡±í•˜ì—¬ ë¬¸ì œê°€ ë°œìƒí•©ë‹ˆë‹¤. ì˜ˆë¥¼ ë“¤ì–´ memory_limit ì´ ë„ˆë¬´ ë‚®ì€ ê²€ìƒ‰ì–´ì—ì„œ í‘œê¸°ë•Œë¬¸ì—¬ ì½œë„í•˜ì—¬ ë‹¤ì–‘í•œ ê²€ìƒ‰ì–´ì— ëŒ€í•´ ì¼ê´€ëœ ê²°ê³¼ë¥¼ ì œê³µí•˜ì§€ ëª»í•©ë‹ˆë‹¤. ì´ëŠ” ê²€ìƒ‰ ì•Œê³ ë¦¬ì¦˜ì´ ì•„ë‹Œ ì„œë²„ í™˜ê²½ì˜ ë¬¸ì œì…ë‹ˆë‹¤. ì´ëŠ” ë‚´ë¶€ ì¸ë±ìŠ¤ê°€ ì†ìƒëœ ê²ƒì´ ì•„ë‹ˆë¼ ì¸ë±ìŠ¤ë¥¼ ì²˜ë¦¬í•˜ëŠ” ê³¼ì •ì—ì„œ ë°œìƒí•˜ëŠ” ë¬¸ì œì…ë‹ˆë‹¤. ë¬¸ì œê°€ ë°œìƒí•˜ëŠ” ê²½ìš° ë¨¼ì € ì„œë²„ì˜ ë©”ëª¨ë¦¬ ì œí•œì„ ëŠ˜ë ¤ë³´ì‹œê¸° ë°”ëžë‹ˆë‹¤. ì¼ë°˜ì ìœ¼ë¡œ 256MB ì´ìƒì´ë©´ ëŒ€ë¶€ë¶„ì˜ ê²€ìƒ‰ì–´ì— ëŒ€í•´ ì •ìƒì ìœ¼ë¡œ ë™ìž‘í•©ë‹ˆë‹¤. ì´ë¥¼ ìœ„í•´ì„œëŠ” ì„œë²„ì˜ php.ini íŒŒì¼ì„ ìˆ˜ì •í•˜ì—¬ì•¼

ë¯¸ëž˜ ìž‘ì—…...

ì¶”ê°€ ì •ë³´ëŠ”, Server Check ì„ ì‚´íŽ´ë³´ì‹œê¸°ë¥¼.

Related links

- phpSysInfo" ì€ "ì‚¬ìš©ìž ì§€ì • ê°€ëŠ¥í•œ PHP ìŠ¤í¬ë¦½íŠ¸ëiœì¨ /proc ë‚´ë¶€ì˜ ë‹¤ì–‘í•œ íŒŒì¼ë“¤ì„ ê µ¬ë¬¸ë¶„ì„í•˜ê³ í‘œê°€ë©´ë‹¤. Uptime, CPU, Memory, SCSI, IDE, PCI, Ethernet, Floppy, ë° Video ì™€ ê°™ì€ ì‹œìŠ¤í…œ ì‚¬ê³¼ ê´€ë ¨ëœ ì •ë³´ë¥¼ í‘œê°€ë©´ë‹¤.

ë³¸ íŽ˜ì´ì§€ì˜ Alias ì´ë¦„: