

Archive Builder

í°í, x5) — i, œ ë, ìž... ë

ìœ,, í, xëš" ë³" ë" ì, — ëžœí' ì • ë³' ì — ì 'ê·¼í• ì~ ìž^ëš" íœë¥í•œ ìœ'í•™ ë| — í — ìš€í,, °ë| — ìž... ë^ë<œ. í•~ ìš€ëšœ, ìì°ìšì~ ìì —
ë, ì — ì,, œ ì, — ìš©ë ë•œ, ì™, ë¶€ ê·, ë£¹ì~ ì, — ëžœë"œì — ê²œ ì • ë³' ì~ ì¼ë¶€ëšœ, ì ìœê³µí•~ ëš" ê²fi€ ì — 'ë œìš' ì¼ì¼ ì~ ë,,
ìž^ìšµë<^ë<œ. ê¶œí•œ í• ë<¹ì,, íµí•~ì — ì ê°€ëš¥í•~ ìš€ëšœ, ì — ì ìž^ ì, — ëžœë"œì — ê²œ ìœ,, í, œì — ì 'ê·¼ì,,
ìš¹ì, í• ì•¼í•~ ê³, ê³,, ì • ì,, ì œê³µí• ì•¼í•~ ê³, ì, — ëžœë"œì' í•,, ìš"í•œ ê²fi,, ì°¾ëš" ì ^°" ë¥¼ ë³' ìì°í•~ ëš" ê²fë" ±ì,,
•,, ìš"ëìœ í• ©ë<^ë<œ. ë<¹ìœíž^, ê·, ë"œì — ê²œ í•,, ìš"í•œ ì • ë³' ê°€ ë<'ê, 'ì••ì¶•íœœì¼ì,, ë³'ë, 'ëš" ê²fi' ë" ì% — ìš' ì¼ì¼
ì~ ë,, ìž^ìšµë<^ë<œ.

ì~^ì œ

ì' í"œëÿ—ê·, ìì€ ë°"ëìœ ê·, ëÿ—í•œ ì¼ì,, í• ©ë<^ë<œ. ì, ì~ ë¥¼ íµí•~ì — ì, ë³'ê'€(archive)ì~ ë, ìš©ì,, ì • ì'í•~ ëš" ê²fi,,
í — ìš©í• ©ë<^ë<œ. ë œë"ê°€ ë~ê³ ë, ~ë©', ì^œê°, ë³'ê'€ì,, ìfi,, ±í• **ë³'ê'€ ë<œìš'ëìœë"œ** ë²,, ìš¹¼ì,, í'œì<œí• ©ë<^ë<œ.

if'í"œ ì, — ìš©ì~^

{ARCHIVEBUILDER(name=DF120-Summary.zip)} page-as-pdf:DF120/Vision.pdf:VisionDF120 page-as-pdf:DF120/Team.pdf:TeamDF120 tracker-attachments:DF120/Requirements/:2232 {ARCHIVEBUILDER}

ì, — ìš©ê°€ëš¥í•œ í"œëÿ—ê·, ì, ì~ ì¶œë ¥ì€ ë<œìœ ë, ìš©ê³¼ ìœ ì, — í• ê²fiž...ë<^ë<œ:

- DF120-Summary.zip
 - DF120/
 - Requirements/
 - performance.doc
 - mockup.png
 - Vision.pdf

◦ Team.pdf

▪ manifest.txt (*automatically generated, containing the list of files*)

ë¬,ë²•

ì•„ěž~ěš” ì’ í”Æëÿ¬ê·,ì,ì—ì,,œ ì•„ìš©ě~ěš” ëšxê°œë³€ì^~ì™€ ë³,ë¬,ì— í•’ë<¹í•~ěš” ë¬,ë²•ìž...ë<^ë<x.

ë§xê°œë³€ì^~

Define an archive that can be downloaded
*Introduced in Tiki 5. Required parameters are in **bold**.*

Go to the source code

Preferences required: `wikiplugin_archivebuilder`

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		Description of the archive content. Multiple handlers are available for content types. One per line. Ex: page-as-pdf:some-folder/foo.pdf:HomePage , tracker-attachments:target-folder/:3435		
name		Upon download, the name of the file that will be provided.		5.0

ë³, ë¬, ,

í"ŒëŸ¬ê·,ì,ì~ ë³,ë¬,ì€ ë¬"ì^œíŹ^ ì-´ë- íŒŒèì¼ì,, ëŸŒë"œ ê²fì´ë©° ì-´ë""ì—ì,,œ ì»"í...ì, ë¥¼ ê°€ì ,ì¬ìŸ€ë¥¼ ê²°ì ·í·~ëŸ" ê·œì¹™ì~ ëª©ëìž...ë^ë<œ. ê° ìœ,,ì€ ë...ëì¼ì ž...ë^ë<œ. ì,ì~ëŸ" ì½œëì ìœ¼ëìœ êµ¬ë¶,,ë©ë^ë<œ. ì²« ì,ì~ëŸ" ë,~ë¬,ìŸ€ ìœ,,ì,, ì-´ë-»ê²Œ ì¬ê, %œí· ê²fì,ìŸ€ë¥¼ ë,~ìfëf...ë^ë<œ. ë<œìŒì íŧ í°ë"œì´ ì,¬ìŸ©ë ì^ ìž^ìŸµë^ë<œ:

• **page-as-pdf** íž~ì`ìŸ€ì~ ì»"í...ì, ë Œë"í·œ ê²fì,, ê°€ìŸ€ê³ PDFë¥¼ ëŸŒë"¬.

• ì²« ë²^ìŸ, ì,ì~ëŸ" ZIP íŒŒèì¼ì ë,´ë¶€ì~ PDF íŒŒèì¼ì~ ì´ëì,,ê³¼ ìœ,,ì¹~ìž...ë^ë<œ.

• ë´ ë²^ìŸ, ì,ì~ëŸ" íž~ì`ìŸ€ëª...ìž...ë^ë<œ.

• **tracker-attachments** ëŸ" íŸ,ëž~ì»œ í·ëª© ìfì~ ëª"ë" ì²"ë¶€íŒŒèì¼ì,, ì^~ìŸ'í·~ì—¬

í´ë"ì— ì €ìž¥í· ©ë^ë<œ.

• ì²« ë²^ìž¬ ì,ì~ëŸ" íŒŒèì¼ìë"œì´ ì¶"ê°€ë í´ë"ì~ ì´ëì,,ìž...ë^ë<œ.

• ë´ ë²^ìž¬ ì,ì~ëŸ" íŸ,ëž~ì»œ í·ëª©ì~ ID ìž...ë^ë<œ.

ìš"êµ¬ì,¬í•

PDF ëioe ì,ì‡,, ë©"ì»æ<^ì|~ì€ í'œìæ€ ìœ,,í,æ ì,ì‡,, ê,°ëš¥ì,, ì,¬ìš©í• ©ë<^ë<æ. í•~ìš€ëš€CE, PDF ìfi,,±ì€ PDF ë,,êµ¬ëioeì™ ì™,ë¶€ HTMLì,, í†µí•~ì—¬ ì'ë£"- ìš'ë<^ë<æ. ì'ëš" ë°~ë"œì<œ í™ œì,,±í™"ë~ê³ êµ¬ì,,±ë~ì- ì•¼ëš€CE í•©ë<^ë<æ. ë<æìœì€ ëœ€ì•^ë"æìž...ë<^ë<æ. í•~ë,~ë¥¼ ì,, í†í•~ì<ìœì~æ

1. ì>¹í,· wkhtmltopdf

- wkhtmltopdf ë¥¼ ë<æìš'ëioeë"œí•~ê³ ì<æí-%oíœœì¼ì,, í~ ìšæíš,ì~ ì- 'ë"~ê°€ì— ë†"ì•,,ë'ì<ìœì~æ. ì>¹ì,,œë²,,ì—ì,,œ ì<æí-%oì' ê°€ëš¥í•œìš€ë¥¼ í™ •ì,í•~ì<ìœì~æ.
- URLì—ì,,œ PDF ë¥¼ ì>¹í,·ìœ¼ëioe ì,,æì •í•~ì<ìœì~æ (ê,°ë³,ì,,æì •: print_pdf_from_url ì,, webkit ìœ¼ëioe ì,,æì •)
- ì>¹í,· ê²½ëioe ë¥¼ ì<æí-%oíœœì¼ì~ ì,,ì²'ê²½ëioeëioe ì,,æì •í•~ì<ìœì~æ. ì~ë¥¼ ë"æ©' /home/doc.tiki.org/webkit/wkhtmltopdf.(ê,°ë³,ì,,æì •: print_pdf_webkit_path)

2. ì>¹ì,,œë¹,,ìšæ

- URLì—ì,,œ PDF ë¥¼ ì>¹ì,,œë¹,,ìšæëioe ì,,æì •í•~ì<ìœì~æ (ê,°ë³,ì,,æì •: print_pdf_from_url ì,, ì>¹ì,,œë¹,,ìšæëioe ì,,æì •)
- ì>¹ì,,œë¹,,ìšæ URL ì,, ì,,œë¹,,ìšæ ìœ,,ì~ëioe ì,,æì •í•~ì<ìœì~æ. ì>¹ì,,œë¹,,ìšæëš" ë°~ë"œì<œ ìš^ì~ ë¬,ìžì—'ëioe URLì,, ê°€ì,ì¼ëš€CE í•©ë<^ë<æ. ìf"í"œ PHP ìšæí¬ë½íš,ê°€ ì•,,ëž~ì— ìœê³µë©ë<^ë<æ. (ê,°ë³,ì,,æì •: print_pdf_webservice_url)

ì£¼ì~: í<°í,æ<5.0 ë²,,ì,,ì—ì,,œëš", ì'ëŸ¬í•œ ê,°ë³,ì,,æì •ë"æì' ë°ì'í,,°ë² ì'ìšæì—ì,,œ ìšì 'ì ìœ¼ëioe ì,,æì •ë~ì- ì•¼ëš€CE í•©ë<^ë<æ (í<°í,æì—ì,,œ ì'ë"æì,, ë³'ë æë©' ì'ìœëë¥¼ ì,ì œí•~ëš" ê²fi,, ìžšìš€ëš^ì<ìœì~æ)
ì£¼ì~: ì' ì,,æì •ë"æì€ ê'€ë¬¬ í™ ^ (tiki-admin.php)ê³¼ êµ¬ì,,± ê²€ìf%o ìfìžì—ì,,œ ë°œê²¬ë ì~ ìž^ìšµë<^ë<æ, (ë"°ì~'í'œ ì—ì) "pdf" ë¥¼ ìž...ë ¥í•~ì<ìœì~æ. ìœì¶œí•œ í>,, ê° ì,,æì •ì¬ì— "ë°œê²¬ë~ìš€ ì•šìœ"ì,, ë³'ìœê²œ ë ê²fiž...ë<^ë<æ; ì'ë¥¼ ë¬¬ìœì•~ì<ìœì~æ (ì'ëš" ê, ì,,æì •ì— ëœ€í•œ ê'€ë¬¬ íœ"ë,,ì' ë°œê²¬ë ì~ ì—ì¬ëæš" ê²fi,, ëšì•~ê³ ìž^ëš"

ì™ œ êµ-ì,,±ìž'ì—...ì' í•,,ìš"í•œê°€?

wkhtmltopdf ëš" C++ëioë ìž'ì,,±ë~ì-ìž^ìœ¼ë©° ìœ^ë,,ìš°/ë|~ë^...ìšx/ëš¥OSX ì— ëœí•~ì—~ ë<æë¥, íœ"í,æìš€ë"æì' ìììž-í•©ë<^ë<α, ê·,ëÿ-ë-ëioë ê°œë³,,ììœ¼ëioë ì,,æì¹~í•~ëš" ê²fi' ìç<ìšµë<^ë<α. ë,~ì•,,ê°€ì,,œ, ì¼ë¶€ ì,,œë²,,ë"æì€ ì%~ì—ì,,œ ì<æì-%oì,, í—^ìš©í•~ìš€ ì•šìšµë<^ë<α, í•~ìš€ëšœ ì—~ê·, òì—ì,,œ ì'ëš" í•,,ì^~ì,,-í•ìž...ë<^ë<α. ì' ë-ì, ìœëš" ë<æë¥, ì,,œë²,,ì— ì,,æì¹~ë¥¼ í•~ê³ ì>ê²©ìœ¼ëioë ì'ê·¼í•~ëš" ê°©ì<ìœ¼ëioë ìš°íšœí• ì^~ ìž^ìšµë<^ë<α.

ì 'ê·¼ ê¶œí•œ

ìž~ì'ìš€ì~ ì»"í...ì, ê°€ URLì,, íµí•~ì—~ ì'ê·¼ë~ê·, ë•œë-ì—, ì'ê·¼ ê¶œí•œì' ë°~ë"œì<œ ì~ë°"ë¥'ê²œ ê'€ë|~ë~ì-ì•¼ëšœ í•©ë<^ë<α. ê¶œí•œì' ìž~ì'ìš€ê°€ ìµëª...ì,,-ìš©ìžì-ê²œ ë³'ì'ëš" ê²fiœ¼ëioëë¶€í,,° ë³'ì',ë¥¼ í•~ê±°ë,~ í"œëÿ-ê·,ì,ì' ì'ë¥¼ ë<æë¥'ê²œ ë œë"í•~ëš" ê²½ìš°, ì¶"ê°€ ê·,ëš¥ì' í™œì,,±í™"ë~ì-ì•¼ëšœ í•©ë<^ë<α. íť í° ì'ê·¼ ê·,ëš¥ì€ ë³'ê'€ ë¹œë"(archive builder) ëioë í•~ì—~ê·,^ íšì • URLëioë ë°"ì,ë"œë~ëš" íť í°ì,, ìfi,,±í•~ëš" ê²fi,,-^ìš©í•©ë<^ë<α. ê·,ëÿ-ë©' PDF ìfi,,±ê·,ëš" URLëioëì' ë¶€ë¶,,ìœ¼ëioëì' íť í°ì,, í-í•"í• ê²fiž...ë<^ë<α. ê·,ë ðê²œë~ë©³'ê'€ ìš"ì²ìžì-ì'í•~ì—~ ì,,-ìš©ëœ ê·,ë£¹ê³¼ ë™ì¼í•œ ê·,ë£¹ì,, PDF ìfi,,±ê·, òì— í—^ìš©í• ê²fiž...ë<^ë<α. ê·,ë³,ìœ¼ëioë íť í°ì€ 30ì'^ ë™ì•^ ì,,-ìš©ê°€ëš¥í• ê²fiž...ë<^ë<α.

if~í”Œ ì>¹ì,,œë¹,,ìŠǫ

generate_pdf.php

```
<?php $query = $_SERVER['QUERY_STRING']; if( ! empty( $query ) ) { header( 'Content-Type: application/pdf' );  
    $query = escapeshellarg( urldecode( $query ) ); echo `../wkhtmltopdf-i386 $query -`; } ?>
```