

Bloglist

" $\tilde{A} \hat{A} \tilde{A}, \hat{A} \alpha 3 \tilde{A} \neg \neg \tilde{A} \neg, \text{oe} \tilde{A} \neg \dagger \text{CE} \tilde{A} \hat{A} \circ \text{oe} \tilde{A} \ll \hat{A}$ "

$\tilde{A} \neg \hat{A}' \tilde{A} \neg \text{oe}, \tilde{A}, \hat{A} \alpha \tilde{A}' \text{CE} \tilde{A} \ll \tilde{Y} \hat{A} \neg \tilde{A} \hat{A} \cdot \hat{A}, \tilde{A} \neg \hat{A}, \tilde{A} \neg \in \tilde{A} \neg, \hat{A} \neg \tilde{A} \neg \hat{A}' \tilde{A} \hat{S} \hat{A}, \tilde{A} \neg \text{f} \tilde{A} \neg \sim \tilde{A} \ll \hat{A} \circ \tilde{A}, \hat{A} \alpha \tilde{A} \ll \hat{A}, \text{"} \tilde{A} \ll \hat{A}; \text{oe} \tilde{A} \hat{A} \cdot \hat{A}, \tilde{A} \neg \sim$
 $\tilde{A} \hat{A}^2 \text{CE} \tilde{A} \neg \ll \text{oe} \tilde{A} \ll \hat{A} \neg \hat{A}^{1/4} \tilde{A} \ll \text{"} \hat{A} \alpha \tilde{A}' \text{oe} \tilde{A} \neg \ll \text{oe} \tilde{A} \cdot \hat{A} \odot \tilde{A} \ll \hat{A} \neg \tilde{A} \ll \hat{A} \alpha$

$\tilde{A} \neg, \hat{A} \neg \tilde{A} \neg \hat{S} \hat{A} \odot \tilde{A} \ll \hat{A}^2 \cdot \tilde{A} \hat{A}^3 \hat{A}^{1/4} \tilde{A} \ll \hat{A} \hat{S} \hat{A} \alpha \tilde{A} \hat{A} \circ \text{CE} \tilde{A} \ll \hat{A}^3 \in \tilde{A} \neg \hat{\sim}$

$\tilde{A} \neg \hat{A}' \tilde{A}' \text{CE} \tilde{A} \ll \tilde{Y} \hat{A} \neg \tilde{A} \hat{A} \cdot \hat{A}, \tilde{A} \neg \hat{A}, \tilde{A} \neg, \tilde{A} \neg \text{oe}, \tilde{A}, \hat{A} \alpha \tilde{A} \hat{Z} \tilde{A} \neg \hat{A}' \tilde{A} \neg \hat{A} \hat{S} \in \tilde{A} \neg \cdot \hat{\sim} \tilde{A} \neg \neg \tilde{A} \neg, \text{oe} \tilde{A} \neg, \hat{A} \neg \tilde{A} \neg \hat{S} \hat{A} \odot \tilde{A} \cdot \sim \tilde{A} \ll \hat{A} \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}', \tilde{A} \ll \hat{A} \alpha \tilde{A} \neg \text{CE}$
 $\tilde{A} \ll \hat{A} \neg \hat{A}, \tilde{A} \ll \hat{A}^2 \cdot \tilde{A} \neg, \tilde{A} \neg, \hat{A} \neg \tilde{A} \neg \hat{S} \hat{A} \odot \tilde{A} \cdot \sim \tilde{A} \neg \ll \hat{A} \neg \neg \text{oe} \tilde{A} \neg \sim \hat{A} \alpha:$

```
{BLOGLIST(Id="n" Items="n" author="username" simpleList="y" dateStart="YYYY-MM-DD" dateEnd="YYYY-MM-DD"
containerClass="classname" )}{BLOGLIST}
```

Param

Id

Items

author

Values

$\tilde{A} \leftarrow \hat{A}^\circ \tilde{A}, \hat{A} \times \tilde{A} \rightarrow, \hat{A} \rightarrow \tilde{A} \rightarrow \hat{A}' \tilde{A} \check{S} \hat{A}, \tilde{A} \rightarrow f \tilde{A} \rightarrow \sim$

$\tilde{A} \ll \hat{A}, " \tilde{A} \ll \hat{A}; \in \tilde{A} \hat{A} \cdot \hat{A}, \tilde{A} \rightarrow \text{—} \tilde{A} \ll \in \tilde{A} \cdot \in \text{ID} \tilde{A} \ll \hat{A}^2 \wedge \tilde{A} \sim \hat{A},$

$\tilde{A} \rightarrow \hat{A} \cdot \tilde{A} \rightarrow \hat{\sim}$

$\tilde{A} \rightarrow, \hat{A} \rightarrow \tilde{A} \rightarrow \check{S} \hat{A} \odot \tilde{A} \rightarrow \check{Z}$

Defaults **Req ?**

$\tilde{A} \rightarrow \neg \vdash \tilde{A} \rightarrow \mathbb{E}$ y

$\tilde{A} \rightarrow \neg \vdash \tilde{A} \rightarrow \mathbb{E}$ n

$\tilde{A} \rightarrow \neg \vdash \tilde{A} \rightarrow \mathbb{E}$ n

Explanation

$\tilde{A} \cdot \hat{A}' \tilde{A} \ll \hat{A}^1 \tilde{A} \ll \hat{A}, \quad \tilde{A} \ll \hat{A}; \in \tilde{A}^a \hat{A} \cdot \hat{A}, \tilde{A} \neg \neg \tilde{A} \neg, \in \tilde{A} \neg \sim$

$\tilde{A}^a \hat{A}^2 \in \tilde{A} \neg \ll \in \tilde{A} \ll \hat{A} \neg \hat{A}^{1/4} \tilde{A} \ll \hat{A} \S \in \tilde{A}' \in \tilde{A} \neg \ll \in \tilde{A} \ll \sim \tilde{A} \ll, \tilde{A} \ll \hat{A}; \tilde{A} \cdot \hat{A}''.$

$-1 \tilde{A} \neg \hat{A}^{1/4} \tilde{A}^a \hat{A}^2 \hat{A}^{1/2} \tilde{A} \neg \check{S} \hat{A}^\circ, \tilde{A} \ll \hat{A}^a \hat{A}'' \tilde{A} \ll \hat{A}$

$\tilde{A} \ll \hat{A}, \quad \tilde{A} \ll \hat{A}; \in \tilde{A}^a \hat{A} \cdot \hat{A},$

$\tilde{A}' \in \tilde{A} \neg \ll \in \tilde{A} \cdot \hat{A} \quad \tilde{A}^a \hat{A}^2 \in \tilde{A} \neg \ll \in \tilde{A} \ll \hat{A} \neg \hat{A}^{1/4} \tilde{A} \neg \sim$

$\tilde{A} \neg \hat{A} \mu \in \tilde{A} \ll \in \tilde{A} \neg \sim \tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \neg \hat{A} \cdot \tilde{A} \neg \sim$

$\tilde{A} \neg \hat{A}' \tilde{A} \neg, \hat{A} \neg \tilde{A} \neg \check{S} \hat{A} \odot \tilde{A} \neg \check{Z} \tilde{A} \neg \neg \tilde{A} \neg \sim \tilde{A} \cdot \sim \tilde{A} \neg \neg \hat{A} \neg$

$\tilde{A} \neg f \tilde{A} \neg, \hat{A} \pm \tilde{A} \ll \in \tilde{A}^a \hat{A}^2 \in \tilde{A} \neg \ll \in \tilde{A} \ll \hat{A} \neg \hat{A}^{1/4} \tilde{A} \ll \hat{A} \S \in \tilde{A}' \in \tilde{A} \neg \ll \in \tilde{A} \cdot \hat{A}''$

Since

4.0

Param

simpleList

"Char Count"

Values

$$y \tilde{A} \hat{A}^{-1} \tilde{A}^{-1} \in \mathbb{R}^n$$

$$\tilde{A}^{-1} \hat{A} \cdot \tilde{A}^{-1} \hat{\sim}$$

Defaults

Req ?

y

n

all

n

Explanation

'y' $\tilde{A} \rightarrow \hat{A}$, $\tilde{A}^{\hat{a}} \hat{A}^2 \hat{A}^{1/2} \tilde{A} \rightarrow \check{S} \hat{A}^{\circ}$, $\tilde{A}^{\hat{a}} \hat{A}^{\circ}$, „ $\tilde{A} \ll \hat{A}$ “ $\tilde{A} \cdot \text{œ} \tilde{A}' \text{œ} \tilde{A} \ll \hat{A}; \text{œ} \tilde{A} \rightarrow \hat{A}$ “
 $\tilde{A}^{\hat{a}} \hat{A}^2 \text{œ} \tilde{A} \rightarrow \ll \text{œ} \tilde{A} \ll \hat{A} \rightarrow \hat{A}^{1/4} \tilde{A} \rightarrow$, „ $\tilde{A} \sim \hat{A}^1 \tilde{A} \rightarrow \text{€}$ 'n' $\tilde{A} \rightarrow \hat{A}$,
 $\tilde{A}^{\hat{a}} \hat{A}^2 \hat{A}^{1/2} \tilde{A} \rightarrow \check{S} \hat{A}^{\circ}$ $\tilde{A} \rightarrow \hat{A}$ „ $\tilde{A} \rightarrow \hat{A}^2 \hat{A}'$ $\tilde{A}^{\hat{a}} \hat{A}^2 \text{œ} \tilde{A} \rightarrow \ll \text{œ} \tilde{A} \ll \hat{A} \rightarrow \hat{A}^{1/4} \tilde{A} \rightarrow$, „ \tilde{A} -
'œ $\tilde{A} \rightarrow \ll \text{œ}$ '

"SimpleList" = 'n' $\tilde{A} \ll \hat{A}; \text{œ} \tilde{A} \rightarrow$, „ $\hat{A} \times \tilde{A} \rightarrow \hat{A} \cdot \tilde{A} \ll \sim \tilde{A} \rightarrow \text{—}^{\wedge} \tilde{A} \rightarrow$, „
 $\tilde{A} \ll \cdot \text{œ} \tilde{A} \rightarrow$, $\hat{A} \rightarrow \tilde{A} \rightarrow \check{S} \hat{A} \text{©} \tilde{A}^{\hat{a}} \hat{A}^{\circ} \text{€} \tilde{A} \ll \check{S} \hat{A} \text{¥}$.

$\tilde{A}^{\hat{a}} \hat{A}^2 \text{œ} \tilde{A} \rightarrow \ll \text{œ} \tilde{A} \ll \hat{A} \rightarrow \hat{A}^{1/4} \tilde{A} \rightarrow \text{—} \tilde{A} \rightarrow$, „œ $\tilde{A}' \text{œ} \tilde{A} \rightarrow \ll \text{œ} \tilde{A} \cdot \hat{A}$
 $\tilde{A}^{\hat{a}} \hat{A}$, „ $\text{€} \tilde{A} \rightarrow \check{Z} \tilde{A} \rightarrow \sim \tilde{A} \rightarrow \sim \tilde{A} \ll \hat{A} \text{¥} \hat{A}^{1/4} \tilde{A} \rightarrow \hat{A} \text{§} \text{€} \tilde{A} \rightarrow \hat{A} \cdot$. ($\tilde{A} \rightarrow \hat{A}$ „ $\tilde{A} \rightarrow \hat{A}^2 \hat{A}'$
 $\tilde{A}' \text{œ} \tilde{A} \rightarrow \ll \text{œ} \tilde{A} \ll \text{œ} \text{€} \tilde{A} \rightarrow \ll \hat{A}$
 $\tilde{A} \ll \hat{A}^{-} \hat{A}$, $\tilde{A} \ll \hat{A} | \hat{A} \rightarrow \tilde{A} \ll \hat{A}^3 \hat{A}'$ $\tilde{A}^{\hat{a}} \hat{A}$, $\hat{A}^{\circ} \tilde{A} \ll \hat{A} \text{¥} \hat{A}^{1/4} \tilde{A} \ll \hat{A} \text{§} \text{œ} \tilde{A} \ll \text{“} \hat{A} \rightarrow$)

Since

5.0

12.0

Param

"Word Boundary"

Values

$$y \tilde{A} \hat{A}^{-1} \tilde{A}^{-1} \in \mathbb{R}^n$$

Defaults

Req ?

n

n

Explanation

"SimpleList" = 'n' $\tilde{\ll} \hat{; \circ \tilde{\neg} \,, \hat{\alpha} \tilde{\neg} \hat{\cdot} \tilde{\ll} \sim \tilde{\neg} \text{---} \hat{\tilde{\neg} \,,$
 $\tilde{\ll} \cdot \text{€} \tilde{\neg} \,, \hat{\neg} \tilde{\neg} \text{š} \hat{\text{©}} \tilde{\text{a}} \hat{\text{°}} \text{€} \tilde{\ll} \text{š} \hat{\text{¥}}$. "Char Count" $\tilde{\text{a}} \hat{\text{°}} \text{€}$
 $\tilde{\ll} \hat{\text{"}} \tilde{\neg} \text{---} \hat{\text{'}} \tilde{\text{a}} \hat{\text{²}} \hat{\text{½}} \tilde{\text{a}} \hat{\text{³}} \,, \tilde{\neg} \text{---} \tilde{\neg} \,, \text{œ} \tilde{\ll} \hat{\text{°}} \text{œ} \tilde{\neg} \text{f} \tilde{\cdot} \sim \tilde{\ll} \text{š}"$
 $\tilde{\text{a}} \hat{\text{²}} \text{f} \tilde{\neg} \,, \tilde{\text{a}} \hat{\text{°}} \cdot \tilde{\neg} \hat{\text{œ}} \tilde{\ll} \hat{; \circ \tilde{\cdot} \hat{\text{}}$
 $\tilde{\text{a}} \hat{\text{²}} \text{f} \tilde{\neg} \hat{\text{,}} \tilde{\neg} \hat{\text{š}} \text{€} \tilde{\ll} \hat{\text{¥}} \hat{\text{¼}} \tilde{\neg} \hat{\text{š}} \text{€} \tilde{\neg} \hat{\cdot}$. ($\tilde{\ll} \hat{\text{"}} \tilde{\neg} \text{---} \hat{\text{'}} \tilde{\neg} \sim$
 $\tilde{\neg} \hat{\alpha} \tilde{\text{a}} \hat{\text{°}} \,, \tilde{\neg} \text{---} \tilde{\neg} \,, \text{œ} \tilde{\ll} \hat{\text{¶}} \,, \tilde{\ll} \hat{\text{|}} \hat{\neg} \tilde{\cdot} \sim \tilde{\neg} \hat{\text{š}} \text{€}$
 $\tilde{\neg} \cdot \text{š} \tilde{\text{a}} \hat{\text{,}} \hat{\text{°}} \tilde{\neg} \hat{\text{'}} \tilde{\ll} \text{š}" \tilde{\neg} \hat{\cdot} \tilde{\text{™}} \cdot \tilde{\neg} \,, \hat{\pm}$
 $\tilde{\ll} \hat{\text{³}} \hat{\text{'}} \tilde{\ll} \hat{\alpha} \tilde{\ll} \text{š}" \tilde{\ll} \hat{\text{š}} \hat{\alpha} \tilde{\neg} \text{š} \hat{\text{°}} \tilde{\text{a}} \hat{\cdot} \hat{\text{¼}} \tilde{\neg} \hat{\text{'}} \tilde{\cdot} \text{œ}$
 $\tilde{\text{a}} \hat{\text{°}} \tilde{\neg} \text{œ} \hat{\text{¼}} \tilde{\ll} \hat{; \circ \tilde{\ll} \hat{\text{š}} \text{€} \tilde{\neg} \hat{\text{'}} \tilde{\text{-%}} \tilde{\ll} \hat{\text{"}}$.

Since

12.0

Param

"Elipsis"

Values

$$y \tilde{A} \hat{A}^{-1} \tilde{A}^{-1} \in \mathbb{R}^n$$

Defaults

Req ?

y

n

Explanation

"SimpleList" = 'n' $\tilde{\ll} \hat{; \omega} \tilde{\neg} \,, \hat{\alpha} \tilde{\neg} \hat{\cdot} \tilde{\ll} \tilde{\neg} \hat{\neg} \tilde{\neg} \,,$
 $\tilde{\ll} \cdot \mathcal{E} \tilde{\neg} \,, \hat{\neg} \tilde{\neg} \check{\hat{\circ}} \tilde{\hat{\circ}} \hat{\circ} \in \tilde{\ll} \check{\hat{\forall}} \cdot \text{elipsis (...) } \tilde{\hat{\circ}} \hat{\circ} \in \tilde{\neg}$
 $\dots \tilde{\neg} \check{\hat{\alpha}} \tilde{\check{\hat{\alpha}}} \tilde{\neg} \tilde{\ll} \tilde{\ll} \hat{\mathcal{P}} \in \tilde{\ll} \hat{\mathcal{P}} \,, \tilde{\neg} \hat{\neg} \tilde{\neg}$
 $' \omega \tilde{\neg} < \omega \tilde{\ll} \tilde{\neg} \hat{\neg} \tilde{\neg} \cdot \hat{1/4} \tilde{\cdot} \tilde{\ll} \check{\hat{\text{S}}} \tilde{\neg} \hat{\mathcal{S}} \in \tilde{\ll} \hat{\forall} \hat{1/4}$
 $\tilde{\neg} \hat{\mathcal{S}} \in \tilde{\neg} \hat{\cdot} \cdot$

Since

12.0

Param

"Show Icons"

Values

$$y \tilde{A} \hat{A}^{-1} \tilde{A}^{-1} \in \mathbb{R}^n$$

Defaults

Req ?

n

n

Explanation

"SimpleList" = 'n' $\tilde{A} \ll \hat{A}; \in \tilde{A} \neg, \hat{A} \times \tilde{A} \neg \hat{A} \cdot \tilde{A} \ll \sim \tilde{A} \neg \neg \hat{A} \neg, \tilde{A} \ll \cdot \in \tilde{A} \neg, \hat{A} \neg \tilde{A} \neg \check{A} \odot \tilde{A} \hat{a} \hat{A}^\circ \in \tilde{A} \ll \check{A} \hat{A} \forall. \tilde{A} \neg \hat{A}, \tilde{A} \neg \ddagger, \tilde{A} \sim \hat{A}^1 \tilde{A} \neg \in \tilde{A} \neg \check{Z} \hat{A}, \tilde{A} \neg \hat{A} \xi' \tilde{A} \hat{a} \hat{A}^3 \hat{A}^{1/4} \tilde{A} \hat{a} \hat{A}^\circ \text{TM} \tilde{A} \neg \in \tilde{A} \neg \check{Z}' \tilde{A} \neg \neg \dots \tilde{A} \neg \neg \tilde{A} \ll \in \in \tilde{A} \cdot \in \tilde{A} \neg \cdot, \tilde{A} \neg \hat{A}' \tilde{A} \neg \hat{A}^{1/2} \sim \tilde{A} \neg \hat{A}' \tilde{A}' \in \tilde{A} \neg \ll \in \tilde{A} \ll \hat{A} \tilde{A} \hat{a} \hat{A}^2 \text{f} \tilde{A} \neg \hat{A}, \tilde{A} \neg \hat{A} \xi \in \tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \neg \hat{A} \cdot \tilde{A} \cdot \sim \tilde{A} \ll \check{S}'' \tilde{A} \neg, \hat{A} \tilde{A} \text{f} \tilde{A} \neg, \hat{A} \neg \tilde{A} \cdot \hat{A} \tilde{A} \neg, \tilde{A} \neg \hat{A} \in \tilde{A} \hat{a} \hat{A}^3 \hat{A} \mu (\tilde{A} \hat{a} \hat{A} \parallel \in \tilde{A} \neg, \hat{A} \times \tilde{A} \neg \hat{A} \cdot \tilde{A} \neg \neg \tilde{A} \neg \sim \tilde{A} \hat{a} \hat{A} \pm \hat{A}^\circ).$

Since

12.0

Param

dateStart, dateEnd

containerClass

Values

$\tilde{A} \ll \hat{A} \quad \tilde{A} \neg \hat{A} \xi \omega$

$\tilde{A} \dots \tilde{A} \neg \check{S} \hat{A} \alpha \tilde{A} \check{S} \hat{A} \text{,}$

Defaults **Req ?**

$\tilde{A} \rightarrow \neg \vdash \tilde{A} \rightarrow \mathbb{E}$ n

$\tilde{A} \rightarrow \neg \vdash \tilde{A} \rightarrow \mathbb{E}$ n

Explanation

YYYY-MM-DD $\tilde{A} \neg - ' \tilde{A} \neg \langle \tilde{A} \neg , , \tilde{A} \neg , \hat{A} \neg \tilde{A} \neg \check{S} \hat{A} \odot \tilde{A} \cdot \sim \tilde{A} \neg - \hat{A} \neg ,$
dateStart $\tilde{A} \ll \hat{A}^3 \hat{A} ' \tilde{A} \ll \langle \hat{A} \times \tilde{A} \ll ' \hat{A} \times \tilde{A} \neg \sim \tilde{A} \ll , \hat{A} \tilde{A} \neg \hat{A} \xi \in \tilde{A} \ll \hat{A}^\circ$
dateEnd $\tilde{A} \ll \hat{A}^3 \hat{A} ' \tilde{A} \ll \langle \hat{A} \times \tilde{A} \hat{a} \hat{A}^\circ \text{™} \tilde{A} \hat{a} \hat{A} \pm \hat{A}^\circ \tilde{A} \ll , \sim \tilde{A} \neg \hat{A} \tilde{A} \neg \in$
 $\tilde{A} \ll , \hat{A} \tilde{A} \neg \hat{A} \xi \in \tilde{A} \neg - \tilde{A} \hat{a} \hat{A}^2 \text{€} \tilde{A} \neg \langle \in \tilde{A} \ll \in \tilde{A} \hat{a} \hat{A}^2 \text{f} \tilde{A} \ll " \hat{A} \times \tilde{A} \neg , , \tilde{A} \hat{A} \neg \tilde{A} -$
 $\cdot \hat{A} " \tilde{A} \cdot \in \tilde{A} \ll \hat{A} , " \tilde{A} \ll \hat{A} ; \in \tilde{A} \hat{a} \hat{A} \cdot \hat{A} ,$
 $\tilde{A} \hat{a} \hat{A}^2 \text{€} \tilde{A} \neg \langle \in \tilde{A} \ll \hat{A} \neg \hat{A}^{1/4} \tilde{A} \ll " \hat{A} \times \tilde{A} \neg \hat{A} ' \tilde{A} \hat{A} \neg \tilde{A} \cdot \hat{A} " \tilde{A} \ll \hat{A} "$
 $\tilde{A} \hat{a} \hat{A}^2 \hat{A}^\circ \tilde{A} \hat{a} \hat{A}^3 \hat{A}^{1/4} \tilde{A} \text{™} " \tilde{A} \ll \hat{A} \odot \hat{A} ' \tilde{A} \neg - \tilde{A} \neg \check{S} \hat{A} \times \tilde{A} \text{f} \in \tilde{A} \neg \hat{A}^{1/4} \tilde{A} \neg , ,$
 $\tilde{A} \neg \hat{A} \xi \in \tilde{A} \neg \hat{A} \cdot \tilde{A} \cdot \sim \tilde{A} \hat{a} \hat{A} , \hat{A}^\circ \tilde{A} \neg \in , , \tilde{A} \cdot \sim \tilde{A} \neg - \hat{A} \neg$
 $\tilde{A} \neg , \hat{A} \neg \tilde{A} \neg \check{S} \hat{A} \odot \tilde{A} \ll \in \text{CSS} \tilde{A} \hat{A} ' \tilde{A} \ll \check{Z} \sim \tilde{A} \neg \check{S} \hat{A} \times \tilde{A} \ll \hat{A} \neq \hat{A}^{1/4}$
 $\tilde{A} \neg \hat{A} \xi \in \tilde{A} \neg \hat{A} \cdot$

Since

5.0

5.0

Param

isHtml

Values

$$y \tilde{A} \hat{A}^{-1} \tilde{A}^{-1} \in \mathbb{R}^n$$

Defaults **Req ?**

$\tilde{A} \rightarrow \neg \vdash \tilde{A} \rightarrow \text{E}$ n

Title

Check-file-indexing is lost in space ?

Protect all sessions with HTTPS enabled

Packages

Author

Bernard Sfez / Tiki Specialist

luciash d' being ã°ÿÂ§™

luciash d' being ã°ÿÂ§™

RELATED PAGES

- [Wiki Plugin](#) - has links to all plugins and describes how the syntax works for a plugin
- [Mods Type Wikiplugins](#)
- [PluginList](#) — $\tilde{A} \neg \hat{A} \tilde{A} \neg^{\text{TM}} \in \tilde{A} \neg \omega \hat{A} \tilde{A} \neg, \hat{A} \neg \tilde{A} \cdot \omega \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \hat{A}; \tilde{A} \neg, \tilde{A} \neg f \tilde{A} \neg, \hat{A} \pm \tilde{A} \cdot \sim \tilde{A}^a \hat{A}, \hat{A}^\circ \tilde{A} \neg \omega, \tilde{A} \neg$
- $\sim \tilde{A} \neg \neg \hat{A} \neg \tilde{A} \neg, \hat{A} \neg \tilde{A} \neg \check{A} \odot \tilde{A} \ll \hat{A} \tilde{A} \neg \hat{\sim} \tilde{A} \neg \check{z} \hat{\sim} \tilde{A} \ll \check{S}'' \tilde{A}'' \in \tilde{A} \ll \check{Y} \hat{A} \neg \tilde{A}^a \hat{A} \cdot \hat{A}, \tilde{A} \neg \hat{A},$