## Interface

## **Overview**

Enables third party package features and user interface (UI) options.

**To Access** 

From the Features page, click the **Interface** tab.

**Related Topics** 

Features

Option	Description	Default
Element Plus	Use Element Plus Vue based UI elements 🚣	Disabled
Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc.	Disabled
Clearable Select	whether select can be cleared	Disabled
Collapsible Tags	whether to collapse tags to a text when multiple selecting	Disabled
Max Collapse Tags	max tags to show when collapsed	3
Filterable Select	whether select can be filtered	Disabled
Allow Create	whether creating new items is allowed	Disabled
Sortable	whether selected items can be re-ordered via drag and drop	Disabled
Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc. $\checkmark$	Enabled
Reflection	Creates a reflection under an image. Used in Plugin Img with the parameter "class=reflect"	Disabled
SmartMenus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.	Enabled
SmartMenus collapsible behavior	Parent items behavior in collapsible (mobile) view. □ Default   Toggle   Link   Accordion   Accordion toggle   Accordion link	Default
SmartMenus open/close on click	Use mouse clicks to open/close item/sub menus	Disabled
FagCanvas	TagCanvas is a Javascript class which will draw and animate an HTML5 canvas-based tag cloud.	Enabled
Query UI theme	jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc.   i None   black-tie   blitzer   cupertino   dark-hive   dot-luv   eggplant   excite-bike   flick   hot-sneaks   humanity   le-frog   mint-choc   overcast   pepper-grinder   redmond   smoothness   south-street   start   sunny   swanky-purse   trontastic   ui-darkness   ui-lightness   vader	Flick

Option	Description	Default
Query UI	Include jQuery UI library. Enables a number of interface features.  A This feature is required for the interface for many features to work properly.	Enabled
<b>V</b> alidation	Provides various validation possibilities such as for trackers.	Enabled
Query zoom	Enables zoom in images on mouseover or click. Used in Plugin Img with the parameter "thumb=zoombox"	Disabled
Query Select2 Select Boxes	Styled replacement for dropdown select lists and multiple-select inputs.	Enabled
Sortable Select2 Multi-selects	Enable drag and drop re-ordering of Select2 multi-select options.	Disabled
FitVids.js	jQuery plugin for fluid-width (responsive) embedded videos.	Disabled
FitVids.js additional domains	Youtube and Vimeo are supported by default. Also apply FitVids.js to videos from these domains.	None
Query Timeago	jQuery plugin for fuzzy timestamps.	Disabled
Query Double Scroll	jQuery plugin which adds an extra horizontal scroll bar at the top.	Disabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes. $\triangle$ May be replaced by a server-side option soon. $\triangle$	Disabled
Query infinite carousel	Create a slideshow (like an image carousel) for file galleries. Used in Plugin Carousel.	Disabled
Query sortable tables	Provides an interactive way to sort and filter data in tables produced with Plugin FancyTable and Plugin TrackerList, as well as administrative tables.	Disabled
Enable Vue.js	Loads the vue.js library. $oldsymbol{\bot}$	Enabled
Always Load Vue.js	Loads the vue.js library for every page.	Enabled
/ue.js Deployment Mode	Selects which vue.js library is used. ☐ Production full (minified)   Production runtime (minified)   Development full   Development runtime only	Production full (minified)
Fracker Field Rules	Conditional rules for tracker fields.  A Experimental new feature, expect some issues.	Enabled
Option	Description	Default
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  A This feature is required for the interface for many features to work properly.	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc.	Enabled
Reflection	Creates a reflection under an image. Used in Plugin Img with the parameter "class=reflect"	Disabled
5 mart Menus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.	Enabled
SmartMenus collapsible pehavior	Parent items behavior in collapsible (mobile) view. □ Default   Toggle   Link   Accordion   Accordion toggle   Accordion link	
SmartMenus open/close on click	Use mouse clicks to open/close item/sub menus	Disabled
Fooltips	Enable tooltips such as this to have a custom appearance, styled by CSS.	Enabled
FagCanvas	TagCanvas is a Javascript class which will draw and animate an HTML5 canvas-based tag cloud.	Enabled
Query UI theme	jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc.   i≡ None   black-tie   blitzer   cupertino   dark-hive   dot-luv   eggplant   excite-bike   flick   hot-sneaks   humanity   le-frog   mint-choc   overcast   pepper-grinder   redmond   smoothness   south-street   start   sunny   swanky-purse   trontastic   ui-darkness   ui-lightness   vader	Flick
Query UI	Include jQuery UI library. Enables a number of interface features.  A This feature is required for the interface for many features to work properly.	Enabled
<b>V</b> alidation	Provides various validation possibilities such as for trackers.	Enabled
Query zoom	Enables zoom in images on mouseover or click. Used in Plugin Img with the parameter "thumb=zoombox"	
Query Select2 Select Boxes	Styled replacement for dropdown select lists and multiple-select inputs.	Enabled
Sortable Select2 Multi-selects	Enable drag and drop re-ordering of Select2 multi-select options.	Disabled
FitVids.js	jQuery plugin for fluid-width (responsive) embedded videos.	Disabled
FitVids.js additional domains	Youtube and Vimeo are supported by default. Also apply FitVids.js to videos from these domains.	None
Query Timeago	jQuery plugin for fuzzy timestamps.	Disabled
Query Double Scroll	jQuery plugin which adds an extra horizontal scroll bar at the top.	Disabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes.  • May be replaced by a server-side option soon.  • May be replaced by a server-side option soon.	
Query infinite carousel	Create a slideshow (like an image carousel) for file galleries. Used in Plugin Carousel.	Disabled
1		

Option	Description	Default
Query sortable tables	Provides an interactive way to sort and filter data in tables produced with Plugin FancyTable and Plugin TrackerList, as well as administrative tables.	Disabled
Enable Vue.js	Loads the vue.js library. 🚣	Enabled
Always Load Vue.js	Loads the vue.js library for every page.	Enabled
/ue.js Deployment Mode	Selects which vue.js library is used. ☐ Production full (minified)   Production runtime (minified)   Development full   Development runtime only	Production full (minified)
Fracker Field Rules	Conditional rules for tracker fields.  A Experimental new feature, expect some issues.	Enabled
Enable Vue.js Toolbar Dialogs	<u> </u>	Enabled
Option	Description	Default
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  A This feature is required for the interface for many features to work properly.	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc.	Enabled
Reflection	Creates a reflection under an image. Used in Plugin Img with the parameter "class=reflect"	Disabled
SmartMenus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.	Disabled
SmartMenus collapsible pehavior	Parent items behavior in collapsible (mobile) view. □ Default   Toggle   Link   Accordion   Accordion toggle   Accordion link	Default
SmartMenus open/close on click	Use mouse clicks to open/close item/sub menus	Disabled
Fooltips	Enable tooltips such as this to have a custom appearance, styled by CSS.	Enabled
FagCanvas	TagCanvas is a Javascript class which will draw and animate an HTML5 canvas-based tag cloud.	Enabled
Query UI theme	jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc.   □ None   black-tie   blitzer   cupertino   dark-hive   dot-luv   eggplant   excite-bike   flick   hot-sneaks   humanity   le-frog   mint-choc   overcast   pepper-grinder   redmond   smoothness   south-street   start   sunny   swanky-purse   trontastic   ui-darkness   ui-lightness   vader	Flick
Query UI	Include jQuery UI library. Enables a number of interface features.  A This feature is required for the interface for many features to work properly.	Enabled
<b>V</b> alidation	Provides various validation possibilities such as for trackers.	Enabled

Option	Description	Default
Query zoom	Enables zoom in images on mouseover or click. Used in Plugin Img with the parameter "thumb=zoombox"	Disabled
Query Select2 Select Boxes	Styled replacement for dropdown select lists and multiple-select inputs.	Disabled
Sortable Select2 Multi-selects	Enable drag and drop re-ordering of Select2 multi-select options.	Disabled
FitVids.js	jQuery plugin for fluid-width (responsive) embedded videos.	Disabled
FitVids.js additional domains	Youtube and Vimeo are supported by default. Also apply FitVids.js to videos from these domains.	None
Query Timeago	jQuery plugin for fuzzy timestamps.	Disabled
Query Double Scroll	jQuery plugin which adds an extra horizontal scroll bar at the top.	Disabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes.  A May be replaced by a server-side option soon.	Disabled
Query infinite carousel	Create a slideshow (like an image carousel) for file galleries. Used in Plugin Carousel.	Disabled
Query sortable tables	Provides an interactive way to sort and filter data in tables produced with Plugin FancyTable and Plugin TrackerList, as well as administrative tables.	Disabled
Enable Vue.js	Loads the vue.js library. $oldsymbol{\bot}$	Disabled
Always Load Vue.js	Loads the vue.js library for every page.	Disabled
Vue.js Deployment Mode	Selects which vue.js library is used. E Production full (minified)   Production runtime (minified)   Development full   Development runtime only	Production full (minified)
Fracker Field Rules	Conditional rules for tracker fields.  A Experimental new feature, expect some issues.	Disabled
Enable Vue.js Toolbar Dialogs	$oldsymbol{ol{ol{ol}}}}}}}}}}}}}}}$	Disabled
Option	Description	Default
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  A This feature is required for the interface for many features to work properly.	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc.	Enabled

Option	Description	Default
Query media	Provides a media player via Plugin MediaPlayer that can be used in wiki pages or other wiki text area to play media files including .flv, .mp3, .mp4, .swf, .avi, .wmv, .ram, .mov, .mpeg, and .pdf. A Flash-based open source media player is used.	Disabled
Reflection	Creates a reflection under an image. Used in Plugin Img with the parameter "class=reflect"	Disabled
Superfish	Adds animation effects to CSS "Suckerfish" menus. 💉	Disabled
5martMenus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.	Disabled
SmartMenus collapsible pehavior	Parent items behavior in collapsible (mobile) view. □ Default   Toggle   Link   Accordion   Accordion toggle   Accordion link	Default
SmartMenus open/close on click	Use mouse clicks to open/close item/sub menus	Disabled
<b>Fooltips</b>	Enable tooltips such as this to have a custom appearance, styled by CSS.	Enabled
FagCanvas	TagCanvas is a Javascript class which will draw and animate an HTML5 canvas-based tag cloud.	Enabled
Query UI theme	jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc.   □ None   black-tie   blitzer   cupertino   dark-hive   dot-luv   eggplant   excite-bike   flick   hot-sneaks   humanity   le-frog   mint-choc   overcast   pepper-grinder   redmond   smoothness   south-street   start   sunny   swanky-purse   trontastic   ui-darkness   ui-lightness   vader	Flick
Query UI	Include jQuery UI library. Enables a number of interface features.  A This feature is required for the interface for many features to work properly.	Enabled
<b>V</b> alidation	Provides various validation possibilities such as for trackers.	Enabled
Query zoom	Enables zoom in images on mouseover or click. Used in Plugin Img with the parameter "thumb=zoombox"	
Query Select2 Select Boxes	Styled replacement for dropdown select lists and multiple-select inputs.	Disabled
Sortable Select2 Multi-selects	Enable drag and drop re-ordering of Select2 multi-select options.	Disabled
FitVids.js	jQuery plugin for fluid-width (responsive) embedded videos.	Disabled
FitVids.js additional domains	Youtube and Vimeo are supported by default. Also apply FitVids.js to videos from these domains.	None
Query Timeago	jQuery plugin for fuzzy timestamps.	Disabled
Query Double Scroll	jQuery plugin which adds an extra horizontal scroll bar at the top.	Disabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes.   May be replaced by a server-side option soon.	Disabled

Option	Description	Default
Query infinite carousel	Create a slideshow (like an image carousel) for file galleries. Used in Plugin Carousel.	Disabled
Query sortable tables	Provides an interactive way to sort and filter data in tables produced with Plugin FancyTable and Plugin TrackerList, as well as administrative tables.	Disabled
Enable Vue.js	Loads the vue.js library. 🚣	Disabled
Always Load Vue.js	Loads the vue.js library for every page.	Disabled
/ue.js Deployment Mode	Selects which vue.js library is used. ☐ Production full (minified)   Production runtime (minified)   Development full   Development runtime only	Production full (minified)
Fracker Field Rules	Conditional rules for tracker fields. <u>A Experimental new feature, expect some issues.</u>	Disabled
Mobile access	Allow automatic switching of the perspective according to the mobile_perspectives preference (behavior since Tiki 14). $\checkmark$	Disabled
Mobile Perspectives		None
Option	Description	Default
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  A This feature is required for the interface for many features to work properly.	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc.	Enabled
Query media	Provides a media player via Plugin MediaPlayer that can be used in wiki pages or other wiki text area to play media files including .flv, .mp3, .mp4, .swf, .avi, .wmv, .ram, .mov, .mpeg, and .pdf. A Flash-based open source media player is used.	Disabled
Reflection	Creates a reflection under an image. Used in Plugin Img with the parameter "class=reflect"	Disabled
Superfish	Adds animation effects to CSS "Suckerfish" menus.	Disabled
5martMenus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.	Disabled
SmartMenus Mode	≅ None   Blue   Clean   Mint   Simple	None
<b>Fooltips</b>	Enable tooltips such as this to have a custom appearance, styled by CSS.	Enabled
FagCanvas	TagCanvas is a Javascript class which will draw and animate an HTML5 canvas-based tag cloud.	Enabled

Option	Description	Default
Query UI theme	jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc.  ∷ None   black-tie   blitzer   cupertino   dark-hive   dot-luv   eggplant   excite-bike   flick   hot-sneaks   humanity   le-frog   mint-choc   overcast   pepper-grinder   redmond   smoothness   south-street   start   sunny   swanky- purse   trontastic   ui-darkness   ui-lightness   vader	Flick
Query UI	Include jQuery UI library. Enables a number of interface features.  A This feature is required for the interface for many features to work properly.	Enabled
<b>V</b> alidation	Provides various validation possibilities such as for trackers.	Enabled
Query zoom	Enables zoom in images on mouseover or click. Used in Plugin Img with the parameter \"thumb=zoombox\"	Disabled
Query-UI Chosen Select Boxes	Styled replacement for dropdown select lists and multiple-select inputs.	Disabled
Sortable Chosen Multi- selects	Enable drag and drop re-ordering of Chosen multi-select options.	Disabled
FitVids.js	jQuery plugin for fluid-width (responsive) embedded videos.	Disabled
Query Timeago	jQuery plugin for fuzzy timestamps.	Disabled
Query Double Scroll	jQuery plugin which adds an extra horizontal scroll bar at the top.	Disabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes.  • May be replaced by a server-side option soon.	Disabled
Query infinite carousel	Create a slideshow (like an image carousel) for file galleries. Used in Plugin Carousel.	Disabled
Query sortable tables	Provides an interactive way to sort and filter data in tables produced with Plugin FancyTable and Plugin TrackerList, as well as administrative tables.	Disabled
Enable Vue.js	Loads the vue.js library. 🚣	Disabled
Always Load Vue.js	Loads the vue.js library for every page.	Disabled
/ue.js Deployment Mode	Selects which vue.js library is used. ☐ Production full (minified)   Production runtime (minified)   Development full   Development runtime only	Production full (minified)
Fracker Field Rules	Conditional rules for tracker fields.  • Experimental new feature, expect some issues.	Disabled
Mobile access	Allow automatic switching of the perspective according to the mobile_perspectives preference (behavior since Tiki 14). $\checkmark$	Disabled
Mobile Perspectives	<b>≖</b>	None