Items List and Item Link Tracker Fields

This is one of the tracker *field types* in Trackers. See also Relations Tracker Field The *item link* field provides a selection list with all the unique values in a particular field of another tracker. This allows the use of trackers for simple relational database applications. Using an *items list* field instead of a text field or text area guarantees that always the same text/phrase is used to describe something, which helps in searching etc. Especially powerful is the combination with the *filter field* and *filter value* options of the TrackerList plugin, which allows the display of only those tracker fields on a particular topic. To use this, the same exact phrase in every record of the tracker is required, which the items list field makes possible.

Example

You want to display the list of products of a company

tracker Company (id 6)

- id 14: Company name text field
- id 16: Product list items list = 5,15,leave localFieldId blank since remote field is a itemlink back to this tracker,12
- id 17: Address text field

Note: prior to Tiki 9, you have to specify the localFieldId even of the remote field is an itemLink field. From Tiki 9, the localFieldId is used only when you are trying to match values and not simply looking for items that are linked back here.

- tracker Products (id 5)
 - id 12: Product name text field
 - id 15: Company name item link 6,14

The view of the tracker Company will look like



Item link parameters

rackerld	the tracker you want to display fields
ield ID	the fieldId of the tracker you want to display
nkToltem	1 or 0 to create a link to the item in view mode and listing
Iultiple Fields	A list of Fields which will be displayed instead of the <i>Field ID</i> parameter. It is also possible to select one single field here, for instance if you want one item per value without the <i>(itemId:XXX)</i> part
ormat for Customising Iultiple Fields	This only shows up if one of Multiple Fields is selected. It gives control on how the multiple fields are displayed
tatus	limit the choice of values to the items with a specific status (values:o,c,p,op,oc,pc or opc)
ageLink (Tiki 6+)	the item to the name of the wiki page to link to. If this is set, and when linkToltem is set to 0, the link will go to the wiki page where a PluginTrackerlist is present, instead of to tiki-view_tracker_item.php
one item per value (Tiki +)	The default value is to display absolutely the value/items for the same label with a notation value (itemID) - ie: name (itemId:1), name (itemId:2), name (itemId:3), etc. The other option is to display only one random item for each label/value - ie name (single display for all the same item). Be aware that if this is good for a usage where you need a display of the value it will give <u>unpredictable</u> result where the value is to be manipulate as data. Selecting any field in <i>Multiple Fields</i> will ignore displaying the itemId value

In the above example, Company name in Products tracker is a item link

If you add the option 1 to the item link parameter, you will create a link to the company when displaying a product If you use the parameters 6,14,0,14|17, instead of seeing the company name, you will see the company name concatenated to the address.

S: If the Company tracker is not know before you enter the products, you will have not to use the itemlink type for th field 15 but a simple text field.

PPS: Since Tiki8, the new interface to edit tracker fields and their options does not allow to modify the type of a field once it is created.

Items list parameters

rackerld	the other tracker you want to display fields	
ieldIdThere	the fieldld in the other tracker you want to match with the fieldld of your tracker	This can be a list of fieldlds separated with colons (see below)
ieldIdHere	the fiedId in your tracker you want to match	
lisplayFieldIdThere	the fieldId in the other tracker that is displayed.	In tw>2.0 FieldIds separated with vertical bar to display this list of fields
nkToltems	1 or 0 to create a link to items in view mode and listing	
tatus	filter the status of the items. Value: o, c, p, op, oc, pc or opc.	tw>=5.0

Do not forget the result can be a list

FieldIdThere can be a list of fieldId - so that you cross as many trackers you want. For instance imagine your product tracker has a field contact(fieldId=50) that is an item link to a person tracker , and imagine the person tracker has 2 fields : a name (fieldId=51) and a phone number (fieldId:52)

If you want to display the phone numbers of all your product contact in the company tracker, you will have a field 5,15:50:51,14,52

To visualize you can use this kind of table

tem0 in company	fieldId 14	Apple
tem1 in product	fieldId 15	Apple
tem1	fieldId 50	sg
tem2 in person	fieldId 51	sg
tem2	fieldId 52	800 200 4000

Since Tiki8, there is a new interface to edit tracker fields and their options, and thus, this tracker field looks like:

Þ.	General	-							
•	Options for Item Link								
	Link to an other item, similar to a foreign key.								
	Tracker ID								
	6								
	Tracker to link to								
	Field ID								
	314								
	Default field to display								
	Display								
	Link								
	How the link to the item should be rendered								
	Multiple Fields								
	314 317 244 317 270								
	Display the values from multiple fields instead of a single one.								

Displaying Multiple Fields

In the case below, both 29 and 30 are "text" fields.

FIELD46 name = Responses (Person,Yacht) position = 9 type = l options = 7,27,19,29|30,0 isMain = y isTblVisible = y isSearchable = y isPublic = y isHidden = n

New options added in Tiki 9

In Tiki9 some new options were added to "**item link**", which include:

- allow selecting more than one item from Tracker B as linked with that item in Tracker A,
- you can use a "static text" tracker item field as a separator for the fields displayed from each item in tracker B (for instance, a " dash " (-) can be used)
- and many other improvements (see some in the image below).

lit I	Field	
	Multiple Fields	
	314/317/244/317/270	
	Display the values from multiple fields instead of a single one.	
	Status Filter	
	all T	
	Limit the available items to a selected set	
l	Link Page	
	Link to a wiki page instead of directly to the item	
	Add Itoms	
	nuu items	
	Display text to allow new items to be added - e.g. "Add item" (requires iOuery-UI)	
	signay concession new news to be added " eig. That hernin" (requires jouery of)	
1	Add Item Template Page	
	Wiki page to use as a Pretty Tracker template	
1	Preselect item based on value in this field	
	0	
	Preselect item based on value in specified field ID of item being edited	
1	Preselect based on value in this remote field	
	Match preselect item with this field ID in tracker that is being linked to	
1	Preselection matching method	
	Exact Match *	
	Method to use to match fields for preselection purposes	
(One item per value	
	Displays all the items for a same value with a notation value (itemId)	
	Display only one random item per value	
	Coloct multiple values	
	Ven	
	Allow the user to select multiple values	
	niow the user to select multiple values	
1	Validation	
	Permissions	
- 1	Advanced	
	OK Can	26

New options added in Tiki 17

Table display with optional TrackerList parameters

New options have been added in Tiki17 to the tracker field "**item link**", which allow to display the linked items as a table with the UI and potential features of PluginTrackerList, which opens the door to have custom inline editable fields, sortable tables, etc.

In addition, you can get sums of values of the linked tracker items in a mathematical calculation field in the same source tracker. See an example in the profile Work_Custom_Pricing

🕑 Edit	🔑 Properti	es	Fields	9 Ti	rackers	Item	s				~		
General	Location	Oth	ier infos								No Tab	8	
Requested Assigned to	Status WO# Name WO Users I by (Client) Status o (Contra	 Clean Clean client o-Re contr 	ppen n the Central t2 t2 ceived from o ractorB	Bank (Office f	rom Specula	tion as w	arned by t	he 'Occupy t	he Street' mov	vement	_	
	Work Price	WO	Work description	Qty (Bid)	Units	Requested by (Client)	Price Per Unit (Client)	Override Price/U (Client)	Bid Comments (Client)	Assigned to (Contractor)	Price Per Unit (Contractor)	Override Price/U (Contractor)	Bid Comments (Contractor)
		4	Clear carpets of each room of the house	2	HRS		USD 30.00	USD 10.00	fooobar		USD 15.00	USD 14.00	foobar
		4	Remove old appliances from the abandoned house	4	HRS		USD 20.00	USD 20.00	deal		USD 10.00	USD 9.00	deal with contractor
Work Price, Work Price,	final (Cli final (Co	100 64											

When editing that field, you can select through checkboxes which items you want to be really linked (from all the one matching the pre-selection method defined in the tracker field definition.

\$	T				Page 1	¥ ≪ 1-	3 / 3 (3) 🕨)	Rows 5 +
٠	wo	Work descriptior	¢	¢ Units	Qty ≎ (Bid)	Requested by (Client)	Price Per Unit⊧ (Client)	Override Price/U ¢ (Client)
	4 🛞	Clear carpets of each room of the house		HRS 😣	2 😣	client2 😣	USD 🤌 30.00	USD 🕖 10.00
	4	Fix wooden fence at the garden	/	HRS 😣	3 😣	client2 😣	USD 🕖 16.00	USD ⁄ 14.00
•	4 😣	Remove old appliances from the abandoned house	æ	HRS 😣	4 😣	client2 😣	USD 😣 20.00	USD 🧐 20.00
1)
Ad Vor alu Vor	k Price, e will be k Price, e will be	final (Client re-calculated final (Contr re-calculated) d on acto d on	save. Curr r) save. Curr	rent value rent value	: 100 : 64		

Those ones selected (two out of three in the previous screenshot) are the ones taken into account later on as linked and shown in the table display, and used in the mathematical calculation formula in the corresponding tracker fields o that profile.

As previously indicated, you can indicate which fields you want displayed, which format, the options you want to be used in the table display, the pre-selection match criteria, and a few other options:

t Work Price	×
eneral	
ptions for Item Link	
nk to another item, similar to a foreign key.	
racker ID	
Bid/Completion Notes (Work Order Line Items)	-
racker to link to	
ield ID	
	-
efault field to display	
isplay	
Value	-
ow the link to the item should be rendered	
ultiple Fields	
WO (Tracker-4) Work description (Tracker-4) Oty (Bid) (Tracker-4) Units (Tracker-4)	
isplay the values from multiple fields instead of a single one.	
ormat for Customising Multiple Fields	
ses the translate function to replace %0 etc with the field values. E.g. "%0 any xt %1"	
ultiple Fields display type	
Table	-
isplay multiple fields as concatenated list in a dropdown or as a table.	
lugin TrackerList options	
	/
verride one or more options of Plugin TrackerList to customize displayed table a	at

all	,
Limit the available items to a selected set	
Link Page	
_	,
Link to a wiki page instead of directly to the item	
Add Items	
Add	
Display text to allow new items to be added - e.g. "Add item…" (requires jQuery-UI)	
Add Item Template Page	
_	,
Wiki page to use as a Pretty Tracker template	
Preselect item based on value in this field	
Preselect item based on value in this field WO# (Tracker-2)	,
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited	,
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited Preselect based on the value in this remote field	
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited Preselect based on the value in this remote field WO (Tracker-4)	,
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited Preselect based on the value in this remote field WO (Tracker-4) Match preselect item to this field ID in the tracker that is being linked to	,
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited Preselect based on the value in this remote field WO (Tracker-4) Match preselect item to this field ID in the tracker that is being linked to Preselection matching method	,
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited Preselect based on the value in this remote field WO (Tracker-4) Match preselect item to this field ID in the tracker that is being linked to Preselection matching method Cross select. Load all matching items in the remote tracker	,
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited Preselect based on the value in this remote field WO (Tracker-4) Match preselect item to this field ID in the tracker that is being linked to Preselection matching method Cross select. Load all matching items in the remote tracker Method to use to match fields for preselection purposes	•
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited Preselect based on the value in this remote field WO (Tracker-4) Match preselect item to this field ID in the tracker that is being linked to Preselection matching method Cross select. Load all matching items in the remote tracker Method to use to match fields for preselection purposes One item per value	•
Preselect item based on value in this field WO# (Tracker-2) Preselect item based on value in specified field ID of item being edited Preselect based on the value in this remote field WO (Tracker-4) Match preselect item to this field ID in the tracker that is being linked to Preselection matching method Cross select. Load all matching items in the remote tracker Method to use to match fields for preselection purposes One item per value Displays all the items for a same label with a notation value (itemId)	•

Yes	,
Allow the user to sele	ect multiple values
Index remote fields	
Client Side (Trac Contractor Side (Photos (Tracker- Assigned to (Contracker-	ker-4) (Tracker-4) 4) actor) (Tracker-4)
Index one or multiple by	fields from the master tracker along with the child, separate
Cascade actions	
No	
No Elements to cascade conflict if multiple iter same categories. San	when the master is updated or deleted. Categories may n links are used to different items attempting to manage the me for status.
No Elements to cascade conflict if multiple iter same categories. San Validation	when the master is updated or deleted. Categories may n links are used to different items attempting to manage the me for status.
No Elements to cascade conflict if multiple iter same categories. Sal Validation Permissions	when the master is updated or deleted. Categories may n links are used to different items attempting to manage the me for status.
No Elements to cascade conflict if multiple iter same categories. Sau Validation Permissions Advanced	when the master is updated or deleted. Categories may m links are used to different items attempting to manage the me for status.
No Elements to cascade conflict if multiple iter same categories. San Validation Permissions Advanced	when the master is updated or deleted. Categories may n links are used to different items attempting to manage the me for status.

As indicated above, see more details in your own tiki instance after applying profile Work_Custom_Pricing

Wildcard items

Since Tiki17 (backported to Tiki 16.2), you can use wildcard items in the remote tracker:

- the tracker field can display items from the remote tracker which match the value of the common field between the two tracker **plus those with a wildcard (asterisk, *)** in that field.
 - An **Update** button is shown then below the table, which will proceed as follows:
 - all selected wildcard items are cloned and become linked items
 - all selected normal items stay the same

all unselected normal items are deleted

This allows users to make some selections, update, then edit as necessary. Cloned items are safe to edit (they no longer edit the wildcard item but the cloned one), and then save the whole form.

The **Update** button makes sure this works for new items when we still don't have the itemId to clone to, etc.

Up	date Iter	m				×				
1) Main:	2) Tasks & Resources:	3) Map:	4)	Other data:	No Tabs				
Che	ecklist of I	Project Tasks								
	T		Page 1 V	14	≪ 1 - 5 / 5 (5) 🕪	Rows T				
\$	pID	Task description (text)		\$	Assigned to (Team ≑ Members)	Duration ÷ (Expected)				
	2 🕖	Get institutional email for	the new user	/	%	15 ⁄				
t 💌	2 ⁄	Assess project developm end of the project (take-h messages for improveme	ent at the ome ent?)	<u>&</u>	@	1 🗐				
	* 👰	Assess project developm end of the project (take-h messages for improvement	ent at the ome ent?)	<u>@</u>	<u>@</u>	1 🗐				
	* 🕖	Create a Gantt Chart for project	the whole	%	<i>4</i> 9	2 🗐				
	* 😣	Get institutional email for	the new user	%]	Æ	15 ⁄				
T A Tim Valu	Add NEW Task Update Time invested Value will be re-calculated on save. Current value: 0									
					Cle	ose Save				

New options added in Tiki 18

temsList field can now use an already present DynamicItemList link to another tracker to list fields in addition to ones lisplayed in DynamicItemsList. For this purpose, Link Field ID must be left empty and Value Field ID must be set to the DynamicItemList field.

New options added in Tiki 21

ItemsList fields Editable: In edit and view mode, ItemsList fields now offer these options: add item, edit item, delete item.

(See: https://dev.tiki.org/item7206-Make-ItemsList-Tracker-Fields-Editable)

Related

See also Dynamic items list.

alias

Items list | item link | item list | items link | tracker field items list | tracker field item link | tracker field item list | tracker field items link | itemslist | itemlink | itemslink | foreign key | Wildcard items | Wildcard | Wildcard | Wildcard items | Wildcard_items | WildcardItems