

Jitsi tab

Overview

Jitsi Desktop is an open source instant messaging client, which is different than Jitsi Meet

To Access

From the Connect page, click the **Jitsi** tab.

Option	Description	Default
Expose Jitsi provision URL	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
itsi configuration	Content of a Jitsi-format Java properties file	None
Option	Description	Default
Expose Jitsi provision URL	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
itsi configuration	Content of a Jitsi-format Java properties file	None
Option	Description	Default
Expose Jitsi provision URL	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
itsi configuration	Content of a Jitsi-format Java properties file	None
Option	Description	Default
Expose Jitsi provision URL	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
itsi configuration	Content of a Jitsi-format Java properties file	None
Option	Description	Default
Expose Jitsi provision URL	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
itsi configuration	Content of a Jitsi-format Java properties file	None
Option	Description	Default
Expose Jitsi provision URL	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
itsi configuration	Content of a Jitsi-format Java properties file	None

Jitsi Info

Since Tiki 12.3 and Tiki13, Tiki has a light integration to help with deployment of the Jitsi desktop client in organizations by providing a URL for Jitsi provisioning.

You can use this to centrally manage configurations for all Jitsi clients in your organizations. Examples:

- All users to join a group chat
- Deactivate some Jitsi features
- etc.

At this time, \${username} and \${password} are a simple pass-through to auto-configure the accounts.

Screenshot

The screenshot displays two panels of the Jitsi Admin interface. Panel 1 shows the 'Jitsi' configuration page with the 'Provision URL' field set to `https://xxxxxxxxxx/jitsi/&username=${username}&password=${password}`. Panel 2 shows the 'Provisioning' tab of the 'Options' configuration page. A red arrow points from the 'Provision URL' field in Panel 1 to the 'Manually specify a provisioning URL' checkbox in Panel 2, which is checked and has the value `https://xxxxxxxxxx/jitsi/rights/provisioning-mac.properties`.

Click to expand

Related links

- <https://desktop.jitsi.org/Documentation/Provisioning>
- <https://desktop.jitsi.org/Documentation/ConfigureJitsiWithProvisioning>
- <https://suite.tiki.org/Jitsi>