

Tiki is progressively adding support for more media types via <https://packagist.org/packages/media-alchemyst/media-alchemyst>

Media Alchemyst is installable as one of the [packages](#). See also: [unoconv](#).

---

## Option

### File gallery

Home file gallery (main file gallery)

Description

Storage

## Description

Storage of files of various formats to display or download,

Select the default file gallery

☰ File Galleries | Branding Graphics | colorbox | Documentation te  
object images | Example POI icons | exportet-structures-francais,c  
GÃfÆ'Ã†â€™ Ãfâ€ Ãçâ,¬â,,çÃfÆ'Ãçâ,¬Å;Ãfâ€šÃ,Â©rer les Utilisate

☰ Hide | Show as a column | Show in popup box | Both

Specify if uploaded files should be stored in the database

☰ Store in database | Store in directory

## **Default**

Enabled

Images for slideshows

Show in popup box

Store in database

# Option

Preserve filenames

Path to the directory to store file gallery files

Podcast directory

Rankings

## Description

# Preserve original filename instead assigning a hash as name

Specify a directory on this server, for example: /var/www/  
directory.

# File system directory for storing podcast files

 *The server must be able to read/write the directory. Rec*

# Users can view the

$$\tilde{A} \in \text{TM } \tilde{A} \in \tilde{A}, \hat{\phi} \tilde{A} \in \tilde{A}, \hat{\phi} \tilde{A} \in \tilde{A} \in \neg \tilde{A} \dots \tilde{A}; \tilde{A} \in \tilde{A},$$

or

$\tilde{A} \in \mathcal{T}^m$   $\tilde{A} \in \mathcal{S}, \hat{A} \in \mathcal{T}^m, \hat{A} \in \mathcal{S} \wedge \neg \dots; \tilde{A} \in \mathcal{S},$

# downloaded files.

**Default**

Disabled

storage/fgal/

files/

Disabled

# Option

File gallery comments

Display ZIP option in gallery

Allow download limit per file

Prevent download if score becomes negative

Allow file duplicates

Use jQuery upload

Batch uploading

## Description

Users with permission may post threaded comments. The

Users can upload a .zip (archive file). Tiki will automaticall

If using Tiki Score system, users with a negative score can

Allow the same file to be uploaded more than once.

☰ Never | Yes, even in the same gallery | Only in different gallerie

Use the improved Tiki 15+ upload page

Direct import of local files into a file gallery. This method c  
to use a file directory as the file gallery storage when usin

**Default**

Disabled

Disabled

Disabled

Disabled

Yes, even in the same gallery

Enabled

Disabled

# Option

## Path

Require file creator's name for anonymous uploads

Automatic deletion of old files

Deletion emails notification

Keep the same fileid for the latest version of a file

Store user files in a file gallery

## Description

 *To enable and use directory batch loading, set up a web server with SCP, FTP, etc. The server must be able to read the directory.*

The user will have an option when uploading a file to specify the directory.

 *A cron job must be set up in order to delete the files.*

Email addresses (comma-separated) to receive a copy of the file.

If the checkbox is checked, the file ID of the latest version of the file is assigned its own file ID, so a link to the file is created.

 *Use the file gallery admin and the individual file gallery.*

**Default**

None

Disabled

Disabled

None

Enabled

Disabled

# Option

Use file galleries for wiki attachments

Save files as drafts

File gallery configuration templates

Allow searching for existing files in the tracker files field

Set MIME type based on file suffix

Clean XML Always

Allow SVG file upload

Upload files from remote source

## Description

Wiki attachments will be stored in the file gallery. This is t

Allow saving of files as drafts



Search files using the search index.

Sets the MIME type of an image file according to the file su

Sanitize XML based files such as SVG for all users.

Because SVG files may contain malicious code and compr

Enable copying files to file galleries from a URL that will be

**Default**

Enabled

Disabled

Disabled

Enabled

Disabled

Enabled

Disabled

Disabled

# Option

## Domains

Remote source refresh frequency limit

Display controls to attempt a file refresh

Validate uploaded file content

Redirect to file gallery

View or export office documents as PDF

Maximum width of file preview in pixels

# Description

Allowed domains

👉 *One domain per line*

Minimum number of seconds to elapse between remote scans

👉 *Set to zero to disable refresh*

Let users trigger a refresh attempt from the remote host.

Do not trust user input and open the files to verify their contents

If enabled, redirect all requests to images that were migrated

If enabled allows to view documents without download or

The maximum value of width in pixels for the files preview

# Default

None

3600 seconds

Disabled

Enabled

Disabled

Disabled

250

# Option

Quota for all files and archives

Quota for each file gallery

Default quota for each new gallery

Must match

## Description

The total size of files uploaded to all the file galleries or to file galleries under it. When the limit is reached, no more files can be uploaded (this applies to the Mail notifications feature.)

👉 *0 for unlimited*

A different quota can be defined for each file gallery.

👉 *0 for unlimited*

A regular expression that must be matched to accept the uploads. If you want to accept only wordprocessing file uploads must have a wordprocessing file extension, you can

**Default**

0 megabytes

Disabled

0 megabytes

None

# Option

Cannot match

ffmpeg path

ffprobe path

unoconv path

unoconv timeout

unoconv port

ghostscript path

## Description

A regular expression that, if matched, causes the file to be processed by the regular expression being used. If you don't want a regular expression to be used, just leave the fields blank and all the other fields blank.

Path to the location of the ffmpeg binary

Path to the location of the ffprobe binary

Path to the location of the unoconv binary.

The maximum amount of time for unoconv to execute.

unoconv running port.

Path to the location of the ghostscript binary.

# Default

None

/usr/bin/ffmpeg

/usr/bin/ffprobe

/usr/bin/uniconv

60 seconds

2002

/usr/bin/gs

# Option

Alchemy Image library

Export diagram image on save

Use locally CasperJS to export images

Use draw.io public services to export images

Draw.io service endpoint

Use diagram compression by default

Use RecordRTC to screen record

---

## Description

Select either Image Magick or GD Graphics Library.

☰ Imagemagick | GD

If enabled, diagrams will be cached in PNG format when saved.

If enabled, diagrams can be exported using CasperJS.

When exporting PDFs, if this setting is enabled, diagram images will be embedded in the PDF.

Configure the draw.io service endpoint to export the diagram to a file.

If this setting is enabled, diagram will use compression by default.

If this setting is enabled, will use RecordRTC to record the diagram.

---

**Default**

Imagemagick

Enabled

Disabled

Disabled

<https://convert.diagrams.net/>

Enabled

Disabled

*Unable to load the jQuery Sortable Tables feature.*

# Option

File gallery

Home file gallery (main file gallery)

Description

Storage

Preserve filenames

## Description

Storage of files of various formats to display or download,

Select the default file gallery

☰ File Galleries | Branding Graphics | colorbox | Documentation te  
object images | Example POI icons | exportet-structures-francais,c  
GÃfÆ'Ã†â€™ Ãfâ€ Ãçâ,-â,,çÃfÆ'Ãçâ,-Å;Ãfâ€šÃ,Â©rer les Utilisate

☰ Hide | Show as a column | Show in popup box | Both

Specify if uploaded files should be stored in the database

☰ Store in database | Store in directory

Preserve original filename instead assigning a hash as name

**Default**

Enabled

Images for slideshows

Show in popup box

Store in database

Disabled

# Option

Path to the directory to store file gallery files

Podcast directory

Rankings

File gallery comments

## Description

Specify a directory on this server, for example: /var/www/ directory.

File system directory for storing podcast files

 *The server must be able to read/write the directory. Re*

Users can view the

ÃfÆ'Ã†â€™ Ãfâ€™šÃ,Â¢ÃfÆ'Ã,Â¢ÃfÂ¢Ã¢â€™šÂ¬Ã...Â¡Ãfâ€™šÃ,

or

ÃfÆ'Ã†â€™ Ãfâ€™šÃ,Â¢ÃfÆ'Ã,Â¢ÃfÂ¢Ã¢â€™šÂ¬Ã...Â¡Ãfâ€™šÃ,

downloaded files.

Users with permission may post threaded comments. The

**Default**

storage/fgal/

files/

Disabled

Disabled

# Option

Display ZIP option in gallery

Allow download limit per file

Prevent download if score becomes negative

Allow file duplicates

Use jQuery upload

Batch uploading

Path

## Description

Users can upload a .zip (archive file). Tiki will automatically

If using Tiki Score system, users with a negative score can

Allow the same file to be uploaded more than once.

☰ Never | Yes, even in the same gallery | Only in different galleries

Use the improved Tiki 15+ upload page

Direct import of local files into a file gallery. This method can be used to use a file directory as the file gallery storage when using

👉 *To enable and use directory batch loading, set up a web server with SCP, FTP, etc. The server must be able to read the directory.*

**Default**

Disabled

Disabled

Disabled

Yes, even in the same gallery

Enabled

Disabled

None

# Option

Require file creator's name for anonymous uploads

Automatic deletion of old files

Deletion emails notification

Keep the same fileid for the latest version of a file

Store user files in a file gallery

Use file galleries for wiki attachments

Save files as drafts

# Description

The user will have an option when uploading a file to spec

⚠ *A cron job must be set up in order to delete the files.*

Email addresses (comma-separated) to receive a copy of e

If the checkbox is checked, the file ID of the latest version

version of the file is assigned its own file ID, so a link to th

👉 *Use the file gallery admin and the individual file gallery*

Wiki attachments will be stored in the file gallery. This is t

Allow saving of files as drafts

**Default**

Disabled

Disabled

None

Enabled

Disabled

Enabled

Disabled

# Option

File gallery configuration templates

Allow searching for existing files in the tracker files field

Set MIME type based on file suffix

Clean XML Always

Allow SVG file upload

Upload files from remote source

Domains

# Description



Search files using the search index.

Sets the MIME type of an image file according to the file su

Sanitize XML based files such as SVG for all users.

Because SVG files may contain malicious code and compr

Enable copying files to file galleries from a URL that will be

Allowed domains



*One domain per line*

**Default**

Disabled

Enabled

Disabled

Enabled

Disabled

Disabled

None

# Option

Remote source refresh frequency limit

Display controls to attempt a file refresh

Validate uploaded file content

Redirect to file gallery

View or export office documents as PDF

Maximum width of file preview in pixels

## Description

Minimum number of seconds to elapse between remote sync

👉 *Set to zero to disable refresh*

Let users trigger a refresh attempt from the remote host.

Do not trust user input and open the files to verify their co

If enabled, redirect all requests to images that were migrat

If enabled allows to view documents without download or

The maximum value of width in pixels for the files preview

**Default**

3600 seconds

Disabled

Enabled

Disabled

Disabled

250

# Option

Quota for all files and archives

Quota for each file gallery

Default quota for each new gallery

Must match

## Description

The total size of files uploaded to all the file galleries or to file galleries under it. When the limit is reached, no more files can be uploaded (this applies to the Mail notifications feature.)

👉 *0 for unlimited*

A different quota can be defined for each file gallery.

👉 *0 for unlimited*

A regular expression that must be matched to accept the uploads. If you want to accept only wordprocessing file uploads must have a wordprocessing file extension, you can

**Default**

0 megabytes

Disabled

0 megabytes

None

# Option

Cannot match

ffmpeg path

ffprobe path

unoconv path

unoconv timeout

unoconv port

ghostscript path

## Description

A regular expression that, if matched, causes the file to be processed by the regular expression being used. If you don't want a regular expression to be used, just leave the fields blank and all the other fields blank.

Path to the location of the ffmpeg binary

Path to the location of the ffprobe binary

Path to the location of the uniconv binary.

The maximum amount of time for uniconv to execute.

uniconv running port.

Path to the location of the ghostscript binary.

# Default

None

/usr/bin/ffmpeg

/usr/bin/ffprobe

/usr/bin/uniconv

60 seconds

2002

/usr/bin/gs

# Option

Alchemy Image library

Export diagram image on save

Use locally CasperJS to export images

Use draw.io public services to export images

Draw.io service endpoint

Use diagram compression by default

Use RecordRTC to screen record

---

## Description

Select either Image Magick or GD Graphics Library.

☰ Imagemagick | GD

If enabled, diagrams will be cached in PNG format when saved.

If enabled, diagrams can be exported using CasperJS.

When exporting PDFs, if this setting is enabled, diagram images will be embedded in the PDF.

Configure the draw.io service endpoint to export the diagram to a file.

If this setting is enabled, diagram will use compression by default.

If this setting is enabled, will use RecordRTC to record the diagram.

---

**Default**

Imagemagick

Enabled

Disabled

Disabled

<https://convert.diagrams.net/>

Enabled

Disabled

*Unable to load the jQuery Sortable Tables feature.*

# Option

## File gallery

Home file gallery (main file gallery)

Description

Storage

Preserve filenames

Path to the directory to store file gallery files

## Description

Storage of files of various formats to display or download,

Select the default file gallery

☰ No file gallery available (create one first)

☰ Hide | Show as a column | Show in popup box | Both

Specify if uploaded files should be stored in the database

☰ Store in database | Store in directory

Preserve original filename instead assigning a hash as name

Specify a directory on this server, for example: /var/www/  
directory.

**Default**

Enabled

1

Show in popup box

Store in database

Disabled

storage/fgal/

# Option

Podcast directory

Rankings

File gallery comments

Display ZIP option in gallery

Allow download limit per file

## Description

File system directory for storing podcast files

 *The server must be able to read/write the directory. Rec*

Users can view the

ÃfÆ'Ã†â€™ Ãfâ€šÃ,Â¢ÃfÆ'Ã,Â¢ÃfÂ¢Ã¢â€šÂ¬Ã...Â;Ãfâ€šÃ,

or

ÃfÆ'Ã†â€™ Ãfâ€šÃ,Â¢ÃfÆ'Ã,Â¢ÃfÂ¢Ã¢â€šÂ¬Ã...Â;Ãfâ€šÃ,

downloaded files.

Users with permission may post threaded comments. The

Users can upload a .zip (archive file). Tiki will automaticall

**Default**

files/

Disabled

Disabled

Disabled

Disabled

# Option

Prevent download if score becomes negative

Allow file duplicates

Use jQuery upload

Batch uploading

Path

Require file creator's name for anonymous uploads

## Description

If using Tiki Score system, users with a negative score can

Allow the same file to be uploaded more than once.

☰ Never | Yes, even in the same gallery | Only in different galleries

Use the improved Tiki 15+ upload page

Direct import of local files into a file gallery. This method can be used to use a file directory as the file gallery storage when using

👉 *To enable and use directory batch loading, set up a web server with SCP, FTP, etc. The server must be able to read the directory.*

**Default**

Disabled

Yes, even in the same gallery

Enabled

Disabled

None

Disabled

# Option

Automatic deletion of old files

Deletion emails notification

Keep the same fileid for the latest version of a file

Store user files in a file gallery

Use file galleries for wiki attachments

Save files as drafts

File gallery configuration templates

## Description

The user will have an option when uploading a file to spec

⚠️ *A cron job must be set up in order to delete the files.*

Email addresses (comma-separated) to receive a copy of e

If the checkbox is checked, the file ID of the latest version  
version of the file is assigned its own file ID, so a link to th

👉 *Use the file gallery admin and the individual file gallery*

Wiki attachments will be stored in the file gallery. 🧪

Allow saving of files as drafts



**Default**

Disabled

None

Enabled

Disabled

Disabled

Disabled

Disabled

# Option

Allow searching for existing files in the tracker files field

Set MIME type based on file suffix

Clean XML Always

Allow SVG file upload

Upload files from remote source

Remote source refresh frequency limit

Display controls to attempt a file refresh

Validate uploaded file content

## Description

Search files using the search index.

Sets the MIME type of an image file according to the file su

Sanitize XML based files such as SVG for all users.

Because SVG files may contain malicious code and compr

Enable copying files to file galleries from a URL that will be

Minimum number of seconds to elapse between remote so

 *Set to zero to disable refresh*

Let users trigger a refresh attempt from the remote host.

Do not trust user input and open the files to verify their co

**Default**

Enabled

Disabled

Enabled

Disabled

Disabled

3600 seconds

Disabled

Enabled

# Option

Redirect to file gallery

View or export office documents as PDF

Maximum width of file preview in pixels

Quota for all files and archives

Quota for each file gallery

Default quota for each new gallery

## Description

If enabled, redirect all requests to images that were migrated from the old system.

If enabled allows to view documents without download or save button.

The maximum value of width in pixels for the files preview.

The total size of files uploaded to all the file galleries or to a specific file gallery. When the limit is reached, no more files can be uploaded to the file galleries under it. When the limit is reached, no more files can be uploaded to the file galleries under it.

Mail notifications feature.)

👉 *0 for unlimited*

A different quota can be defined for each file gallery.

👉 *0 for unlimited*

**Default**

Disabled

Disabled

250

0 megabytes

Disabled

0 megabytes

# Option

Must match

Cannot match

ffmpeg path

ffprobe path

unoconv path

unoconv timeout

## Description

A regular expression that must be matched to accept the uploads must have a wordprocessing file extension, you can

A regular expression that, if matched, causes the file to be deleted. If the regular expression is being used. If you don't use the regular expression, the file is not deleted. If you use the regular expressions just leave the fields blank and all the files will be deleted.

Path to the location of the ffmpeg binary

Path to the location of the ffprobe binary

Path to the location of the unoconv binary.

The maximum amount of time for unoconv to execute.

# Default

None

None

/usr/bin/ffmpeg

/usr/bin/ffprobe

/usr/bin/uniconv

60 seconds

# Option

unoconv port

ghostscript path

Alchemy Image library

Export diagram image on save

Use locally CasperJS to export images

Use draw.io public services to export images

Draw.io service endpoint

Use diagram compression by default

# Description

unoconv running port.

Path to the location of the ghostscript binary.

Select either Image Magick or GD Graphics Library.

☰ Imagemagick (Extension not loaded) | GD

If enabled, diagrams will be cached in PNG format when saved.

If enabled, diagrams can be exported using CasperJS.

When exporting PDFs, if this setting is enabled, diagram images will be embedded in the PDF.

Configure the draw.io service endpoint to export the diagrams to a remote service.

If this setting is enabled, diagram images will be compressed using the specified method.

**Default**

2002

/usr/bin/gs

Imagemagick (Extension not ...

Enabled

Disabled

Disabled

<https://convert.diagrams.ne...>

Enabled

# Option

Use RecordRTC to screen record

---

## Description

if this setting is enabled, will use RecordRTC to record the

---

**Default**

Disabled

*Unable to load the jQuery Sortable Tables feature.*

**Option**

File gallery

Home file gallery (main file gallery)

Description

Storage

## Description

Storage of files of various formats to display or download,

Select the default file gallery

☰ No file gallery available (create one first)

☰ Hide | Show as a column | Show in popup box | Both

Specify if uploaded files should be stored in the database

☰ Store in database | Store in directory

**Default**

Enabled

1

Show in popup box

Store in database

# Option

Path to the directory to store file gallery files

Podcast directory

Rankings

File gallery comments

## Description

Specify a directory on this server, for example: /var/www/ directory.

File system directory for storing podcast files

 *The server must be able to read/write the directory. Re*

Users can view the

ÃfÆ'Ã†â€™ Ãfâ€šÃ,Â¢ÃfÆ'Ã,Â¢ÃfÂ¢Ã¢â€šÂ¬Ã...Â¡Ãfâ€šÃ,  
or

ÃfÆ'Ã†â€™ Ãfâ€šÃ,Â¢ÃfÆ'Ã,Â¢ÃfÂ¢Ã¢â€šÂ¬Ã...Â¡Ãfâ€šÃ,  
downloaded files.

Users with permission may post threaded comments. The

**Default**

storage/fgal/

files/

Disabled

Disabled

# Option

Display ZIP option in gallery

Allow download limit per file

Prevent download if score becomes negative

Allow file duplicates

Use jQuery upload

Batch uploading

Path

## Description

Users can upload a .zip (archive file). Tiki will automatically

If using Tiki Score system, users with a negative score can

Allow the same file to be uploaded more than once.

☰ Never | Yes, even in the same gallery | Only in different galleries

Use the improved Tiki 15+ upload page

Direct import of local files into a file gallery. This method can be used to use a file directory as the file gallery storage when using

👉 *To enable and use directory batch loading, set up a web server with SCP, FTP, etc. The server must be able to read the directory.*

**Default**

Disabled

Disabled

Disabled

Yes, even in the same gallery

Enabled

Disabled

None

# Option

Require file creator's name for anonymous uploads

Automatic deletion of old files

Deletion emails notification

Keep the same fileid for the latest version of a file

Store user files in a file gallery

Use file galleries for wiki attachments

Save files as drafts

# Description

The user will have an option when uploading a file to spec

⚠️ *A cron job must be set up in order to delete the files.*

Email addresses (comma-separated) to receive a copy of e

If the checkbox is checked, the file ID of the latest version  
version of the file is assigned its own file ID, so a link to th

👉 *Use the file gallery admin and the individual file gallery*

Wiki attachments will be stored in the file gallery. 🧪

Allow saving of files as drafts

**Default**

Disabled

Disabled

None

Enabled

Disabled

Disabled

Disabled

# Option

File gallery configuration templates

Allow searching for existing files in the tracker files field

Set MIME type based on file suffix

Clean XML Always

Allow SVG file upload

Upload files from remote source

Domains

# Description



Search files using the search index.

Sets the MIME type of an image file according to the file su

Sanitize XML based files such as SVG for all users.

Because SVG files may contain malicious code and compr

Enable copying files to file galleries from a URL that will be

Allowed domains



*One domain per line*

**Default**

Disabled

Enabled

Disabled

Enabled

Disabled

Disabled

None

# Option

Remote source refresh frequency limit

Display controls to attempt a file refresh

Validate uploaded file content

Redirect to file gallery

View or export office documents as PDF

Maximum width of file preview in pixels

## Description

Minimum number of seconds to elapse between remote sync

👉 *Set to zero to disable refresh*

Let users trigger a refresh attempt from the remote host.

Do not trust user input and open the files to verify their co

If enabled, redirect all requests to images that were migrat

If enabled allows to view documents without download or

The maximum value of width in pixels for the files preview

**Default**

3600 seconds

Disabled

Enabled

Disabled

Disabled

250

# Option

Quota for all files and archives

Quota for each file gallery

Default quota for each new gallery

Must match

## Description

The total size of files uploaded to all the file galleries or to file galleries under it. When the limit is reached, no more files can be uploaded. (This limit applies only to the Mail notifications feature.)

👉 *0 for unlimited*

A different quota can be defined for each file gallery.

👉 *0 for unlimited*

A regular expression that must be matched to accept the uploads. If you want to accept only wordprocessing file uploads must have a wordprocessing file extension, you can

**Default**

0 megabytes

Disabled

0 megabytes

None

# Option

Cannot match

ffmpeg path

ffprobe path

unoconv path

unoconv timeout

unoconv port

ghostscript path

## Description

A regular expression that, if matched, causes the file to be processed by the regular expression being used. If you don't want a regular expression to be used, just leave the fields blank and all the other fields blank.

Path to the location of the ffmpeg binary

Path to the location of the ffprobe binary

Path to the location of the unoconv binary.

The maximum amount of time for unoconv to execute.

unoconv running port.

Path to the location of the ghostscript binary.

# Default

None

/usr/bin/ffmpeg

/usr/bin/ffprobe

/usr/bin/uniconv

60 seconds

2002

/usr/bin/gs

# Option

Alchemy Image library

Export diagram image on save

Use locally CasperJS to export images

Use draw.io public services to export images

Draw.io service endpoint

---

## Description

Select either Image Magick or GD Graphics Library.

☰ Imagemagick (Extension not loaded) | GD

If enabled, diagrams will be cached in PNG format when saved.

If enabled, diagrams can be exported using CasperJS.

When exporting PDFs, if this setting is enabled, diagram images will be embedded in the PDF.

Configure the draw.io service endpoint to export the diagrams to a remote service.

---

**Default**

Imagemagick (Extension not ...

Enabled

Disabled

Disabled

<https://convert.diagrams.ne...>

*Unable to load the jQuery Sortable Tables feature.*

## SETUP PROCESS

UBUNTU

---

sudo add-apt-repository ppa:libreoffice/libreoffice-4-2 sudo apt install libreoffice sudo apt-get install ffmpeg sudo apt-get install

unoconv sudo apt-get install ghostscript sudo apt-get install php-imagick sudo apt-get install imagemagick

See also [Ubuntu Install](#)

## THE LOCATION OF THE PATH SETTINGS IF NEEDED

Admin > File Galleries > General Settings

Settings for Media Alchemyst (with default):

ffmpeg path - /usr/bin/ffmpeg

ffprobe path - /usr/bin/ffprobe

unoconv path - /usr/bin/unoconv

ghostscript path - /usr/bin/gs

Alchemy Image library - ImageMagick

## DOCUMENT TO IMAGE ISSUES

The ImageMagick security policy prevents PDF to image conversion.

In `/etc/ImageMagick-7/policy.xml` file, just before `</policymap>` add the following line.

---

```
<policy domain="coder" rights="read | write" pattern="PDF" />
```