

Media Player (HTML5) - HTML5 Video Player

jQuery #Media - HTML5 Video Player

HTML5 Video Player - jQuery #Media - HTML5 Video Player
HTML5 Video Player - jQuery #Media - HTML5 Video Player
HTML5 Video Player - jQuery #Media - HTML5 Video Player

HTML5 Video Player - jQuery #Media - HTML5 Video Player
HTML5 Video Player - jQuery #Media - HTML5 Video Player
HTML5 Video Player - jQuery #Media - HTML5 Video Player

Table of contents

- Media Player (HTML5) - HTML5 Video Player
 - HTML5 Video Player
 - HTML5 Video Player
 - HTML5 Video Player
 - MP3
 - FLV
 - HTML5 Video Player
 - src
 - Other Examples
 - FLV
 - File gallery file in a blog post
 - PDF file in a file gallery

ifl, , e, ^i—

ì´ í"Œëÿ-ê·,ì,ì€ íž~ì^ìš€ ì•^ì— ê°„ë"í•œ MP3 í~¹ì€ FLV ìž-ìfê,°ë¼¼ ì¶"ê°€í•œë<κ. ìž-ìfê,° ìžì²´ëš" ìš"êμ-ì,-ì•ì´ ì•„ë^ë<κ (ëìœì»-ì-ì„œ ì œê³μë~ìš€ ì•šìœ¼¼ë©´ ì>¹ì-ì„œ í~ì¶œëœë<κ).

ì,-ìš©ë~ëš" ìž-ìfê,°ëš" ë<κìŒ ìκ´ í•~ë,~ ì¼ ì~ ìž^ë<κ:

[<http://flash-mp3-player.net>] (ê,°ë³, mp3 ìž-ìfê,°)

[<http://flv-player.net>] (ê,°ë³, flv ìž-ìfê,°)

ëŒ€ì²´ ìž-ìfê,°:

[<http://code.google.com/p/mp3player>]

[<http://code.google.com/p/flvplayer/>]

ìž-ìfê,° ìžì²´ (.swf íŒŒì¼) ë¼¼ [<http://flash-mp3-player.net>] í~¹ì€ [<http://flv-player.net>] í~¹ì€

[<http://code.google.com/p/mp3player>] í~¹ì€ [<http://code.google.com/p/flvplayer/>] ì-ì„œ ë<κìš´ëìœë"œí• ì^~ë„ ìž^ë<κ.

ì´ëÿ´ ê²½ìš°, í"Œëÿ-ê·,ì,ì„ íž,ìš´í•´ì•¼ í•~ë©° (

http://tikiwiki.svn.sourceforge.net/viewvc/tikiwiki/trunk/lib/wiki-plugins/wikiplugin_mediaplayer.php?view=markup|lib, wiki-plugins/wikiplugin_mediaplayer.php) í"Œëÿ-ê·,ì, ì½"ë"œ ë,´ë¶€ì~ ê,°ë³, ì†Œìšκë¼¼ ë³€ê²½ì•~ê±°ë,~ ì´ë¼¼

í"Œëÿ-ê·,ì,ì~ í•´ë<¹ ì,ìšκí„,´ìšκ ë,´ë¶€ì~ "where" (ì-´ëš ê³³) ëšκê°œë³€ì^~ëìœì" ì¶"ê°€í•~ì-ì•¼ í•œë<κ.

ë¬, ì œí•´ê²°

- ìž¬ìfê, °ê°€ í'œì<œë~ìš€ ì•Šìœ¼ë©´, í"œëÿ¬ê¬, ì, ëšœê°œë³€ì^~ ìœ' í•~ë, ~ê°€ ìž~
ëª»ë~ì-`ìž^ì,, ê°€ëŠ¥ì,, ±ì´ í¬ë<œ.
- ìž¬ìfê, °ê°€ í'œì<œë~ìš€ëšœ ìž¬ìfì,, í•~ìš€ ì•Šìœ¼ë©´, íœœì¼ì— ëœ€í•œ URL ì´ í<€ë¬, ì,
ì^~ ìž^ë<œ.

êµ¬ë¬, ì~^ì œ

MP3 ã...‡{ã...^ [

íŒŒì¼ ê°æÿ-ë|¬ ë, 'ë¶€ì- ìž^ëš" íŒŒì¼:

{mediaplayer mp3="display10"} {mediaplayer mp3="tiki-download_file.php?fileId=389"}

ì<æì œ íŒŒì¼ ê²½ëiœë¼ ì,¬ìš©:

{mediaplayer mp3="http://usuaris.tinet.org/mikell/EntrevistaRadio4.mp3"} {mediaplayer mp3="http://usuaris.tinet.org/mikell/EntrevistaRadio4.mp3", style="mini"} {mediaplayer mp3="/test.mp3", loop="1"}

×

ⓘ Â íŒ

íŒŒì¼ ê°æÿ-ë|¬ëiœ ì-...ëiœë"œ ë~ì-^ìš€ëšŒ ì,,œë²,,ì- ì €ìž¥ëœ íŒŒì¼ë"æì- ëŒ€í•~ì-¬, ì<æì œ íŒŒì¼ ê²½ëiœ ë~í•œ ì,¬ìš©ë ì^~ ìž^ë<æ. í<°í,æš" íŒŒì¼ë²...ì,, ì,,œë²,, ìf~ ì €ìž¥ì†Œì- ëŒ€í•œ í•^ìœ ê° (hash value)ëiœ ë³€í™ ~í•œë<æ - ì' ì'ëì,,ì€ ë°ì'í,,°ë² ì'šæì-ì,,œ ë°œê²-ë ì^~ ìž^ë<æ.

FLV íŒŒè¼

flv è° type ëšæê°œë³€ì~ëŸ¼ ì,¬ìš©í•~ì¬ì•„ëž~ì²~ëŸ¼ flv íŒŒè¼ë“æì„ ë³'ì¬¬ìæ€ë<æ:
íŒŒè¼ ê°æëŸ¬ë|¬ì~ flv íŒŒè¼:

```
{mediaplayer flv="http://example.com/display10" type="flv"}
```

ê· ì™ ÿì ê²½ìš° ì„œë²„ì~ ë""ë %oí„°ë|¬ëiœ íŒŒè¼ì„ ì¬...ëiœë“œí•~ê³ ìšì ' íŒŒè¼ ê²½ëiœëŸ¼ ì,¬ìš©í•~ì<ìœì~æ.
íŒŒè¼ì¬ .flv í™ •ìžŸìžê°€ ìž^ëš” ê²½ìš°, type (ìœ í~•) ëšæê°œë³€ì~ëš” ì„æì •í•~ìš€ ì•šì•„ë„ ë©ë<^ë<æ:

```
{mediaplayer flv="http://flv-player.net/medias/KyodaiNoGilga.flv"}
```

í"Œëÿ¬ê·,ì, ëşxê°œë³€ì^~

[http://flash-mp3-player.net|http://flash-mp3-player.net|box] ë° [http://flv-player.net|http://flv-player.net|box] ì—ì,,œ ì,,xëª...ë~ëš" ëşxê°œë³€ì^~ ì™,ì—, ë<xìŒì~ í<°í,x ëşxê°œë³€ì^~ë¼¼ ì,—ìš©í• ì^~ ìž^ë<x:

Param	Values	Defaults	Req ?	Explanation	Since
mp3	ëşí¬		y (flv ë° src ê°€ ì•,,ë<Œ ê²½ìš°)	MP3 íŒŒì¼¼ ëşí¬	
flv	ëşí¬		y (mp3 ë° src ê°€ ì•,,ë<Œ ê²½ìš°)	FLV íŒŒì¼¼ ëşí¬	
src	ëşí¬		y (flv ë° mp3 ê°€ ì•,,ë<Œ ê²½ìš°)	aif, aiff, aac, au, bmp, gsm, mov, mid, midi, mpg, mpeg, mp4, m4a, psd, qt, qtif, qif, qti, snd, tif, tiff, wav, 3g2, 3pg, swf,asx, asf, avi, wma, wmv,ra, ram, rm, rpm, rv, smi, smil, xaml, html, pdf íŒŒì¼¼ ëşí¬(ì „ì²´ ëª©ëì€ [http://jquery.malsup.com/media/jquery.ë¬,ë™™ì¬´] ì° ,ì°)	>=6.0
style	ë¬,ìžì—´	normal	n	mini í~¹ì€ normal í~¹ì€ maxi í~¹ì€ multi ìšxíf€ì¼¼	
where (MP3 ìš©)	url	http://flash-mp3-player.net/medias/	n	ìž¬ìfê,°ì~ SWF íŒŒì¼¼ì— ëŒ€í•œ URL (/ ëìœ ëë,")	
where (FLV ìš©)	url	http://flv-player.net/medias/	n	ìž¬ìfê,°ì~ SWF íŒŒì¼¼ëìœì~ URL (/ ëìœ ëë,")	
wmode	ë¬,ìžì—´	transparent	n	í"Œëž~ì<œ ê°œì²´ì~ ì°½ ëª~ë"œ	5.x

í"Œëž~ì<œ MP3 ìž¬ìfê,° ëşxê°œë³€ì^~:

í"ëì,,	ì,,xëª...
mp3	ìž¬ìfê MP3 íŒŒì¼¼ì~ URL
autoplay	ìžë™ ìž¬ìfí•~ë xë©´ 1
loop	ëf"í"„ ëŒë ¬ë xë©´ 1
volume	ì^ê,° ìŒëÿ‰, 0 ê³¼ 200 ì,—ì´.
skin	ëìœë"œ (progressive ì•,,ë~)í• JPEG íŒŒì¼¼ì~ URL
showstop	STOP ë²„íš¼ì,, í'œì<œí•~ë xë©´ 1

showinfo	INFO
loadingcolor	
logcolor1	
logcolor2	
buttoncolor	
buttonovercolor	
slidercolor1	
slidercolor2	
sliderovercolor	
textcolor	
logcolor	
byteslimit	

src (jQuery Media)

has been enhanced in Tiki6 with [jQuery#Media], so that more media formats are supported once you use the parameter "src" in the plugin helper ("src" in the code), including pdf among others. The value in the src parameter must end with a file extension

Example:



```
{mediaplayer src="http://www.gnu.org/philosophy/fsfs/rms-essays.pdf", width=100%, height=600}
```

would produce:

Other Examples

FLV

This code:

```
{mediaplayer flv="http://flv-player.net/medias/KyodaiNoGilga.flv"}
```

would produce:

File gallery file in a blog post

An example for a successful use of the maxi Mediaplayer in a blog post looks like this (only caveat is to have access rights for the relevant user group by setting tiki_p_download_files to yes - sometimes, a restart of the browser seems to be necessary to make those rights work...)

```
{mediaplayer  
mp3="http://example.com/tiki-download_file.php?fileId=1&showstop=1&showinfo=1&showvolume=1",  
style="maxi"}
```

PDF file in a file gallery

This also works for a pdf file in a file gallery beginning in version 10:

```
{mediaplayer src="tiki-download_file.php?fileId=7&display=y" type="pdf"}
```

And it displays the PDF file with the ID 7.

Related Pages

See these pages for information that applies for all modules:

- [Module â€” Overall introduction and overview](#)
- [Module Admin â€” Introduction to the module admin pages for site-wide and individual module settings](#)
 - [Assigning Modules â€” How to select a module to configure it](#)
 - [Module Settings Interface â€” Interface for configuring individual module settings](#)
 - [Module Settings Parameters â€” Explanation of standard parameter settings for modules](#)
 - [Creating Custom Modules â€” How to create user modules](#)
- [Index of Modules â€” Links to the documentation of individual modules](#)
- [User Modules â€” How \(if the feature is active\) users can choose and place their modules](#)
- [Mods Type Modules â€” Links to modules that are installed as components](#)
- [PluginBlipTV](#)
- [PluginVimeo](#)
- [PluginWatershed](#)
- [PluginYouTube](#)