

# Mod phpfreechat

This Mod plugin displays a chat (using phpfreechat) in a wiki page.



phpFreeChat is a free, simple to install, fast, customizable and multi languages chat that uses a simple filesystem for message and nickname storage. It uses AJAX to smoothly refresh (no flicker) and display the chat zone and the nickname zone. It supports multi-rooms (/join), private messages, moderation (/kick, /ban), customized themes based on CSS and plugins systems that allows you to write your own storage routines (ex: Mysql, IRC backends), and you own chat commands !

## Quick demo





Tips :

- /nick new-nickname command will change your nickname
- To test sound notification, just minimize your chat window and wait for a message

Checkout the phpfreechat demo: <http://www.phpfreechat.net/demo>

# Usage

To display a module in a wiki page, use the syntax:

```
{PHPFEECHAT(title=title, channel=name)} {PHPFEECHAT}
```

Parameter	Accepted values	Effect	Since
<i>title</i>	text	title for the chat window	
<i>channel</i>	text	chat channel name	

# To install

Checkout the Mods section.

- Additionally, and if it's not you available elsewhere, you can download the files from svn directly:
  - <https://sourceforge.net/p/tikiwiki/code/HEAD/tree/mods/trunk/wiki-plugins/phpfreechat/>
  - <https://sourceforge.net/p/tikiwiki/code/HEAD/tree/mods/trunk/lib/phpfreechat/>
- Copy the file `tiki-phpfreechat_ajax.php` from the `lib/phpfreechat` folder and paste it to the root of Tikiwiki.
- Take all the content that is in the first thing you downloaded from svn (<http://tikiwiki.svn.sourceforge.net/viewvc/tikiwiki/mods/trunk/wiki-plugins/phpfreechat/>) and put everything in the `wiki-plugins/phpfreechat` folder.
- In your Tiki, create a new Wiki page with the title "chat" (per example) and insert this content :

```
{PHPFREECHAT(title=title, channel=name)}{PHPFREECHAT}
```

- In the file `lib/setup/js_detect.php`, start by finding these lines:

```
// NB replace "normal" speeds with int to workaround issue with jQuery 1.4.2
$headerlib->add_js($js, 100);
```

- After this section, add these lines:

```
$jsPrototype = 'if (Prototype) jQuery.noConflict('; $headerlib->add_js($jsPrototype, 101);
```

- N.B.: This procedure has been tested on a Tiki 6.0-6.1. Perhaps this line of code is going to be added in next versions.
- G.I.: In tiki version 9.1, the file **js\_detect.php** has been renamed to **javascript.php** and portion of the code has changed. I have yet to test where to put the aforementioned lines of code.

## Related pages

- Wiki Plugin
- Mods Type Wikiplugins
- Chat
- PluginSkype
- PluginJabber
- <http://www.phpfreechat.net>

Alias

PluginPhpfreechat