

Module Groups emulation

Permits you to become temporarily the member of a [group](#). This is useful for admins to "emulate" what other groups are seeing/doing.

USAGE

Module

```
{MODULE(module=groups_emulation, showallgroups=n, showyourgroups=n)}{MODULE}
```

PARAMETERS

Enables temporarily changing one's group memberships to see how users in fewer groups experience the site.

[Go to the source code](#)

Related Topics

- [Groups](#)
- [Module switch_lang](#)
- [Module switch_theme](#)
- [Switch User](#)

| Parameters | Accepted Values |
|----------------------------|-----------------|
| <code>showallgroups</code> | y n |

Description

Show All Groups. If set to "n", the list is not shown.

| Default | Since |
|---------|-------|
| y | 13.1 |

showyourgroups

y

n

Show Your Groups. If set to "n", the list is not shown.

RELATED PAGES

See these pages for information that applies for all modules:

- [Module](#) — Overall introduction and overview
- [Module Admin](#) — Introduction to the module admin pages for site-wide and individual module settings
 - [Assigning Modules](#) — How to select a module to configure it
 - [Module Settings Interface](#) — Interface for configuring individual module settings
 - [Module Settings Parameters](#) — Explanation of standard parameter settings for modules
 - [Creating Custom Modules](#) — How to create user modules
- [Index of Modules](#) — Links to the documentation of individual modules
- [User Modules](#) — How (if the feature is active) users can choose and place their modules
- [Mods Type Modules](#) — Links to modules that are installed as components