## Navigation tab

## **Overview**

Configure site navigation features such as menus and error redirects.

## To Access

From the General Admin page, click the **Navigation** tab.

**Related Topics** 

- Navigation Overview
- Menus

Option	Description			
SmartMenus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.			
Menu user levels	Enables control of the per-group visibility of menu options			
Featured links	A simple menu system to display external web pages in a new browser tab or an iframe within the site, etc.			
Jse folder icons for menu section parent) items	When a menu isn't set as a Bootstrap or CSS menu, use folder icons for menu section items (rather than plus/minus signs).			
Menu icons	Allows icons to be defined for menu entries			
Default path for the icons				
Edit menu icon	Adds an icon on the navbar to edit menu entries			
Jse group homepages	Users can be directed to different pages upon logging in, depending on their default group.			
Go to the group homepage only if ogging in from the default nomepage				
Jse the top page of a Tiki feature as the homepage	Select the Tiki feature to provide the site homepage. Only enabled features are listed.			
Jse custom homepage	Use the top page of a Tiki feature or another homepage This option will override the Use Tiki feature as homepage setting.			
Homepage URL				
Homepage Browser title	Customize Browser title for the custom homepage			

Description		
The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.		
Select the default file gallery		
Strip or automatically add the "www." prefix on domain names to standardize URLs.		
When the site is accessed through specific domain names, redirect to an alternate domain preserving the URL. Useful for domain name transitions, like tikiwiki.org to tiki.org.  One entry per line, with each entry a comma-separated list: old domain, new domain		
On an error, refresh to the homepage as specified on the Admin General page.		
If a requested page doesn't exist, redirect to a similarly named page		
If an anonymous visitor attempts to access a page for which permission is not granted, Tiki will automatically display the Log-in module. Alternatively, use the Send to URL field to display a specific page (relative to your Tiki installation) instead.		
URL to redirect to on "permission denied"		
The default page a Registered user sees after account validation is "tiki-information.php?msg=Account validated successfully".  Default: tiki-information.php?msg=Account validated successfully.		
Enter URL of a custom registration page. Tiki will automatically redirect default registration page (tiki register.php) to this page.		
When the requested page does not exist, tests removing 1 or 2 of the last characters from the URL to see if it gets an existing page.		
URL to go to when clicking on a username. Default: tiki-user_information.php?userId= (Use for login name and No value assigned for userId))		
Allows generating site maps based on the Sitemap protocol, in the form of XML documents. Mostly		

Default

Option	Description	Defaul	
Close site	Use this setting to "close" the Tiki site (such as for maintenance). Users attempting to access the site will see only a log-in form. Only users with specific permission will be allowed to log in. Use the Message to display to specify the message that visitors will see when attempting to access your site.		
<u> Fitle</u>			
Message			
Close site when server load is above the threshold	Use this option to "close" the Tiki site when the server load exceeds a specific threshold. Only users with specific permission will be allowed to log in. Use "Maximum average server load threshold in the last minute" to define the maximum server load. Use the "Message to display" to specify the message that visitors will see when attempting to access the site.		
Maximum average server load threshold in the last minute			
Site Busy Title			
Site Busy Message			
Breadcrumbs	Indicates the navigation path through parent pages to the current page.  Unmaintained feature		
Prefix breadcrumbs with "Location : "	Place the term "Location:" in the breadcrumbs.		
Site location bar			
_arger font			
Jse page description			
Namespace	Enable namespaces feature for wiki pages.		
Namespace separator	Select the character, symbol, or text to use as the namespace separator.		
Hide namespace indicator in structure path	Hide namespace indicator in structure path.		
Center text using instead of	Useful to avoid conflicts with C++ scope operators or default namespace separator		
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.		