

Memcache tab

Overview

Use this tab to configure performance settings when using PHP memcache

To Access

From the Performance Admin Panel page, click the **Database** tab.


Note



This feature requires the PHP Memcache extension. See <http://php.net/manual/en/book.memcache.php> for details.



Related Topics

- Performance
- Cache



| Option | Description | Default |
|--------------------------------|--|--------------|
| Memcache | Enable connection to memcached servers to store temporary information. 👉 Requires the PHP memcache extension. | Disabled |
| Memcache key prefix | When the memcache cluster is used by multiple applications, using unique prefixes for each of them helps avoid conflicts. | Tiki_ |
| Memcache expiration | Duration for which the data will be kept. | 3600 seconds |
| Memcache servers | Server list which may be accessed. For each server, the address, port and weight must be specified. 👉 One per line, with format of address:port (weight); for example, "localhost:11211 (1)" | None |
| Cache wiki data in memcache | | Enabled |
| Cache wiki output in memcache | | Enabled |
| Cache forum output in memcache | | Enabled |
| Option | Description | Default |
| Memcache | Enable connection to memcached servers to store temporary information. 👉 Requires the PHP memcache extension. | Disabled |
| Memcache key prefix | When the memcache cluster is used by multiple applications, using unique prefixes for each of them helps avoid conflicts. | Tiki_ |
| Memcache expiration | Duration for which the data will be kept. | 3600 seconds |

| Option | Description | Default |
|--------------------------------|---|---------|
| Memcache servers | Server list which may be accessed. For each server, the address, port and weight must be specified.  <i>One per line, with format of address:port (weight); for example, "localhost:11211 (1)"</i> | None |
| Cache wiki data in memcache | | Enabled |
| Cache wiki output in memcache | | Enabled |
| Cache forum output in memcache | | Enabled |

| Option | Description | Default |
|--------------------------------|---|--------------|
| Memcache | Enable connection to memcached servers to store temporary information.  <i>Requires the PHP memcache extension.</i> | Disabled |
| Memcache key prefix | When the memcache cluster is used by multiple applications, using unique prefixes for each of them helps avoid conflicts. | Tiki_ |
| Memcache expiration | Duration for which the data will be kept. | 3600 seconds |
| Memcache servers | Server list which may be accessed. For each server, the address, port and weight must be specified.  <i>One per line, with format of address:port (weight); for example, "localhost:11211 (1)"</i> | None |
| Cache wiki data in memcache | | Enabled |
| Cache wiki output in memcache | | Enabled |
| Cache forum output in memcache | | Enabled |

| Option | Description | Default |
|--------------------------------|---|--------------|
| Memcache | Enable connection to memcached servers to store temporary information.  <i>Requires the PHP memcache extension.</i> | Disabled |
| Memcache key prefix | When the memcache cluster is used by multiple applications, using unique prefixes for each of them helps avoid conflicts. | Tiki_ |
| Memcache expiration | Duration for which the data will be kept. | 3600 seconds |
| Memcache servers | Server list which may be accessed. For each server, the address, port and weight must be specified.  <i>One per line, with format of address:port (weight); for example, "localhost:11211 (1)"</i> | None |
| Cache wiki data in memcache | | Enabled |
| Cache wiki output in memcache | | Enabled |
| Cache forum output in memcache | | Enabled |

| Option | Description | Default |
|--------|-------------|---------|
|--------|-------------|---------|

| Option | Description | Default |
|--------------------------------|---|--------------|
| Memcache | Enable connection to memcached servers to store temporary information.  <i>Requires the PHP memcache extension.</i> | Disabled |
| Memcache key prefix | When the memcache cluster is used by multiple applications, using unique prefixes for each of them helps avoid conflicts. | Tiki_ |
| Memcache expiration | Duration for which the data will be kept. | 3600 seconds |
| Memcache servers | Server list which may be accessed. For each server, the address, port and weight must be specified.  <i>One per line, with format of address:port (weight); for example, "localhost:11211 (1)"</i> | None |
| Cache wiki data in memcache | | Enabled |
| Cache wiki output in memcache | | Enabled |
| Cache forum output in memcache | | Enabled |
