

Plugin Countdown

This [wiki plugin](#) displays a countdown to a future date from a date in the past, together with default or custom text if desired.

See also: [PluginCountup](#)

PARAMETERS

Display the time until or after a date and time

*Introduced in Tiki 1. Required parameters are in **bold**.*

[Go to the source code](#)

Preferences required: `wikiplugin_countdown`

Parameters

(body of plugin)

enddate

Accepted Values

datetime

Description

Text to append to the countdown.

Target date and time. Multiple formats accepted.

Default	Since
---------	-------

	1
--	---

caldays

since

(blank)

y

n

(blank)

y

n

Will use calendar day difference when set to Yes (**y**) and time units are not shown. Result is that tomorrow, for example, is always shown as a one day away even if less than 24 hours from now. No (**n**) is the default.

If Yes (**y**), will display amount of time since the event (default). If No (**n**) and if there is body text, will display "is over" or custom text set in text parameter after body text.

n

9.0

4.2

show

(blank)| y| yo| yod| yodh| yodhm| yodhms| o| od| odh|
odhm| odhms| d| dh| dhm| dhms| h| hm| hms| m| ms| s

Select: **y**=years, **o**=months, **d**=days, **h**=hours,
m=minutes, **s**=seconds. Enter multiple values as: **yodhms**.
Must be in the order of descending length, and a time
unit should not be skipped. If blank, the time is shown
down to the hour if not zero.

4.2

text

Text that will show with the countdown and body text. Set to `default` or leave empty to show "xxx days until/since `body text`", except that if the since parameter is set to No (`n`), "`body text` is over" will show after the end date has passed. Also, if no time is shown because of the time units being displayed (for example, only years are shown and it's less than a year before/after the end date) then "`body text` will happen in less than a year/happened in the last year" will show. Or set pipe-separated custom text as follows: `before date|before date by less than shortest time unit shown|after date |after date by less than shortest time unit shown|after date and since set to No (n)`. Set to `silent` for no text.

9.0

thousands

(blank)

c

p

s

Set the thousands separator for results of 1,000 or more.
Choices are comma (**c**), decimal (**d**), space (**s**), or leave
blank for no separator.

9.0

EXAMPLES

1. *This code,*
{COUNTDOWN(enddate="01-Apr-2020")} __the project is done! __
{COUNTDOWN}

→ *Would produce:*
the project is done! is over


2. This code,
{COUNTDOWN(enddate="2020-03-05
T22:00" show="m")} __ the project is
done!__ {COUNTDOWN}

→ Would
produce:
**the project
is done!** is
over

3. This code,
{COUNTDOWN(enddate="01-
Apr-2020" caldays="y" show="yod")}
__ the project is done!__
{COUNTDOWN}

→ Would
produce:
**the project
is done!** is
over



 Note for above example

Uses **caldays** to count calendar days even if less than 24
hours away

If you want to automatically refresh the page every 60 seconds you could either use this code:

```
{HTML()}<meta http-equiv="refresh" content="60">{HTML}
```

or get a JavaScript or jQuery plugin to get this done, maybe an Ajax call for the plugin if you find a better method than above, please feel free to document here.