

# Plugin Markdown

*Introduced in Tiki20*

Use this [wiki plugin](#) to parse a page content using Markdown syntax.  
CommonMark flavor of Markdown was used for the implementation. See <https://commonmark.thephpleague.com/>

Coming to [Tiki25](#) and much improved in [Tiki26: Tiki-Flavored Markdown](#)

## PARAMETERS

Parse the body of the plugin using a Markdown parser.

*Introduced in Tiki 20.*

[Go to the source code](#)

*Preferences required:* `wikiplugin_markdown`

### Parameters

*(body of plugin)* - Markdown syntax to be parsed

*no parameters*

## EXAMPLES

## EXAMPLE 1

*This code:*

```
{MARKDOWN()} # This is an h1 tag ## This is an h2 tag ##### This is an h6 tag *This text will be italic* (hard line break after  
this because of two spaces -->) _This will also be italic_ **This text will be bold** (there's alternative syntax for line break after  
this parenthesis)\ _This will also be bold__ _You can combine them_ {MARKDOWN}
```

*Would produce on this site:*

# This is an h1 tag

## THIS IS AN H2 TAG

THIS IS AN H6 TAG

*This text will be italic* (hard line break after this because of two spaces -->)

*This will also be italic*

**This text will be bold** (there's alternative syntax for line break after this parenthesis)

**This will also be bold**

You **can** combine them

## RELATED PAGES

- <https://dev.tiki.org/Markdown>
- [Markdown syntax](#) (original project page but we don't use this syntax because it's ambiguous)
- <https://blog.codinghorror.com/standard-markdown-is-now-common-markdown/>