Plugin Module

Use this wiki plugin to display Modules in a page, column or other module zone.

PARAMETERS

Display a module
Introduced in Tiki 1. Required parameters are in `bold`.
Go to the source code
Preferences required: wikiplugin_module

Parameters	Accepted Values
`module`	`.` (cont.)
	(cont'd)
	(cont'd)
`title`	text

Description

Module name as known in Tiki

Title to display at the top of the box, assuming No Title is not set to Yes (y).

Default	Since
	1
	1

| contributor | alpha |

| creator | alpha |

| device |

| | *separator:* `;` |
| max | digits |

Module only available based on the relationship of the user with the wiki page. Either only contributors (%0y%1) or only non-contributors (%0n%1) will see the module.

Module only available based on the relationship of the user with the wiki page. Either only creators (`y`) or only non-creators (`n`) will see the module.

On which device the module must be displayed, by default it is displayed on all devices.

Number of rows (default: `10`)

9.0

9.0

24

10   1

notitle	(blank)
	y
	n
bgcolor	text

decoration	(blank)
	1
	0
category	alnum
	separator: `;`

Select Yes (`y`) to hide the title (default is to show the title)

Override the background color for the title (if the title is shown). The value can be a color name (ex: `bgcolor="blue"`) or a hexadecimal value (ex: `bgcolor="#FFEBCD"`)

Show module title (heading) background, etc. (default is to show them)

Module displayed depending on category. Multiple category ids or names can be separated by semi-colons.

3.0

9.0

1

9.0

class	
topclass	
flip	(blank)
	1
	0
float	(blank)
	nofloat
	left
	right

Custom CSS class.

Custom CSS class of div around the module.

Add ability to show/hide the content of the module (default is the site admin setting for modules)

Align the module to the left or right on the page allowing other elements to align against it

9.0

9.0

1

1

`lang`	lang
	separator: `;`

`module_style`	

`nobox`	(blank)
	y
	n

`nocategory`	alnum
	separator: `;`

Module only applicable for the specified languages. Languages are defined as two character language codes. Multiple values can be separated by semi-colons.

Inline CSS for the containing div element, for example, `max-width:80%`

y|n Show only the content with no title or borders, etc. around the content.

Module hidden depending on category. Multiple category ids or names can be separated by semi-colons. This takes precedence over the category parameter above.

9.0

9.0

9.0

9.0

`nopage`	pagename
	separator: `;`
`page`	pagename
	separator: `;`
`np`	(blank)
	0
	1
`perspective`	digits
	separator: `;`
`section`	text
	separator: `;`

Module not applicable on the specified page names. Multiple values can be separated by semi-colons.

Module only applicable on the specified page names. Multiple values can be separated by semi-colons.

Parse wiki syntax. Default: No

Only display the module if in one of the listed perspective IDs. Semi-colon separated.

Module only applicable for the specified sections. Multiple values can be separated by semi-colons.

9.0

9.0

1 1

9.0

9.0

`style`

`theme`   themename
                 separator: `;`

CSS styling for the module data itself.

Module enabled or disabled depending on the theme file name (e.g. `thenews.css`). Specified themes can be either included or excluded. Theme names prefixed by `!` are in the exclusion list. Multiple values can be separated by semi-colons.

9.0

9.0

EXAMPLES

BASIC SYNTAX

This code:

```
{module module="wiki_last_comments"}
```

Would produce on this site:

1. **Inline comments**: Here is a comment about targeted comments
2. **User Preferences**: feature_userPreferences must be enabled
3. **Mail notifications**: Setting'
   ÃƒÆ'Ã†â€™Ãƒâ€šÃ‚Â¢ÃƒÆ'Ã‚Â¢ÃƒÂ¢Ã¢â‚¬Å¡Ã‚Â¬ ÃƒÆ'Ã‚Â¢ÃƒÂ¢Ã¢â‚¬Å¡Ã‚Â¬ÃƒÂ¢Ã¢â‚¬Å¾Ã‚Â¢
   Mail Notifications?
4. **Move Tiki to a new server**: Slightly different
5. **Roles**: How to activate Roles?
6. **Pretty Tracker**: This is exactly what I needed
7. **Web Monetization**: Most popular
8. **PluginSlideshowSlide**: Any wiki syntax
9. **PluginSlideshowSlide**: body of plugin
10. **Web Monetization**: Missing info

DISPLAYING A MODULE IN A TEMPLATE (.TPL)

You can place a module anywhere (header, footer) using the following syntax in a `.tpl` file:

```
{module module="wiki_last_comments"}
```

Older version of Tiki can revert to embedding wiki syntax:

{wiki}{literal}{module module="wiki_last_comments"}{/literal}{/wiki}