



## OVERVIEW

To use the **PluginPDF** you must have installed and activated [mPDF](#). It is used to change default Administration PDF Settings and use custom settings for any specific Tiki page. When we apply **PluginPDF** on any page, all settings made in the plugin take effect on all the pages of the PDF document produced. Edit the page which you want to convert to a PDF document. Click on the Question Mark on the right corner of the editor as shown in the diagram below to open Plugin Help Window. See also: [PluginPdfpagebreak](#)

***Introduced in Tiki 17***

A screenshot of the Tiki Wiki/CMS editor interface. At the top, there are tabs for 'Edit page', 'Categories', and 'Properties'. On the far right, there is a 'No Tabs' button. Below the tabs is a toolbar with various icons for bold, italic, underline, etc. A red box highlights the question mark icon in the top right corner of the toolbar. Another red box highlights the 'Help' icon in the top right corner of the main editor area. The main content area contains two sections: '!Introduction' and '!Getting Started'. The 'Introduction' section describes the PluginPDF and its integration with mPDF. The 'Getting Started' section provides instructions for ensuring the right script is installed and navigating to Print Settings. A vertical scroll bar is visible on the right side of the content area.

It will open up the Help Window, click on "Plugin Help" and type in the Filter search box "PDF" and three plugins will appear in the list. Click on the icon before PluginPDF to open PluginPDF Options.

## Plugins

Note that plugin arguments can be enclosed with double quotes ("); this allows them to contain , or = or >.

More help here [?](#)

Activate/deactivate plugins

2

Filter:

PDF

x

 **PDFPage** *pdfpage* [?](#)

3 Insert page with new settings in pdf

 **PluginPDF** *pdf* [?](#)

For customized pdf generation, to override global pdf settings.

 **PluginPDF Page Break** *pdfpagebreak* [?](#)

Helpful to format PDF files created, plugin adds page break in PDF file generated.

You get to see the list of PDF Options here, if you do not change or use any of the options then default options setup from the admin panel will be used. If you modify any PDF settings here on the page using the plugin then the new settings will be used.

PluginPDF

L Print Friendly PDF Default  
Print friendly option will change theme background color to white and text /headings color to black. If set to 'n', theme colors will be retained in pdf

er PDF Orientation Default  
Landscape or Portrait

? PDF page size Default  
ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation)

ne Generate table of contents Default  
Set if table of contents will be autogenerated before PDF content

## PLUGINPDF PARAMETERS

For customized PDF generation, to override global PDF settings.

*Introduced in Tiki 17.*

[Go to the source code](#)

*Preferences required: wikiplugin\_pdf*

Parameters

# Accepted Values

# Description

**Default**

**Since**

coverpage\_settings

coverpage\_text\_settings

coverpage\_wiki

coverpage\_image\_settings



Background color|Page border|Border color. Enter settings separated by ||, sequence is important, leave blank for default. For example #fff|1|#000

Heading|Subheading|Text Alignment|Background color|Text color|Page border|Border color. Enter settings separated by ||, sequence is important, leave blank for default. For example

{PAGETITLE}|Tikiwiki|Center|#fff|#000|1|#ccc

Name of the wiki page that will be used for the text of the coverpage.

Enter the full URL.



footer

pagesize

password

background

(blank)| Letter| Legal| Tabloid/Ledger| A0| A1| A2| A3| A4|  
A5| A6

Possible values: HTML / Wiki Syntax / Plain text,

13 , {DATE j-m-Y}.

For example: {PAGETITLE} |Center Text | 13 , Page  
13 of {NB} , .

Set footer value as off, to remove footer from page

ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North

American paper sizes: Letter, Legal, Tabloid/Ledger (for  
ledger, select landscape orientation)

Secure confidential PDF with password, leave blank if  
password protected is not needed

Enter a valid CSS color code.



background\_image

watermark\_image

watermark

autobookmarks

toc

toclinks

(blank)

y

n

(blank)

y

n

Enter the full URL.

Full URL of watermark image

Watermark text value, for example: Confidential, Draft etc.

Values H1-H6, separated by | For example H1|H2|H3

Set if table of contents will be autogenerated before PDF content

Link TOC headings with content on PDF document

h1|h2|h3

n

n

orientation

header

printfriendly

margin\_bottom

(blank)

P

L

(blank)

y

n

digits

Landscape or portrait

Enter Wiki Syntax / HTML code / Plain text.

Possible values: Custom HTML / Wiki Syntax / text ,

21 , {DATE j -m -Y} , Page 21 of {NB} , Left

text | Center Text | Right Text.

Set header value as off, to turn off header from page

Print friendly option will change theme background color to white and text /headings color to black. If set to 'n', theme colors will be retained in pdf

Numeric value, no need to add px. For example 10

P

10

margin\_footer

margin\_header

hyperlinks

margin\_left

digits

digits

(blank)

off

footnote

digits

Only applicable if footer is set. Numeric value only, no need to add px. Warning: Footer can overlap text if bottom margin is not set properly

Only applicable if header is set. Numeric value only, no need to add px. Warning: Header can overlap text if top margin is not set properly

Numeric value. For example 10

5

5

10

columns

margin\_right

pagetitle

tocheading

toclevels

(blank)

2

(blank)

(blank)

digits

(blank)

y

n

Numeric value, no need to add px. For example 10  
Print wiki page title with pdf

Heading to be appeared before table of content is printed  
Will be autopicked from content of document, for  
example:**H1 | H2 | H3**

10

## Table of Contents

H1|H2|H3

margin\_top

---

digits

---

Numeric value, no need to add px. For example 10

---

## SAMPLE PLUGINPDF CODE

```
{pdf pagesize="A4" toc="n" pagetitle="n" header=" Document Title || {DATE j-m-Y }" footer="Document Copyrights | www.example.org |34" margin_left="10" margin_right="10" margin_top="20" margin_bottom="20" margin_header="10" margin_footer="10" coverpage_text_settings=" " coverpage_image_settings="http://example.org/filename.jpg" toc="y" toclinks="y" tocheading="Table of Contents" tocllevels="H1|H2|H3" }
```

## MARGIN TOP & MARGIN HEADER

This needs to be configured correctly for the page contents and header contents appear without overlapping. Margin Top is the space between document top and the contents of the document. And Margin Header is the space between Header and the document top. Check the diagram below:



This features allow users to add a cover page to their PDF comprising of a background image and text on top of it. There are two variables to set this up. This cover page is not visible on the TIKI page but will be added whenever a PDF is produced. Following is the image size guide to help design some great PDF cover pages.

---



## IMAGE SIZE AND DIMENSIONS FOR COVER PAGE

Image Resolution: DPI / PPI 96

**Page Size**  
Letter

**Image Dimensions**  
**816 x 1056 px**

Page Size	Image Dimensions
Legal	816 x 1344 px
Ledger	1056 x 1632 px
A0	3179 x 4494 px
A1	2245 x 3179 px
A2	1587 x 2245 px
A3	1123 x 1587 px
A4	794 x 1123 px
A5	559 x 794 px
A6	397 x 559 px

## ADVANCED USAGE WITH PLUGINLIST

If you need to pass data from your content into the parameters for plugin PDF you can use markup like this. This example formats a footer for each page using tracker item data depending on the `itemId` parameter on the URL.

```
{LIST()} {filter type="trackeritem"} {filter field="object_id" content=""} {OUTPUT()}#{display name="tracker_field_id"}  
{display name="wikiplugin_pdf" format="wikiplugin" orientation="P" footer="footer" margin_bottom="20"} {OUTPUT}  
{FORMAT(name="footer")}{literal}#{display name="tracker_field_id"} - {display name="tracker_field_title"} - {display  
name="creation_date" format="date"}| | AT {display name="tracker_field_building_text"}|38{/literal} {FORMAT}  
{ALTERNATE()}^No DSO data found^{ALTERNATE} {LIST}
```

### Collection of References on doc.tiki.org

- [Print](#) general info about printing
- [PDF](#) general overview about PDF creation in Tiki
- [mPDF](#) create PDFs from Tiki content (advanced library that works even on shared hosting). Recommended for Tiki18+
- [PluginPDF](#) alter default settings of mPDF per wiki page
- [PluginPDFPageBreak](#) add a page break for PDFs created with mPDF
- [PluginMediaPlayer](#) display PDF file from file gallery

- [PDF.js viewer](#) PDF.js from Mozilla
- [ViewerJS](#): a script to view PDFs and ODFs, which bundles WebODF
- [PluginArchiveBuilder](#) Generate a zip file, including PDFs from wiki pages
- [WeasyPrint](#) A PDF generation option in Python
- [wkhtmltopdf](#) create PDFs from Tiki content (needs root installation)
- [dompdf](#) once used for PDF print of slideshows