

# Plugin Permission

*Introduced in Tiki5*

Use this [wiki plugin](#) to display content based on permission settings. It is related to [PluginGroup](#).

## PARAMETERS

Display content based on permission settings

*Introduced in Tiki 5.*

[Go to the source code](#)

*Preferences required: wikiplugin\_perm*

Parameters	Accepted Values
------------	-----------------

(body of plugin)

object

text

## Description

Wiki text to display if conditions are met. The body may contain `{ELSE}`. Text after the marker will be displayed to users not matching the conditions.

Name or ID of the object to test if not global or the current object

Default	Since
---------	-------

21.3
------

type

wordspace

notperms

text

*separator:* █

global

(blank)

1

0

perms

text

*separator:* █

---

Type of object referred to in Object ID

Pipe-separated list of permissions, any of which will cause the default text not to show. Example:

```
tiki_p_rename|tiki_p_edit
```

Indicate whether the permissions are global or local to the object

Pipe-separated list of permissions, one of which is needed to view the default text. Example:

```
tiki_p_rename|tiki_p_edit
```

21.3

5.0

5.0

5.0

- The part `{ELSE}` is optional.
- Both parameters `perms` and `notperms` can be used together.

## SECURITY

- Be careful not to use this plugin to display secure information if the user can see the source
- Local permissions may not work depending on the place or object the syntax is inserted (ex: works for `tiki-index_raw.php` but not for `tiki-editpage.php` )

## EXAMPLES

### BASIC SYNTAX

---

```
{PERM(perms="tiki_p_view|tiki_p_edit" notperms="tiki_p_rename")}some content{ELSE}other content{PERM}
```