

Plugin Snarf

Use this [wiki plugin](#) to include the body (HTML) text at the URL given in the `url` argument. It is similar to [Integrator](#).

PARAMETERS

Display the contents of another web page
*Introduced in Tiki 1. Required parameters are in **bold**.*

[Go to the source code](#)

Preferences required: wikiplugin_snarf

Parameters Accepted Values

url	url
------------	-----

cache	int
--------------	-----

colors	text
---------------	------

Description

Full URL to the page to include.

Cache time in minutes. Default is to use site preference,
Set to `0` for no cache.

Syntax highlighting to use for code snippets (Plugin Code
is used for this)

Default	Since
---------	-------

	1
--	---

	5.0
--	-----

	3.0
--	-----

ajax	text
------	------

regex	text
-------	------

regexres	text
----------	------

ishtml	(blank)
--------	---------

1

0

ln	(blank)
----	---------

1

0

Text to click on to fetch the URL via Ajax

PCRE-compliant regular expression pattern to find the parts you want changed

PCRE-compliant regular expression replacement syntax showing what the content should be changed to

Set to Yes () to display the content as is instead of escaping HTML special characters (not set by default).

Set to Yes () to add line numbers to code snippets (not shown by default)

6.0

1

1

3.0

3.0

rtl	(blank)
	1
	0
wiki	(blank)
	1
	0
wrap	(blank)
	1
	0

Switch the text display from left to right to right to left

Parse wiki syntax within the code snippet (not parsed by default).

Enable/disable word wrapping of snippets of code (enabled by default)

	3.0
0	3.0
1	3.0


Arbitrary `regex` replacement can be done on this content using `regex` and `regexres` , which are used as the first and second arguments to `preg_replace` PHP function, respectively, after pulling out just the `<body>` data.

EXAMPLES

```
{SNARF (url="http://www.livejournal.com/users/rlpowell/2418.html" regex="/*<!-- Content ->.*?<td>(.*?)</td>.*?</div>(.*?)<hr.*?<!-- \Content -->.*s"
regexres="<p>$1</p>$2")}[http://www.livejournal.com/users/rlpowell/2418.html] {SNARF}
```

To include the content of a page of another Tiki installation you can use the following syntax:

```
{snarf url="http://my.foo.bar/tiki-index_raw_raw.php?page=ExamplePage" wrap="1" ishtml="1" cache="20"}
```




Do NOT type: ".../tiki-index_raw.php?page=..." BUT ".../tiki-index_raw_raw.php?page=..."

INCLUDE TIKI.ORG FOOTER PAGE

```
{snarf url="https://tiki.org/tiki-index_raw_raw.php?page=Shared_t_o_footer&clean" ishtml=1}
```

Produces:

(currently output is "broken" in Tiki 20.x on this site )

Shared_t_o_footer

[News](#)

[Download](#)

[Demo](#)

[Features](#)

[Tiki Association](#)

[Contact Tiki](#)

[Donation](#)

[Forums](#)

[Chat](#)

[Documentation](#)

[Mailing lists](#)

[FAQs](#)

[Consultants](#)

COMMUNITY

[Model](#)

[Join Tiki](#)

[Feature request / Bug report](#)

[Featured Tikis](#)

Events

Videos

DOCUMENTATION

Installation guide

Configuration

Features

Tutorials

Become an author

DEVELOPMENT

The 3 rules

Commit access

Get the code

Terms of Service

Privacy Policy

TIKI PROJECT SITES

Community

Development

Documentation

Themes

Profiles

Security

[Twitter](#)

[Facebook](#)

[LinkedIn](#)

[Open Hub](#)

[YouTube](#)

Tiki® and TikiWiki® are registered trademarks of the [Tiki Software Community Association](#) .



RELATED PAGES

- <http://wikipedia.org/wiki/regex>
- [PluginInclude](#)
- [PluginTransclude](#)
- [PluginHTMLfeed](#)