

Plugin Swiper

Plugin Swiper (introduced in [Tiki19](#)) is used to create a Slider/Swiper in any Tiki page using a wiki-plugin syntax shortcode. You can create multiple types of sliders and can place them in different locations on a page such as above header or inside the content body. It is mobile friendly and works great on handheld devices. Plugin Swiper is based on the [Swiper](#), the most modern OpenSource mobile touch slider.

Please see also [Slider Comparison](#)

1.1. KEY FEATURES

- Integrated with Tiki File Galleries
- Responsive & Mobile Touch Enabled
- Multiple Transition Styles
- Full Screen or Define the size of Slider
- Add text on top of slides including HTML and Wiki Syntax
- Multiple Slider Placement Positions on a Page

1.2. PARAMETERS

Embed swiper in content, support file galleries, files id and custom content
Introduced in Tiki 19.
[Go to the source code](#)

Parameters

(body of plugin)

background

Accepted Values

Description

Enter custom slides data separated by "|". Wiki Syntax / HTML supported in slide text, to include wiki page in slide text use pluginInclude.

title:Slide 1

title;text:HTML/Wiki Syntax Supported Slide 1

text;image:Slide Image

**URL;bgcolor:#colorcode;color: #color code for
text | title:Slide 2 title;text:Slide 2**

text;image:Slide Image URL;bgcolor:#colorcode

Slider background color, enter color code for example
#000

Default

Since

19.0

fileIds

autoPlayDelay

fgalId

height

slideContentBg

slideContentPostion

any string except for HTML and PHP tags

digits

separator: :

word

text

text

List of IDs of images from the File Galleries separated by commas.

Time interval to pause before moving to next slide in seconds.

Enter file gallery id for slider

Enter height of slider in px or %, default min height 100px, max height will adjust with content

Enter a valid CSS color code, or an rgba value if opacity is desired; for example: #000 or rgba(00, 00, 00, 0.5).

Enter position for example top:20 or bottom:20

5

19.0

19

100px

19.0

19.0

top:20No value assigned 19.0

descriptionColor

titleColor

slidesPerView

width

descriptionSize

displayThumbnails

text

text

digits

word

word

n

y

Enter text color code of slide description, for example

#ccc

Enter text color code of slide title, for example #ccc

Slides visible at the same time on slider's container.

Coverflow transition works best with 3 slides per view

Enter width of slider in px or %, default 100

For example 24px, default 16 px

Show thumbnails under main slider

19.0

19.0

19.0

1

19.0

16px

19.0

19.0

n

loop

navigation

parallaxBgImg

sliderPosition

y
n

y
n

text

(blank)

(blank)

abovetopbar

undertopbar

Set to true to enable continuous loop mode (If you use it along with slidesperView: 'auto' then you need to specify loopedSlides parameter with amount of slides to loop (duplicate)).

Display navigation arrows

Enter image url for parallax background behind swiper

Placement of slider, above topbar, below topbar, above menus and content or inside content

n

19.0

y

19.0

19.0

19.0

slidesOffsetAfter

slidesOffsetBefore

slidesPerColumn

slidesPerViewMobile

slidesPerViewTab

spaceBetween

speed

titleSize

digits

digits

digits

digits

digits

digits

digits

word

Add (in px) additional slide offset in the end of the container (after all slides)

Add (in px) additional slide offset in the beginning of the container (before all slides)

Number of slides per column, for multirow layout


Slides visible at the same time on small screens

Slides visible at the same time on low resolution tablets

Distance between slides in px.

Duration of transition between slides (in milliseconds)

For example 42px, default 32 px



effect

autoHeight

autoPlay

centeredSlides

slide

fade

cube

overflow

flip

n

y

y

n

n


y

Transition effect. Could be "slide", "fade", "cube",
"coverflow" or "flip"

Set to true and slider wrapper will adapt its height to the
height of the currently active slide

Autoplay slider, on by default

If true, then active slide will be centered, not always on
the left side.



freeMode

pagination

preloadImages

slideToClickedSlide

n
y
(blank)
n
bullets
fraction
progressbar
y
n
n
y

If true then slides will not have fixed positions.

Slider pagination, default bullets

When enabled Swiper will force to load all images.

Set to true and click on any slide will produce transition to this slide.

n

19.0

bullets

19.0

y

19.0

n

19.0

slidesPerColumnFill

updateOnImagesReady

column

row

y

n

Could be 'column' or 'row'. Defines how slides should fill rows, by column or by row

When enabled Swiper will be reinitialized after all inner images (tags) are loaded. Required preloadimages: true.

column

19.0

y

19.0

Custom Slide Code Explanation

Enter custom slides data separated by using "|". Wiki Syntax / HTML supported in slide text, to include wiki page in slide text use [PluginInclude](#).

Example Custom Slide Code

```
{SWIPER()} title:Slide 1 title; text:HTML/Wiki Syntax Supported Slide 1 text; image:Slide Image URL; bgcolor:#colorcode; color:#color code for text {SWIPER}
```

Tip

To build an impressive image slide we must resize or choose images of the same size. Images having different sizes and dimensions will not look appropriate in the slider.

1.3. SLIDER PLACEMENT ON A PAGE

Swiper Plugin has the option to choose the placement of the slider at the following three locations

1. In the body (where ever in a page body you place the slider)
2. Above top bar / Top of the page (Above your page logo header)
3. Above content page / under top bar (Above the page body but under the logo header)

1. Examples

Following are some swiper slider examples.


1.1. BASIC SLIDER IMAGES

Following slider is built using Tiki File Galleries file id and a transition effect.

Security








Chat & Video Conferencing






OS & Network

Web & Intranet





Example Code

```
{swiper fileds="1472,1471,1470,1469,1468,4467,1466,1465" effect="flip" navigation="y" displayThumbnails="n" loop="y"  
autoPlay="y" autoHeight="n" slidesPerColumnFill="column" centeredSlides="n" slideToClickedSlide="n" freeMode="n"  
preloadImages="y" updateOnImagesReady="y"}
```

1.2. SLIDE WITH SLIDE TRANSITION & SLIDE THUMBNAIL NAVIGATION

Following slide is using the simple slide transition style with thumbnails display turned on.



Custom Landing Pages with Plugin Layout





More
Powerful-Flexible-Secure





<Swiper sliders>

tiki 27



Powerful Presentations

with Reveal.js

tiki 27

Bootstrap 5





Custom Landing Pages with Plugin Layout





More
Powerful-Flexible-Secure





<Swiper sliders>

tiki 27



Powerful Presentations

with Reveal.js

tiki 27

Bootstrap 5



Example Code

```
{swiper fileIds="2063,2068,2064,2066,2067,2065" effect="slide" navigation="y" displayThumbnails="y" slidesPerView="1" loop="y" autoPlay="y" autoHeight="y" slidesPerColumnFill="column" centeredSlides="n" slideToClickedSlide="n" freeMode="n" preloadImages="y" updateOnImagesReady="y"}
```


1.3. SLIDER WITH 3D CUBE EFFECT

Slider with file ids and cube transition style

Security









Chat & Video Conferencing






OS & Network

Web & Intranet





Example Code

```
{swiper fileIds="1472,1471,1470,1469,1468,1467,1466,1465" effect="cube" navigation="y" displayThumbnails="n" loop="y" autoPlay="y" autoHeight="n" slidesPerColumnFill="column" centeredSlides="n" slideToClickedSlide="n" freeMode="n" preloadImages="y" updateOnImagesReady="y" width="521px"}
```

Related

- Also see [Slider Comparison](#)