

# Plugin Twitter

*Introduced in Tiki7*

Use this [wiki plugin](#) to display the activity for a Twitter account.

## PARAMETERS

Display the activity for a twitter account

*Introduced in Tiki 7. Required parameters are in **bold**.*

[Go to the source code](#)

*Preferences required: wikipugin\_twitter*

## Parameters Accepted Values

**tweet**

text

## Description

Depends on the type of timeline (Users, Collections, Favorites or Lists). For a User, it is the Account Name (like `twitterdev`), for Favorites, something like `twitterdev/favorites`. For lists, something like `twitterdev/lists/listname`, etc.

Default	Since
---------	-------

	7.0
--	-----

`widgetId`      `digits`

`tweetbg`

`height`      `digits`

`tweetcolor`

`noborders`      `(blank)`

`y`

`nofooter`      `(blank)`

`y`

`noheader`      `(blank)`

`y`

Numeric identifier of the widget

Change the border color used by the widget. Default is theme default.

Height of widget in pixels. Default is **300**.

Text color for individual tweets. Default is theme default.

Default is with Borders

Default is with Footer

Default is with Header

13.1

7.0

300

7.0

7.0

13.1

13.1

13.1

`noscrollbar` (blank)

`y`

`theme` (blank)

`light`

`dark`

`shellbg` (blank)

`transparent`

`width`

---

## Default is with Scrollbar

Embedded timelines are available in light and dark themes for customization. The light theme is for pages that use a light colored background, while the dark theme is for pages that use a dark colored background. Default is `light`.

Transparent Shell Background. Default is theme default

Width of widget in pixels or 'auto' to fit to width of page. Default is `auto`.

---



13.1

light

13.1

7.0

auto

7.0

Note that Twitter requires that you have an account on Twitter and that you first create your widget there, so you get a widgetId number from Twitter for the widget

## EXAMPLE

### BASIC SYNTAX

---

```
{twitter tweet="tikiwiki" widgetId="xxxxxxxxx" }
```