Polls

Option	Description	Default
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Plugin Poll	Embed a poll	Enabled
Anonymous voting	Allow anonymous users to participate in voting This can be overridden by specific permissions.	Disabled
Allow re-voting	Visitors can vote mulitiple times in a poll.	Enabled
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments to show on poll pages	10 comments
Display order	The order in which order polls are displayed ☐ Newest first Oldest first Points	Points
Show categories	For polls that are categorized, the category is displayed.	Disabled
Show objects	List wiki pages or other site objects that the poll is attached to.	Disabled
Multiple polls per object	When used with the rating features, allow multiple polls to be attached to a single object.	Disabled
Precision of survey results calculation	Number of decimal places in the percentage figures	2 decimal places
Option	Description	Default
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Plugin Poll	Embed a poll	Enabled
Anonymous voting	Allow anonymous users to participate in voting This can be overridden by specific permissions.	Disabled
Allow re-voting	Visitors can vote mulitiple times in a poll.	Enabled
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments to show on poll pages	10 comments
Display order	The order in which order polls are displayed ☐ Newest first Oldest first Points	Points
Show categories	For polls that are categorized, the category is displayed.	Disabled
Show objects	List wiki pages or other site objects that the poll is attached to.	Disabled

Option	Description	Default
Multiple polls per object	When used with the rating features, allow multiple polls to be attached to a single object.	Disabled
Precision of survey results calculation	Number of decimal places in the percentage figures	2 decimal places
Option	Description	Default
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Plugin Poll	Embed a poll	Enabled
Anonymous voting	Allow anonymous users to participate in voting This can be overridden by specific permissions.	Disabled
Allow re-voting	Visitors can vote mulitiple times in a poll.	Enabled
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments to show on poll pages	10 comments
Display order	The order in which order polls are displayed	Points
Show categories	For polls that are categorized, the category is displayed.	Disabled
Show objects	List wiki pages or other site objects that the poll is attached to.	Disabled
Multiple polls per object	When used with the rating features, allow multiple polls to be attached to a single object.	Disabled
Precision of survey results calculation	Number of decimal places in the percentage figures	2 decimal places
Option	Description	Default
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Plugin Poll	Embed a poll	Enabled
Anonymous voting	Allow anonymous users to participate in voting This can be overridden by specific permissions.	Disabled
Allow re-voting	Visitors can vote mulitiple times in a poll.	Enabled
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments to show on poll pages	10 comments
Display order	The order in which order polls are displayed	Points
Show categories	For polls that are categorized, the category is displayed.	Disabled

	• •	
Multiple polls per object	When used with the rating features, allow multiple polls to be attached to a single object.	Disabled
Precision of survey results calculation	n Number of decimal places in the percentage figures	2 decimal place
Option	Description	Default
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Plugin Poll	Embed a poll	Enabled
Anonymous voting	Allow anonymous users to participate in voting This can be overridden by specific permissions.	Disabled
Allow re-voting	Visitors can vote mulitiple times in a poll.	Enabled
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments to show on poll pages	10 comments
Display order	The order in which order polls are displayed ∷ Newest first Oldest first Points	Points
Show categories	For polls that are categorized, the category is displayed.	Disabled
Show objects	List wiki pages or other site objects that the poll is attached to.	Disabled
Multiple polls per object	When used with the rating features, allow multiple polls to be attached to a single object.	Disabled
Precision of survey results calculation	n Number of decimal places in the percentage figures	2 decimal place
-	Polls - Â Surveys Description Create avertions with multiple shales are and add evertions	Default
Surveys	Prosto questiannaires with multiple chaice or anan-anded questions	Disabled
•	Create questionnaires with multiple-choice or open-ended questions	
Disable textarea toolbar	Don't display the toolbar on text inputs in surveys.	Disabled
Disable textarea toolbar		
Disable textarea toolbar Option	Don't display the toolbar on text inputs in surveys.	Disabled

List wiki pages or other site objects that the poll is attached to.

Default

Disabled

Description

Option

Show objects

Create questionnaires with multiple-choice or open-ended questions	Disabled
Don't display the toolbar on text inputs in surveys.	Disabled
Description	Default
Create questionnaires with multiple-choice or open-ended questions	Disabled
Don't display the toolbar on text inputs in surveys.	Disabled
Description	Default
Create questionnaires with multiple-choice or open-ended questions	Disabled
Don't display the toolbar on text inputs in surveys.	Disabled
	Don't display the toolbar on text inputs in surveys. Description Create questionnaires with multiple-choice or open-ended questions Don't display the toolbar on text inputs in surveys. Description Create questionnaires with multiple-choice or open-ended questions

Default

Default

Description

Description

Option

Option

Print

PDF from URL	Using external tools, generate PDF documents from URLs. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF	Disabled
WebKit path	Full path to the wkhtmltopdf executable to generate the PDF document with	None
NeasyPrint path	Full path to the weasyprint executable to generate the PDF document with	None
Webservice URL	URL to a service that takes a URL as the query string and returns a PDF document	None
PDF Orientation	Landscape or portrait □ Portrait Landscape	Portrait
PDF page size	ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) E Letter Legal Tabloid/Ledger A0 A1 A2 A3 A4 A5 A6	A4
Print Friendly PDF	Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.	Enabled
Table of contents	Generate auto table of contents with PDF	Disabled
ink TOC with content	Link table of contents headings with content in the PDF	Disabled
FOC heading	Heading to be displayed above the table of contents	Table of Contents

Option	Description	Default
PDF TOC levels	These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, $H1 H2 H3$.	H1 H2 H3
Show Page title	Print wiki page title with pdf	None
PDF header text	Possible values, Plain text, HTML, Wiki syntax, 5,{PAGETITLE},{DATE j-m-Y}, Page 5 of {NB}, HTML / Wiki Syntax / Left text Center Text Right Text	None
PDF footer text	HTML, Wiki Syntax, plain text, 5, {DATE j-m-Y}, Page 5 of {NB}. HTML / Wiki Syntax / Left text Center Text Right Text	None
_eft margin	Numeric value.For example 10	10 pixels
Right margin	Numeric value, no need to add px. For example 10	10 pixels
Гор margin	Numeric value, no need to add px. For example 10	10 pixels
Bottom margin	Numeric value, no need to add px. For example 10	10 pixels
Header margin from top of document	Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Header can overlap text if top margin is not set properly	5 pixels
Footer margin from bottom of document	Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. • Warning: Footer can overlap text if bottom margin is not set properly	5 pixels
Hyperlink behaviour in PDF	≡ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document	None
PDF Bookmarks	Automatically generate bookmarks https://doi.org/10.1007/html/html/html/html/html/html/html/html	H1 H2 H3
Number of columns	□ Default - 1 Column 2 Columns 3 Columns 4 Columns	None
PDF password for viewing	Password-protect the generated PDF.	None
Watermark text	PDF watermark text, if any	None
Watermark Image URL	The watermark image will appear under the text. Enter the complete image URL.	None
PDF page background color	Enter a valid CSS color code.	None
PDF page background mage	Enter the full URL.	None
CoverPage text settings	Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings.	None

Option	Description	Default
CoverPage wiki	Name of the wiki page that will be used for the text of the coverpage. $lacksquare$	None
CoverPage settings	Background color Page border Border color. Enter settings separated by . Leave blank for default settings. Sequence is important, for example $\#fff 1 \#000$ \blacksquare	None
Coverpage image URL	Enter the full URL.	None
Allow Unsafe SSL Requests	Allow curl unsafe ssl request	Enabled
Printing to PDF memory imit	Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. • for example: 256M	None
Printing to PDF time limit	Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. for example: 30	None
Slideshow (reveal.js) PDF export	Wiki page based slideshow to pdf export 4	Disabled
Print modules	Modules to show on when print a page	None
Print wiki authors	Include wiki page authors and date in print versions of wiki pages.	Disabled
Print Wiki	Provide a print icon and layout of the wiki page formatted for printing	Disabled
MultiPrint	Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document	Disabled
Print indexed	Generate a printable version of the whole wiki or a subset of pages, filtered by category.	Disabled
Print original wiki URL	Include original wiki page URL in print versions of wiki pages.	Enabled
Print articles		Enabled
Print original tracker item JRL	Include original wiki page URL in print versions of wiki pages.	Enabled
Print original forum post JRL	Include original forum post URL in print version of forum posts.	Enabled

Option	Description	Default
PDF from URL	Using external tools, generate PDF documents from URLs. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF	Disabled
WebKit path	Full path to the wkhtmltopdf executable to generate the PDF document with	None
WeasyPrint path	Full path to the weasyprint executable to generate the PDF document with	None
Webservice URL	URL to a service that takes a URL as the query string and returns a PDF document	None
PDF Orientation	Landscape or portrait E Portrait Landscape	Portrait
PDF page size	ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation)	A4
Print Friendly PDF	Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.	Enabled
Fable of contents	Generate auto table of contents with PDF	Disabled
ink TOC with content	Link table of contents headings with content in the PDF	Disabled
FOC heading	Heading to be displayed above the table of contents	Table of Contents
PDF TOC levels	These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, $H1 H2 H3$.	H1 H2 H3
Show Page title	Print wiki page title with pdf □ Default Yes No	None
PDF header text	Possible values, Plain text, HTML, Wiki syntax, 7,{PAGETITLE},{DATE j-m-Y}, Page 7 of {NB}, https://doi.org/10.1003/html./bib.edu.org/10.1003/html. https://doi.org/10.1003/html/page 7 https://doi.org/10.1003/h	None
PDF footer text	HTML, Wiki Syntax, plain text, 7, {DATE j-m-Y}, Page 7 of {NB}.	None
_eft margin	Numeric value.For example 10	10 pixels
Right margin	Numeric value, no need to add px. For example 10	10 pixels
Fop margin	Numeric value, no need to add px. For example 10	10 pixels
	Numeric value, no need to add px. For example 10	10 pixels

Inly applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Header can overlap text if top margin is not set properly Inly applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Footer can overlap text if bottom margin is not set properly Default Off (Links will be removed) Add as footnote (Links will be listed at end of document utomatically generate bookmarks H1-H6, separated by .For example: H1 H2 H3 Default - 1 Column 2 Columns 3 Columns 4 Columns assword-protect the generated PDF. DF watermark text, if any	5 pixels 5 pixels None H1 H2 H3 None None None
Inly applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. If Warning: Footer can overlap text if bottom margin is not set properly If Default Off (Links will be removed) Add as footnote (Links will be listed at end of document utomatically generate bookmarks If H1-H6, separated by .For example: H1 H2 H3 If Default - 1 Column 2 Columns 3 Columns 4 Columns assword-protect the generated PDF. If Watermark text, if any	None H1 H2 H3 None None
wample, 10. Warning: Footer can overlap text if bottom margin is not set properly Default Off (Links will be removed) Add as footnote (Links will be listed at end of document utomatically generate bookmarks H1-H6, separated by .For example: H1 H2 H3 Default - 1 Column 2 Columns 3 Columns 4 Columns assword-protect the generated PDF. DF watermark text, if any	None H1 H2 H3 None None
Default Off (Links will be removed) Add as footnote (Links will be listed at end of document utomatically generate bookmarks of H1-H6, separated by .For example: H1 H2 H3 Default - 1 Column 2 Columns 3 Columns 4 Columns assword-protect the generated PDF. DF watermark text, if any	H1 H2 H3 None None
utomatically generate bookmarks o H1-H6, separated by .For example: H1 H2 H3 E Default - 1 Column 2 Columns 3 Columns 4 Columns assword-protect the generated PDF. DF watermark text, if any	H1 H2 H3 None None
Default - 1 Column 2 Columns 3 Columns 4 Columns assword-protect the generated PDF. DF watermark text, if any	None None
assword-protect the generated PDF. DF watermark text, if any	None
DF watermark text, if any	
	None
ha wakamaanki haana will amaan wadan ka kasik. Eukan ka aanan laka ka aa 1991	INOLIC
ne watermark image will appear under the text. Enter the complete image UKL.	None
nter a valid CSS color code.	None
nter the full URL.	None
eading Subheading Alignment Background color Text color Page border Border color. Enter settings eparated by . Leave blank to use default settings.	None
nter the full URL.	None
llow curl unsafe ssl request	Enabled
emporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, ome large operations require more memory. Increasing it locally, per operation, allows to keep a lower nemory limit globally. Keep in mind that memory usage is still limited to what is available on the erver. In for example: 256M	None
emporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some equests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. of for example: 30	None
/iki page based slideshow to pdf export 🚣	Disabled
nt nt er nt er er er er	defing Subheading Alignment Background color Text color Page border Border color. Enter settings parated by . Leave blank to use default settings. Set the full URL. Sow curl unsafe ssl request Imporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, and large operations require more memory. Increasing it locally, per operation, allows to keep a lower mory limit globally. Keep in mind that memory usage is still limited to what is available on the over. For example: 256M Imporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some puests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. For example: 30

Option	Description	Default
Print modules	Modules to show on when print a page □ Top modules Topbar modules Pagetop modules Left modules Right modules Pagebottom modules Bottom modules Admin modules	None
Print wiki authors	Include wiki page authors and date in print versions of wiki pages.	Disabled
Print Wiki	Provide a print icon and layout of the wiki page formatted for printing	Disabled
MultiPrint	Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document	Disabled
Print indexed	Generate a printable version of the whole wiki or a subset of pages, filtered by category.	Disabled
Print original wiki URL	Include original wiki page URL in print versions of wiki pages.	Enabled
Print articles		Enabled
Print original tracker item JRL	Include original wiki page URL in print versions of wiki pages.	Enabled
Print original forum post JRL	Include original forum post URL in print version of forum posts.	Enabled
Option	Description	Default
PDF from URL	Using external tools, generate PDF documents from URLs. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF	Disabled
WebKit path	Full path to the wkhtmltopdf executable to generate the PDF document with	None
WeasyPrint path	Full path to the weasyprint executable to generate the PDF document with	None
Webservice URL	URL to a service that takes a URL as the query string and returns a PDF document	None
PDF Orientation	Landscape or portrait	Portrait
PDF page size	ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation)	A4
Print Friendly PDF	Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.	Enabled
Fable of contents	Generate auto table of contents with PDF	Disabled
ink TOC with content	Link table of contents headings with content in the PDF	Disabled
FOC heading	Heading to be displayed above the table of contents	Table of Contents

Option	Description	Default
PDF TOC levels	These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, $H1 H2 H3$.	H1 H2 H3
Show Page title	Print wiki page title with pdf	None
PDF header text	Possible values, Plain text, HTML, Wiki syntax, 10,{PAGETITLE},{DATE j-m-Y}, Page 10 of {NB}, HTML / Wiki Syntax / Left text Center Text Right Text	None
PDF footer text	HTML, Wiki Syntax, plain text, 10, {DATE j-m-Y}, Page 10 of {NB}. HTML / Wiki Syntax / Left text Center Text Right Text	None
_eft margin	Numeric value.For example 10	10 pixels
Right margin	Numeric value, no need to add px. For example 10	10 pixels
Гор margin	Numeric value, no need to add px. For example 10	10 pixels
Bottom margin	Numeric value, no need to add px. For example 10	10 pixels
Header margin from top of document	Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. * Warning: Header can overlap text if top margin is not set properly	5 pixels
Footer margin from bottom of document	Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. • Warning: Footer can overlap text if bottom margin is not set properly	5 pixels
Hyperlink behaviour in PDF	≡ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document	None
PDF Bookmarks	Automatically generate bookmarks https://doi.org/10.1007/j.jps.10	H1 H2 H3
Number of columns	□ Default - 1 Column 2 Columns 3 Columns 4 Columns	None
PDF password for viewing	Password-protect the generated PDF.	None
Watermark text	PDF watermark text, if any	None
Watermark Image URL	The watermark image will appear under the text. Enter the complete image URL.	None
PDF page background color	Enter a valid CSS color code.	None
PDF page background mage	Enter the full URL.	None
CoverPage text settings	Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings.	None

Option	Description	Default
Coverpage image URL	Enter the full URL.	None
Allow Unsafe SSL Requests	Allow curl unsafe ssl request	Enabled
Printing to PDF memory imit	Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. •• for example: 256M	None
Printing to PDF time limit	Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. for example: 30	None
Slideshow (reveal.js) PDF export	Wiki page based slideshow to pdf export 4	Disabled
Print modules	Modules to show on when print a page	None
Print wiki authors	Include wiki page authors and date in print versions of wiki pages.	Disabled
Print Wiki	Provide a print icon and layout of the wiki page formatted for printing	Disabled
MultiPrint	Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document	Disabled
Print indexed	Generate a printable version of the whole wiki or a subset of pages, filtered by category.	Disabled
Print original wiki URL	Include original wiki page URL in print versions of wiki pages.	Enabled
Print articles		Enabled
Print original tracker item JRL	Include original wiki page URL in print versions of wiki pages.	Enabled
Print original forum post JRL	Include original forum post URL in print version of forum posts.	Enabled
Option	Description	Default
PDF from URL	Using external tools, generate PDF documents from URLs. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF	Disabled
WebKit path	Full path to the wkhtmltopdf executable to generate the PDF document with	None
WeasyPrint path	Full path to the weasyprint executable to generate the PDF document with	None

Option	Description	Default
Webservice URL	URL to a service that takes a URL as the query string and returns a PDF document	None
PDF Orientation	Landscape or portrait	Portrait
PDF page size	ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) □ Letter Legal Tabloid/Ledger A0 A1 A2 A3 A4 A5 A6	A4
Print Friendly PDF	Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.	Enabled
Table of contents	Generate auto table of contents with PDF	Disabled
ink TOC with content	Link table of contents headings with content in the PDF	Disabled
FOC heading	Heading to be displayed above the table of contents	Table of Contents
PDF TOC levels	These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, $H1 H2 H3$.	H1 H2 H3
Show Page title	Print wiki page title with pdf	None
PDF header text	Possible values, Plain text, HTML, Wiki syntax, 12,{PAGETITLE},{DATE j-m-Y}, Page 12 of {NB}, HTML / Wiki Syntax / Left text Center Text Right Text	None
PDF footer text	HTML, Wiki Syntax, plain text, 12, {DATE j-m-Y}, Page 12 of {NB}. HTML / Wiki Syntax / Left text Center Text Right Text	None
∟eft margin	Numeric value.For example 10	10 pixels
Right margin	Numeric value, no need to add px. For example 10	10 pixels
Fop margin	Numeric value, no need to add px. For example 10	10 pixels
Bottom margin	Numeric value, no need to add px. For example 10	10 pixels
Header margin from top of document	Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. • Warning: Header can overlap text if top margin is not set properly	5 pixels
Footer margin from bottom of document	Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. **Warning: Footer can overlap text if bottom margin is not set properly**	5 pixels

Option	Description	Default
Hyperlink behaviour in PDF	≡ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document	None
PDF Bookmarks	Automatically generate bookmarks https://doi.org/10.1001/j.j.com/doi.org/10.1001/j.j.	H1 H2 H3
Number of columns	□ Default - 1 Column 2 Columns 3 Columns 4 Columns	None
PDF password for viewing	Password-protect the generated PDF.	None
Watermark text	PDF watermark text, if any	None
Watermark Image URL	The watermark image will appear under the text. Enter the complete image URL.	None
DF page background color	Enter a valid CSS color code.	None
PDF page background mage	Enter the full URL.	None
CoverPage text settings	Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings.	None
Coverpage image URL	Enter the full URL.	None
Printing to PDF memory imit	Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. • for example: 256M	None
Printing to PDF time limit	Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. for example: 30	None
Slideshow (reveal.js) PDF export	Wiki page based slideshow to pdf export ▲	Disabled
Print modules	Modules to show on when print a page ☐ Top modules Topbar modules Pagetop modules Left modules Right modules Pagebottom modules Bottom modules Admin modules	None
Print wiki authors	Include wiki page authors and date in print versions of wiki pages.	Disabled
Print Wiki	Provide a print icon and layout of the wiki page formatted for printing	Disabled
MultiPrint	Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document	Disabled
Print indexed	Generate a printable version of the whole wiki or a subset of pages, filtered by category.	Disabled

Description	Default
Include original wiki page URL in print versions of wiki pages.	Enabled
	Enabled
Include original wiki page URL in print versions of wiki pages.	Enabled
Include original forum post URL in print version of forum posts.	Enabled
Description	Default
Using external tools, generate PDF documents from URLs. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF	Disabled
Full path to the wkhtmltopdf executable to generate the PDF document with	None
Full path to the weasyprint executable to generate the PDF document with	None
URL to a service that takes a URL as the query string and returns a PDF document	None
Landscape or portrait	Portrait
ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) □ Letter Legal Tabloid/Ledger A0 A1 A2 A3 A4 A5 A6	A4
Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.	Enabled
Generate auto table of contents with PDF	Disabled
Link table of contents headings with content in the PDF	Disabled
Heading to be displayed above the table of contents	Table of Contents
These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, $H1 H2 H3$.	H1 H2 H3
Print wiki page title with pdf □ Default Yes No	None
Possible values, Plain text, HTML, Wiki syntax, 14,{PAGETITLE},{DATE j-m-Y}, Page 14 of {NB},	None
	Include original wiki page URL in print versions of wiki pages. Include original wiki page URL in print versions of wiki pages. Include original forum post URL in print version of forum posts. Description Using external tools, generate PDF documents from URLS. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF Full path to the wkhtmltopdf executable to generate the PDF document with Full path to the weasyprint executable to generate the PDF document with URL to a service that takes a URL as the query string and returns a PDF document Landscape or portrait □ Portrait Landscape ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) □ Letter Legal Tabloid/Ledger A0 A1 A2 A3 A4 A5 A6 Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file. Generate auto table of contents with PDF Link table of contents headings with content in the PDF Heading to be displayed above the table of contents These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1 H2 H3. Print wiki page title with pdf □ Default Yes No

Description	Default
HTML, Wiki Syntax, plain text, 15, {DATE j-m-Y}, Page 15 of {NB}. HTML / Wiki Syntax / Left text Center Text Right Text	None
Numeric value.For example 10	10 pixels
Numeric value, no need to add px. For example 10	10 pixels
Numeric value, no need to add px. For example 10	10 pixels
Numeric value, no need to add px. For example 10	10 pixels
Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. • Warning: Header can overlap text if top margin is not set properly	5 pixels
Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. • Warning: Footer can overlap text if bottom margin is not set properly	5 pixels
≡ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document	None
Automatically generate bookmarks https://doi.org/10.1009/10.1	H1 H2 H3
□ Default - 1 Column 2 Columns 3 Columns 4 Columns	None
Password-protect the generated PDF.	None
PDF watermark text, if any	None
The watermark image will appear under the text. Enter the complete image URL.	None
Enter a valid CSS color code.	None
Enter the full URL.	None
Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings.	None
Enter the full URL.	None
Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. • for example: 256M	None
	HTML, Wiki Syntax, plain text, 15, {DATE j-m-Y}, Page 15 of {NB}. # HTML / Wiki Syntax / Left text Center Text Right Text Numeric value. For example 10 Numeric value, no need to add px. For example 10 Numeric value, no need to add px. For example 10 Numeric value, no need to add px. For example 10 Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. # Warning: Header can overlap text if top margin is not set properly Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. # Warning: Footer can overlap text if bottom margin is not set properly Default Off (Links will be removed) Add as footnote (Links will be listed at end of document Automatically generate bookmarks H1-H6, separated by .For example: H1 H2 H3 Default - 1 Column 2 Columns 3 Columns 4 Columns Password-protect the generated PDF. PDF watermark text, if any The watermark image will appear under the text. Enter the complete image URL. Enter a valid CSS color code. Enter the full URL. Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings. Enter the full URL. Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. for example: 30	None
Wiki-page-based slideshow to pdf export 4	Disabled
Include wiki page authors and date in print versions of wiki pages.	Disabled
Provide a print icon and layout of the wiki page formatted for printing	Disabled
Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document	Disabled
Generate a printable version of the whole wiki or a subset of pages, filtered by category.	Disabled
Include original wiki page URL in print versions of wiki pages.	Enabled
	Enabled
Include original wiki page URL in print versions of wiki pages.	Enabled
Include original forum post URL in print version of forum posts.	Enabled
	requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. for example: 30 Wiki-page-based slideshow to pdf export Include wiki page authors and date in print versions of wiki pages. Provide a print icon and layout of the wiki page formatted for printing Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document Generate a printable version of the whole wiki or a subset of pages, filtered by category. Include original wiki page URL in print versions of wiki pages. Include original wiki page URL in print versions of wiki pages.

Default

Option

Description

Profiles -Â Advanced

Option	Description	Default
Automatically approve wiki- olugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users.	Disabled
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install.	Disabled
Repository URLs	List of URLs for the profile repositories that will be used Enter multiple repository URLs, one per line.	http://profiles.tiki.org/pr

Option	Description	Default
Data channels	Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.	None
Option	Description	Default
Automatically approve wiki- olugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users.	Disabled
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install.	Disabled
Repository URLs	List of URLs for the profile repositories that will be used Enter multiple repository URLs, one per line.	http://profiles.tiki.org/pr
Data channels	Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.	None
Option	Description	Default
Automatically approve wiki- plugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users.	Disabled
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install.	Disabled
Repository URLs	List of URLs for the profile repositories that will be used Enter multiple repository URLs, one per line.	http://profiles.tiki.org/pr

Option	Description	Default
Data channels	Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.	None
Option	Description	Default
Automatically approve wiki- olugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users.	Disabled
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install.	Disabled
Repository URLs	List of URLs for the profile repositories that will be used Enter multiple repository URLs, one per line.	http://profiles.tiki.org/pr
Data channels	Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.	None
Option	Description	Default
Automatically approve wiki- plugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users.	Disabled
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install.	Disabled
Repository URLs	List of URLs for the profile repositories that will be used Enter multiple repository URLs, one per line.	http://profiles.tiki.org/pr

Option	Description De	fault
Data channels	Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.	ne
	Rating	
Option	Description	Default
Rating recalculation mode	Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. ☐ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to re-index the object	Recalculate on vote
Recalculation odds (1 in X)	Dice roll performed on every request. When successful, will recalculate a certain number of votes.	100 votes
Recalculation count	How many ratings should be recalculated when odds strike.	100 ratings
P can be checked	Check anonymous votes by user's IP	Disabled
Multiple votes per user	Allow users to vote multiple times in the same poll. ☐ Disabled Enabled	None
Rating	Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template†which is created in the Polls feature: set a poll's â€~active' drop-down to "templateâ€. • Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results	Disabled
Simple wiki ratings	Enable users to rate wiki pages based on a simple numeric scale. $oldsymbol{oldsymbol{L}}$	Disabled
Wiki rating options	List of options available for the rating of wiki pages	0,1,2,3,4,5
Jser ratings on articles	Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.	Disabled

Option	Description	Default
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Jse vote system for comments	Allow users with permission to vote on comments. Bermissions involved: vote_comments, wiki_view_comments, ratings_view_results	Disabled
Simple wiki comment ratings	Enable users to rate comments based on a simple numeric scale.	Disabled
Wiki rating options	List of options available for the rating of wiki comments.	0,1,2,3,4,5
Display Post new comment form by default		Disabled
Rating	A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings	Disabled
Default rating options	List of options available.	0,1,2,3,4
Detailed rating results	Displays a table with the result count and percentage per rating option. □ Disabled Enabled	None
nclude percentages in the detailed rating results	Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. □ Disabled Enabled	None
Smiley Ratings	Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. □ Disabled Enabled	None
Reversed Rating Options	Displays the ratings options in reverse.	None
Advanced Rating	In an advanced rating system, the options and calculation method can be configured.	Disabled
Option	Description	Default
Rating recalculation mode	Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. ☐ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to re-index the object	Recalculate on vote
Recalculation odds (1 in X)	Dice roll performed on every request. When successful, will recalculate a certain number of votes.	100 votes
Recalculation count	How many ratings should be recalculated when odds strike.	100 ratings
P can be checked	Check anonymous votes by user's IP	Disabled

Option	Description	Default
Multiple votes per user	Allow users to vote multiple times in the same poll. iii Disabled Enabled	None
Rating	Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template†which is created in the Polls feature: set a poll' s â€~active' drop-down to "templateâ€. ♣ Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results	Disabled
Simple wiki ratings	Enable users to rate wiki pages based on a simple numeric scale. $oldsymbol{oldsymbol{\bot}}$	Disabled
Wiki rating options	List of options available for the rating of wiki pages	0,1,2,3,4,5
Jser ratings on articles	Allow users to rate articles. • Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Jse vote system for comments	Allow users with permission to vote on comments. Begin Permissions involved: vote_comments, wiki_view_comments, ratings_view_results	Disabled
Simple wiki comment ratings	Enable users to rate comments based on a simple numeric scale.	Disabled
Wiki rating options	List of options available for the rating of wiki comments.	0,1,2,3,4,5
Display Post new comment form by default		Disabled
Rating	A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings	Disabled
Default rating options	List of options available.	0,1,2,3,4
Detailed rating results	Displays a table with the result count and percentage per rating option. □ Disabled Enabled	None
nclude percentages in the detailed rating results	Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. □ Disabled Enabled	None
Smiley Ratings	Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. □ Disabled Enabled	None
Reversed Rating Options	Displays the ratings options in reverse. ∷ Disabled Enabled	None

Option	Description	Default
Advanced Rating	In an advanced rating system, the options and calculation method can be configured.	Disabled
Option	Description	Default
Rating recalculation mode	Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. ☐ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to re-index the object	Recalculate on vote
Recalculation odds (1 in X)	Dice roll performed on every request. When successful, will recalculate a certain number of votes.	100 votes
Recalculation count	How many ratings should be recalculated when odds strike.	100 ratings
P can be checked	Check anonymous votes by user's IP	Disabled
Multiple votes per user	Allow users to vote multiple times in the same poll.	None
Rating	Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template†which is created in the Polls feature: set a poll's â€~active' drop-down to "templateâ€. Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results	Disabled
Simple wiki ratings	Enable users to rate wiki pages based on a simple numeric scale. $oldsymbol{oldsymbol{\bot}}$	Disabled
Wiki rating options	List of options available for the rating of wiki pages	0,1,2,3,4,5
Jser ratings on articles	Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Jse vote system for comments	Allow users with permission to vote on comments. • Permissions involved: vote_comments, wiki_view_comments, ratings_view_results	Disabled
Simple wiki comment ratings	Enable users to rate comments based on a simple numeric scale.	Disabled
Wiki rating options	List of options available for the rating of wiki comments.	0,1,2,3,4,5
Display Post new comment form		Disabled

Option	Description	Default
Rating	A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings	Disabled
Default rating options	List of options available.	0,1,2,3,4
Detailed rating results	Displays a table with the result count and percentage per rating option. □ Disabled Enabled	None
nclude percentages in the detailed rating results	Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. iii Disabled Enabled	None
Smiley Ratings	Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. ☐ Disabled Enabled	None
Reversed Rating Options	Displays the ratings options in reverse. ☐ Disabled Enabled	None
Advanced Rating	In an advanced rating system, the options and calculation method can be configured.	Disabled
Option	Description	Default
Rating recalculation mode	Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. ☐ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to re-index the object	Recalculate on vote
Recalculation odds (1 in X)	Dice roll performed on every request. When successful, will recalculate a certain number of votes.	100 votes
Recalculation count	How many ratings should be recalculated when odds strike.	100 ratings
P can be checked	Check anonymous votes by user's IP	Disabled
Multiple votes per user	Allow users to vote multiple times in the same poll. iii Disabled Enabled	None
Rating	Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template†which is created in the Polls feature: set a poll's â€~active' drop-down to "templateâ€. В Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results	Disabled
Simple wiki ratings	Enable users to rate wiki pages based on a simple numeric scale. 🚣	Disabled

Option	Description	Default
Wiki rating options	List of options available for the rating of wiki pages	0,1,2,3,4,5
Jser ratings on articles	Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Jse vote system for comments	Allow users with permission to vote on comments. Begin Permissions involved: vote_comments, wiki_view_comments, ratings_view_results	Disabled
simple wiki comment ratings	Enable users to rate comments based on a simple numeric scale.	Disabled
Wiki rating options	List of options available for the rating of wiki comments.	0,1,2,3,4,5
Display Post new comment form by default		Disabled
Rating	A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings	Disabled
Default rating options	List of options available.	0,1,2,3,4
Detailed rating results	Displays a table with the result count and percentage per rating option. iii Disabled Enabled	None
nclude percentages in the detailed rating results	Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. i≡ Disabled Enabled	None
Smiley Ratings	Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. □ Disabled Enabled	None
Reversed Rating Options	Displays the ratings options in reverse. □ Disabled Enabled	None
Advanced Rating	In an advanced rating system, the options and calculation method can be configured.	Disabled
Option	Description	Default
Rating recalculation mode	Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. ☐ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to re-index the object	Recalculate on vote

Option	Description	Default
Recalculation odds (1 in X)	Dice roll performed on every request. When successful, will recalculate a certain number of votes.	100 votes
Recalculation count	How many ratings should be recalculated when odds strike.	100 ratings
P can be checked	Check anonymous votes by user's IP	Disabled
Multiple votes per user	Allow users to vote multiple times in the same poll.	None
Rating	Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template†which is created in the Polls feature: set a poll' s â€~active' drop-down to "templateâ€. ••• Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results	Disabled
Simple wiki ratings	Enable users to rate wiki pages based on a simple numeric scale. $oldsymbol{oldsymbol{\bot}}$	Disabled
Niki rating options	List of options available for the rating of wiki pages	0,1,2,3,4,5
Jser ratings on articles	Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Jse vote system for comments	Allow users with permission to vote on comments. Begin Permissions involved: vote_comments, wiki_view_comments, ratings_view_results	Disabled
Simple wiki comment ratings	Enable users to rate comments based on a simple numeric scale.	Disabled
Wiki rating options	List of options available for the rating of wiki comments.	0,1,2,3,4,5
Display Post new comment form by default		Disabled
Rating	A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings	Disabled
Default rating options	List of options available.	0,1,2,3,4
Detailed rating results	Displays a table with the result count and percentage per rating option. □ Disabled Enabled	None
nclude percentages in the detailed rating results	Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown.	None

	with 0-11 only, depending on the configuration. ■ Disabled Enabled	z. Works Worke
	Displays the ratings options in reverse. ≣ Disabled Enabled	None
Advanced Rating	n an advanced rating system, the options and calculation method can be configured.	Disabled
	RSS Feeds	
Option	Description	Default
RSS for articles	RSS feeds for articles	Disabled
Fitle		Tiki RSS feed for articles
Article RSS description	Description to be published as part of the RSS feed for articles.	Last articles.
Maximum number of items to displa	y	10 items
Show author		Disabled
Homepage URL		None
RSS for blogs	RSS feeds for blogs	Disabled
<u> Fitle</u>		Tiki RSS feed for blogs
Blogs RSS description	Description to be published as part of the RSS feed for blogs.	Last posts to weblogs.
Maximum number of items to displa	у	10 items
Show author		Disabled
Homepage URL		None
RSS for individual blogs	RSS feeds for individual blogs	Disabled
Гitle	Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.	None
Blog RSS Description	Description to be prepended to the blog description and published as part of the	None

RSS feeds for individual blogs. If this field is empty, the blog description only will

Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works

Default

None

10 items

Option

Smiley Ratings

Description

be used.

Maximum number of items to display

Option	Description	Default
Show author		Disabled
Homepage URL		None
RSS for file galleries	RSS feed for file galleries	Disabled
Γitle		Tiki RSS feed for file gall
File galleries RSS description	Description to be published as part of the RSS feed for file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Homepage URL		None
RSS for individual file galleries	RSS feeds for individual file galleries	Disabled
Fitle Fitle		Tiki RSS feed for the file
ndividual file galleries RSS description	Description to be published as part of the RSS feeds for individual file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Homepage URL		None
RSS for wiki pages	RSS feed for wiki pages	Disabled
Fitle Fitle		Tiki RSS feed for the wiki
Niki pages RSS description	Description to be published as part of the RSS feed for wiki pages pages.	Latest wiki page changes.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for forums	RSS feed for forums	Disabled
Γitle		Tiki RSS feed for forums
Forums RSS description	Description to be published as part of the RSS feed for forums.	Latest forum topics.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual forums	RSS feeds for individual forums	Disabled
Γitle		Tiki RSS feed for forum:
ndividual forums RSS description	Description to be published as part of the RSS feeds for individual forums.	Latest posts to this form
Maximum number of items to display		10 items

Option	Description	Default
Show author		Disabled
Homepage URL		None
RSS per tracker	RSS feed per tracker	Disabled
<u> Fitle</u>		Tiki RSS feed for individua
ndividual trackers RSS description	Description to be published as part of the RSS feed for individual trackers.	Latest additions to this tr
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
Fracker labels	Include tracker field labels in the RSS output	Enabled
RSS for calendar events	RSS feed for calendar events	Disabled
<u> Fitle</u>		Tiki RSS feed for calendars
Calendar events RSS description	Description to be published as part of the RSS feed for calendar events.	Upcoming Events.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for directories	RSS feed for directories	Disabled
<u> Fitle</u>		Tiki RSS feed for directory
Directories RSS description	Description to be published as part of the RSS feed for directories.	Latest sites.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for shoutbox	RSS feed for shoutbox	None
<u> Fitle</u>		Tiki RSS feed for shoutbox
Shoutbox RSS description	Description to be published as part of the RSS feed for shoutbox messages.	Latest shoutbox messages.
Maximum number of items to display		None
Show author		Disabled
Homepage URL		None

Option	Description	Default
RSS for articles	RSS feeds for articles	Disabled
<u> Fitle</u>		Tiki RSS feed for articles
Article RSS description	Description to be published as part of the RSS feed for articles.	Last articles.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for blogs	RSS feeds for blogs	Disabled
Гitle		Tiki RSS feed for blogs
Blogs RSS description	Description to be published as part of the RSS feed for blogs.	Last posts to weblogs.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual blogs	RSS feeds for individual blogs	Disabled
Γitle	Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.	None
Blog RSS Description	Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.	None
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for file galleries	RSS feed for file galleries	Disabled
<u> Fitle</u>		Tiki RSS feed for file gall
ile galleries RSS description	Description to be published as part of the RSS feed for file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Homepage URL		None
RSS for individual file galleries	RSS feeds for individual file galleries	Disabled
<u> Fitle</u>		Tiki RSS feed for the file
ndividual file galleries RSS description	Description to be published as part of the RSS feeds for individual file galleries.	Latest files uploaded to th

Option	Description	Default
Maximum number of items to display		10 items
Homepage URL		None
RSS for wiki pages	RSS feed for wiki pages	Disabled
<u> Fitle</u>		Tiki RSS feed for the wiki
Wiki pages RSS description	Description to be published as part of the RSS feed for wiki pages pages.	Latest wiki page changes.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for forums	RSS feed for forums	Disabled
<u> Fitle</u>		Tiki RSS feed for forums
Forums RSS description	Description to be published as part of the RSS feed for forums.	Latest forum topics.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual forums	RSS feeds for individual forums	Disabled
Fitle		Tiki RSS feed for forum:
ndividual forums RSS description	Description to be published as part of the RSS feeds for individual forums.	Latest posts to this form
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS per tracker	RSS feed per tracker	Disabled
Fitle		Tiki RSS feed for individua
ndividual trackers RSS description	Description to be published as part of the RSS feed for individual trackers.	Latest additions to this tr
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
Fracker labels	Include tracker field labels in the RSS output	Enabled
RSS for calendar events	RSS feed for calendar events	Disabled

Option	Description	Default
Гitle		Tiki RSS feed for calendars
Calendar events RSS description	Description to be published as part of the RSS feed for calendar events.	Upcoming Events.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for directories	RSS feed for directories	Disabled
Гitle		Tiki RSS feed for directory
Directories RSS description	Description to be published as part of the RSS feed for directories.	Latest sites.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for shoutbox	RSS feed for shoutbox	None
Гitle		Tiki RSS feed for shoutbox
Shoutbox RSS description	Description to be published as part of the RSS feed for shoutbox messages.	Latest shoutbox messages.
Maximum number of items to display		None
Show author		Disabled
Homepage URL		None
Option	Description	Default
RSS for articles	RSS feeds for articles	Disabled
Гitle		Tiki RSS feed for articles
Article RSS description	Description to be published as part of the RSS feed for articles.	Last articles.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for blogs	RSS feeds for blogs	Disabled
Гitle		Tiki RSS feed for blogs
Blogs RSS description	Description to be published as part of the RSS feed for blogs.	Last posts to weblogs.
Maximum number of items to display		10 items

Option	Description	Default
Show author		Disabled
Homepage URL		None
RSS for individual blogs	RSS feeds for individual blogs	Disabled
Title	Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.	None
Blog RSS Description	Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.	None
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for file galleries	RSS feed for file galleries	Disabled
Fitle Fitle		Tiki RSS feed for file gall
File galleries RSS description	Description to be published as part of the RSS feed for file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Homepage URL		None
RSS for individual file galleries	RSS feeds for individual file galleries	Disabled
Γitle		Tiki RSS feed for the file
ndividual file galleries RSS description	Description to be published as part of the RSS feeds for individual file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Homepage URL		None
RSS for wiki pages	RSS feed for wiki pages	Disabled
Γitle		Tiki RSS feed for the wiki
Niki pages RSS description	Description to be published as part of the RSS feed for wiki pages pages.	Latest wiki page changes.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for forums	RSS feed for forums	Disabled
Title Title		Tiki RSS feed for forums

Option	Description	Default
Forums RSS description	Description to be published as part of the RSS feed for forums.	Latest forum topics.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual forums	RSS feeds for individual forums	Disabled
Гitle		Tiki RSS feed for forum:
ndividual forums RSS description	Description to be published as part of the RSS feeds for individual forums.	Latest posts to this form
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS per tracker	RSS feed per tracker	Disabled
<u> Fitle</u>		Tiki RSS feed for individua
ndividual trackers RSS description	Description to be published as part of the RSS feed for individual trackers.	Latest additions to this tr
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
Fracker labels	Include tracker field labels in the RSS output	Enabled
RSS for calendar events	RSS feed for calendar events	Disabled
<u> Fitle</u>		Tiki RSS feed for calendars
Calendar events RSS description	Description to be published as part of the RSS feed for calendar events.	Upcoming Events.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for directories	RSS feed for directories	Disabled
<u> Fitle</u>		Tiki RSS feed for directory
Directories RSS description	Description to be published as part of the RSS feed for directories.	Latest sites.
Maximum number of items to display		10 items
Show author		Disabled

Option	Description	Default
Homepage URL		None
RSS for shoutbox	RSS feed for shoutbox	None
Гitle		Tiki RSS feed for shoutbox
Shoutbox RSS description	Description to be published as part of the RSS feed for shoutbox messages.	Latest shoutbox messages.
Maximum number of items to display		None
Show author		Disabled
Homepage URL		None
Option	Description	Default
RSS for articles	RSS feeds for articles	Disabled
Fitle Fitle		Tiki RSS feed for articles
Article RSS description	Description to be published as part of the RSS feed for articles.	Last articles.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for blogs	RSS feeds for blogs	Disabled
Гitle		Tiki RSS feed for blogs
Blogs RSS description	Description to be published as part of the RSS feed for blogs.	Last posts to weblogs.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual blogs	RSS feeds for individual blogs	Disabled
Гitle	Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.	None
Blog RSS Description	Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.	None
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None

Option	Description	Default
RSS for file galleries	RSS feed for file galleries	Disabled
Гitle		Tiki RSS feed for file gall
File galleries RSS description	Description to be published as part of the RSS feed for file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Homepage URL		None
RSS for individual file galleries	RSS feeds for individual file galleries	Disabled
Fitle		Tiki RSS feed for the file
ndividual file galleries RSS description	Description to be published as part of the RSS feeds for individual file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Homepage URL		None
RSS for wiki pages	RSS feed for wiki pages	Disabled
<u> Fitle</u>		Tiki RSS feed for the wiki \dots
Niki pages RSS description	Description to be published as part of the RSS feed for wiki pages pages.	Latest wiki page changes.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for forums	RSS feed for forums	Disabled
Fitle Fitle		Tiki RSS feed for forums
Forums RSS description	Description to be published as part of the RSS feed for forums.	Latest forum topics.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual forums	RSS feeds for individual forums	Disabled
<u> Fitle</u>		Tiki RSS feed for forum:
ndividual forums RSS description	Description to be published as part of the RSS feeds for individual forums.	Latest posts to this form
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None

Option	Description	Default
RSS per tracker	RSS feed per tracker	Disabled
Fitle		Tiki RSS feed for individua
ndividual trackers RSS description	Description to be published as part of the RSS feed for individual trackers.	Latest additions to this tr
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
Fracker labels	Include tracker field labels in the RSS output	Enabled
RSS for calendar events	RSS feed for calendar events	Disabled
Fitle		Tiki RSS feed for calendars
Calendar events RSS description	Description to be published as part of the RSS feed for calendar events.	Upcoming Events.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for directories	RSS feed for directories	Disabled
Fitle		Tiki RSS feed for directory
Directories RSS description	Description to be published as part of the RSS feed for directories.	Latest sites.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for shoutbox	RSS feed for shoutbox	None
Fitle		Tiki RSS feed for shoutbox
Shoutbox RSS description	Description to be published as part of the RSS feed for shoutbox messages.	Latest shoutbox messages.
Maximum number of items to display		None
Show author		Disabled
Homepage URL		None
Option	Description	Default
RSS for articles	RSS feeds for articles	Disabled
<u> Fitle</u>		Tiki RSS feed for articles

Option	Description	Default
Article RSS description	Description to be published as part of the RSS feed for articles.	Last articles.
Maximum number of items to display		10 items
show author		Disabled
Homepage URL		None
RSS for blogs	RSS feeds for blogs	Disabled
Гitle		Tiki RSS feed for blogs
Blogs RSS description	Description to be published as part of the RSS feed for blogs.	Last posts to weblogs.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual blogs	RSS feeds for individual blogs	Disabled
Гitle	Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.	None
Blog RSS Description	Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.	None
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for image galleries	RSS feed for image galleries	Disabled
<u> Fitle</u>		Tiki RSS feed for image gal
mage galleries RSS description	Description to be published as part of the RSS feed for image galleries.	Latest images uploaded to t
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual image galleries	RSS feeds for individual image galleries	Disabled
Fitle		Tiki RSS feed for the image
ndividual image galleries RSS Description	Description to be published as part of the RSS feeds for individual image galleries.	Latest images uploaded to t

Option	Description	Default
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for file galleries	RSS feed for file galleries	Disabled
Fitle		Tiki RSS feed for file gall
File galleries RSS description	Description to be published as part of the RSS feed for file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual file galleries	RSS feeds for individual file galleries	Disabled
Fitle		Tiki RSS feed for the file
ndividual file galleries RSS description	Description to be published as part of the RSS feeds for individual file galleries.	Latest files uploaded to th
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for wiki pages	RSS feed for wiki pages	Disabled
Fitle		Tiki RSS feed for the wiki
Wiki pages RSS description	Description to be published as part of the RSS feed for wiki pages pages.	Latest wiki page changes.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for forums	RSS feed for forums	Disabled
Fitle		Tiki RSS feed for forums
Forums RSS description	Description to be published as part of the RSS feed for forums.	Latest forum topics.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None

Option	Description	Default
RSS for individual forums	RSS feeds for individual forums	Disabled
<u> Fitle</u>		Tiki RSS feed for forum:
ndividual forums RSS description	Description to be published as part of the RSS feeds for individual forums.	Latest posts to this form
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS per tracker	RSS feed per tracker	Disabled
Гitle		Tiki RSS feed for individua
ndividual trackers RSS description	Description to be published as part of the RSS feed for individual trackers.	Latest additions to this tr
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
Fracker labels	Include tracker field labels in the RSS output	Enabled
RSS for calendar events	RSS feed for calendar events	Disabled
Гitle		Tiki RSS feed for calendars
Calendar events RSS description	Description to be published as part of the RSS feed for calendar events.	Upcoming Events.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for directories	RSS feed for directories	Disabled
Гitle		Tiki RSS feed for directory
Directories RSS description	Description to be published as part of the RSS feed for directories.	Latest sites.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for shoutbox	RSS feed for shoutbox	None
<u> Fitle</u>		Tiki RSS feed for shoutbox
Shoutbox RSS description	Description to be published as part of the RSS feed for shoutbox messages.	Latest shoutbox messages.

Option	Description	Default
Maximum number of item	s to display	None
Show author		Disabled
Homepage URL		None
	RSS General preferenc	es
Option	Description	Default
Default feed format		ATOM 1.0
eed author name	Default author of each item in the feed. This field is mandatory unless both feed author email and homepage are empty.	None
eed author email	Email of the author of each item in the feed.	None
eed author homepage	Homepage URL of the author of each item in the feed.	None
eed editor email	Email address for person responsible for editorial content.	None
eed webmaster email	Email address for person responsible for technical issues relating to channel.	None
eed image path	Specifies a GIF, JPEG or PNG image that can be displayed with the feed.	img/tiki/Tiki_WCG.png
eed language	The default language for this feed	en-us
Feed caching time	Cache the feed for this number of seconds. ★ Feed caching is done for anonymous users only. ♣ Use 0 for no caching	300 seconds
RSS basic authentication	Propose basic HTTP authentication if the user has no permission to see the feed	Disabled
Option	Description	Default
Default feed format		ATOM 1.0
eed author name	Default author of each item in the feed. This field is mandatory unless both feed author email and homepage are empty.	None
eed author email	Email of the author of each item in the feed.	None
eed author homepage	Homepage URL of the author of each item in the feed.	None
eed editor email	Email address for person responsible for editorial content.	None

Option	Description	Default
eed webmaster email	Email address for person responsible for technical issues relating to channel.	None
eed image path	Specifies a GIF, JPEG or PNG image that can be displayed with the feed.	img/tiki/Tiki_WCG.png
Feed language	The default language for this feed	en-us
eed caching time	Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. b Use 0 for no caching	300 seconds
RSS basic authentication	Propose basic HTTP authentication if the user has no permission to see the feed	Disabled
Option	Description	Default
Default feed format	♣ Atom 1.0 - RSS 2.0 ≡ ATOM 1.0 RSS 2.0	ATOM 1.0
eed author name	Default author of each item in the feed. † This field is mandatory unless both feed author email and homepage are empty.	None
eed author email	Email of the author of each item in the feed.	None
eed author homepage	Homepage URL of the author of each item in the feed.	None
eed editor email	Email address for person responsible for editorial content.	None
eed webmaster email	Email address for person responsible for technical issues relating to channel.	None
eed image path	Specifies a GIF, JPEG or PNG image that can be displayed with the feed.	img/tiki/Tiki_WCG.png
Feed language	The default language for this feed	en-us
Feed caching time	Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. b Use 0 for no caching	300 seconds
RSS basic authentication	Propose basic HTTP authentication if the user has no permission to see the feed	Disabled
Option	Description	Default
Default feed format	♣ Atom 1.0 - RSS 2.0 ≡ ATOM 1.0 RSS 2.0	ATOM 1.0
Feed author name	Default author of each item in the feed. hat This field is mandatory unless both feed author email and homepage are empty.	None
eed author email	Email of the author of each item in the feed.	None
eed author homepage	Homepage URL of the author of each item in the feed.	None
eed editor email	Email address for person responsible for editorial content.	None

Option	Description	Default
eed webmaster email	Email address for person responsible for technical issues relating to channel.	None
eed image path	Specifies a GIF, JPEG or PNG image that can be displayed with the feed.	img/tiki/Tiki_WCG.png
eed language	The default language for this feed	en-us
eed caching time	Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. * Use 0 for no caching	300 seconds
RSS basic authentication	Propose basic HTTP authentication if the user has no permission to see the feed	Disabled
Option	Description	Default
Default feed format	♣ Atom 1.0 - RSS 2.0 ■ ATOM 1.0 RSS 2.0	ATOM 1.0
Feed author name	Default author of each item in the feed. This field is mandatory unless both feed author email and homepage are empty.	None
eed author email	Email of the author of each item in the feed.	None
eed author homepage	Homepage URL of the author of each item in the feed.	None
eed editor email	Email address for person responsible for editorial content.	None
eed webmaster email	Email address for person responsible for technical issues relating to channel.	None
eed image path	Specifies a GIF, JPEG or PNG image that can be displayed with the feed.	img/tiki/Tiki_WCG.png
eed language	The default language for this feed	en-us
eed caching time	Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. * Use 0 for no caching	300 seconds
RSS basic authentication	Propose basic HTTP authentication if the user has no permission to see the feed	Disabled
	RSS Incoming feeds	
Option	Description	Default
etch page content from i eeds	ncoming Page content from the source will be fetched before sending the content to the generators	s. Disabled
Fracker for articles	Have a tracker to supplement article information	Disabled

Option	Description	Default
Fracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
ndex article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled
Option	Description	Default
etch page content from incoming eeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Fracker for articles	Have a tracker to supplement article information	Disabled
Fracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
ndex article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled
Option	Description	Default
Fetch page content from incoming eeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Fracker for articles	Have a tracker to supplement article information	Disabled
Fracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
ndex article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled
Option	Description	Default
Fetch page content from incoming eeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Fracker for articles	Have a tracker to supplement article information	Disabled
Fracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
ndex article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled
Option	Description	Default
Fetch page content from incoming eeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Fracker for articles	Have a tracker to supplement article information	Disabled
Fracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None

Option	Description	Default
ndex article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	e Disable
	RTC -Â BigBlueButton	
Option	Description	Default
BigBlueButton web conferencing	Integration with the BigBlueButton collaboration server for web conference and screen sharing.	Disabled
BigBlueButton server location	Full URL to the BigBlueButton installation. http://host.example.com/	None
BigBlueButton server salt	A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.	None
BigBlueButton recording maximum duration	A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.	300 minutes
BigBlueButton dynamic configuration	Uses the advanced options of BigBlueButton to configure the XML per room. $oldsymbol{oldsymbol{\sqcup}}$	Disabled
Plugin BigBlueButton	Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.	Enabled
Option	Description	Default
BigBlueButton web conferencing	Integration with the BigBlueButton collaboration server for web conference and screen sharing.	Disabled
BigBlueButton server location	Full URL to the BigBlueButton installation. http://host.example.com/	None
BigBlueButton server salt	A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.	None
BigBlueButton recording maximum duration	A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.	300 minutes
Plugin BigBlueButton	Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.	Enabled
Option	Description	Default
BigBlueButton web conferencing	Integration with the BigBlueButton collaboration server for web conference and screen sharing.	Disabled
BigBlueButton server location	Full URL to the BigBlueButton installation. http://host.example.com/	None

Option	Description	Default
BigBlueButton server salt	A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.	None
BigBlueButton recording maximum duration	A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.	300 minutes
Plugin BigBlueButton	Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.	Enabled
Option	Description	Default
BigBlueButton web conferencing	Integration with the BigBlueButton collaboration server for web conference and screen sharing.	Disabled
BigBlueButton server location	Full URL to the BigBlueButton installation. http://host.example.com/	None
BigBlueButton server salt	A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.	None
BigBlueButton recording maximum duration	A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.	300 minutes
Plugin BigBlueButton	Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.	Enabled
_		Defeable
Option	Description	Default
Option BigBlueButton web conferencing	Integration with the BigBlueButton collaboration server for web conference and screen sharing.	De rault Disabled
	•	
BigBlueButton web conferencing	Integration with the BigBlueButton collaboration server for web conference and screen sharing. Full URL to the BigBlueButton installation.	Disabled
BigBlueButton web conferencing BigBlueButton server location	Integration with the BigBlueButton collaboration server for web conference and screen sharing. Full URL to the BigBlueButton installation. http://host.example.com/ A salt key used to generate checksums for the BigBlueButton server to assure that requests are	Disabled None
BigBlueButton web conferencing BigBlueButton server location BigBlueButton server salt BigBlueButton recording maximum	Integration with the BigBlueButton collaboration server for web conference and screen sharing. Full URL to the BigBlueButton installation. http://host.example.com/ A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic. A maximum duration for the meetings must be submitted to BigBlueButton to prevent the	Disabled None None
BigBlueButton web conferencing BigBlueButton server location BigBlueButton server salt BigBlueButton recording maximum duration	Integration with the BigBlueButton collaboration server for web conference and screen sharing. Full URL to the BigBlueButton installation. http://host.example.com/ A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic. A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.	Disabled None None 300 minutes
BigBlueButton web conferencing BigBlueButton server location BigBlueButton server salt BigBlueButton recording maximum duration	Integration with the BigBlueButton collaboration server for web conference and screen sharing. Full URL to the BigBlueButton installation. http://host.example.com/ A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic. A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open. Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.	Disabled None None 300 minutes

Option	Description	Default
KMPP server domain	XMPP server domain	None
	♠ example.org	
KMPP http-bind URL	Full URL to the http-bind.	None
	♦ https://xmpp.example.org/http-bind/	
KMPP MUC Domain	Required for auto-joining rooms	None
	♠ conference.example.org	
Authentication method	The authentication method to be used by XMPP client □ Plain OAuth (uses Tiki as provider) Openfire TikiToken	None
Openfire REST API endpoint	Full URL to API endpoint	None
	♦ https://xmpp.example.org:9091/plugins/restapi/v1/	
Rest API username	Username to allow Openfire API usage	None
Rest API password	Password to allow Openfire API usage	None
Allow anonymous	Allow anonymous users on Chat	Disabled
Always Load ConverseJS	Adds the ConverseJS Javascript and CSS files to every page.	Disabled
ConverseJS Debug Mode	Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console	Disabled
ConverseJS Extra Settings	JSON format object defining extra optional settings to initialize ConverseJS	None
Option	Description	Default
KMPP client (ConverseJS)	Integration with Converse.js XMPP client.	Disabled
KMPP server domain	XMPP server domain	None
	lacktriangle example.org	
KMPP http-bind URL	Full URL to the http-bind.	None
	♦ https://xmpp.example.org/http-bind/	
KMPP MUC Domain	Required for auto-joining rooms • conference.example.org	None
Authentication method	The authentication method to be used by XMPP client i≡ Plain OAuth (uses Tiki as provider) Openfire TikiToken	None
Openfire REST API endpoint	Full URL to API endpoint https://xmpp.example.org:9091/plugins/restapi/v1/	None
Rest API username	Username to allow Openfire API usage	None
Rest API username Rest API password	Username to allow Openfire API usage Password to allow Openfire API usage	None None

Option	Description	Default
Allow anonymous	Allow anonymous users on Chat	Disabled
Always Load ConverseJS	Adds the ConverseJS Javascript and CSS files to every page.	Disabled
ConverseJS Debug Mode	Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console	Disabled
ConverseJS Extra Settings	JSON format object defining extra optional settings to initialize ConverseJS	None
Option	Description	Default
KMPP client (ConverseJS)	Integration with Converse.js XMPP client.	Disabled
KMPP server domain	XMPP server domain • example.org	None
KMPP http-bind URL	Full URL to the http-bind. https://xmpp.example.org/http-bind/	None
KMPP MUC Domain	Required for auto-joining rooms • conference.example.org	None
Authentication method	The authentication method to be used by XMPP client ☐ Plain OAuth (uses Tiki as provider) Openfire TikiToken	None
Openfire REST API endpoint	Full URL to API endpoint https://xmpp.example.org:9091/plugins/restapi/v1/	None
Rest API username	Username to allow Openfire API usage	None
Rest API password	Password to allow Openfire API usage	None
Always Load ConverseJS	Adds the ConverseJS Javascript and CSS files to every page.	Disabled
ConverseJS Debug Mode	Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console	Disabled
ConverseJS Extra Settings	JSON format object defining extra optional settings to initialize ConverseJS	None
Option	Description	Default
KMPP client (ConverseJS)	Integration with Converse.js XMPP client.	Disabled
KMPP server domain	XMPP server domain • example.org	None
KMPP http-bind URL	Full URL to the http-bind. https://xmpp.example.org/http-bind/	None
XMPP MUC Domain	Required for auto-joining rooms https://ocentre.com/separation-left separation-left 	None

	•	
Authentication method	The authentication method to be used by XMPP client ☐ Plain OAuth (uses Tiki as provider) Openfire TikiToken	None
Openfire REST API endpoint	Full URL to API endpoint https://xmpp.example.org:9091/plugins/restapi/v1/	None
Rest API username	Username to allow Openfire API usage	None
Rest API password	Password to allow Openfire API usage	None
Always Load ConverseJS	Adds the ConverseJS Javascript and CSS files to every page.	Disabled
ConverseJS Debug Mode	Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console	Disabled
ConverseJS Extra Settings	JSON format object defining extra optional settings to initialize ConverseJS	None
Option	Description	Default
KMPP client (ConverseJS)	Integration with Converse.js XMPP client.	Disabled
KMPP server domain	XMPP server domain • example.org	None
KMPP http-bind URL	Full URL to the http-bind. https://xmpp.example.org/http-bind/	None
KMPP MUC Domain	Required for auto-joining rooms https://example.org	None
Authentication method	The authentication method to be used by XMPP client ☐ Plain OAuth (uses Tiki as provider) Openfire TikiToken	None
Openfire REST API endpoint	Full URL to API endpoint https://xmpp.example.org:9091/plugins/restapi/v1/	None
Rest API username	Username to allow Openfire API usage	None
Rest API password	Password to allow Openfire API usage	None
ConverseJS Debug Mode	Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console	Disabled
·	JSON format object defining extra optional settings to initialize ConverseJS	None

Default

Option

Description