SEMANTIC LINKS

Option

Semantic links

Backlinks

Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.

Present a list of pages that link to the current page.

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Semantic links

Backlinks

Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.

Present a list of pages that link to the current page.

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Semantic links

Backlinks

Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.

Present a list of pages that link to the current page.

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Semantic links

Backlinks

Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.

Present a list of pages that link to the current page.

Disabled

Disabled

SHARE

Option

Share

Display links on the share page

Token notification

Add contact

Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums

A Be careful when allowing anonymous users to activate the antibot feature.

Users can subscribe to the notifications of consultation of the token.

If not already in the list, recipients are added to the list of contacts.

Disabled

Enabled

Enabled

Disabled

Option

Display name and email

Number of times accessed

Maximum number of times accessed

If the user is connected, the name and email will display in the page.

User can choose how many times the share page can be consulted.

Maximum number of times that the shared page can be consulted

Enabled

Disabled

-1 page hits

Unable to load the jQuery Sortable Tables feature.

Option

Share

Display links on the share page

Token notification

Add contact

Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums

A Be careful when allowing anonymous users to activate the antibot feature.

Users can subscribe to the notifications of consultation of the token.

If not already in the list, recipients are added to the list of contacts.

Disabled

Enabled

Enabled

Disabled

Option

Display name and email

Number of times accessed

Maximum number of times accessed

If the user is connected, the name and email will display in the page.

User can choose how many times the share page can be consulted.

Maximum number of times that the shared page can be consulted

Enabled

Disabled

-1 page hits

Unable to load the jQuery Sortable Tables feature.

Option

Share

Display links on the share page

Token notification

Add contact

Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums

A Be careful when allowing anonymous users to activate the antibot feature.

Users can subscribe to the notifications of consultation of the token.

If not already in the list, recipients are added to the list of contacts.

Disabled

Enabled

Enabled

Disabled

Option

Display name and email

Number of times accessed

Maximum number of times accessed

If the user is connected, the name and email will display in the page.

User can choose how many times the share page can be consulted.

Maximum number of times that the shared page can be consulted

Enabled

Disabled

-1 page hits

Unable to load the jQuery Sortable Tables feature.

Option

Share

Display links on the share page

Token notification

Add contact

Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums

A Be careful when allowing anonymous users to activate the antibot feature.

Users can subscribe to the notifications of consultation of the token.

If not already in the list, recipients are added to the list of contacts.

Disabled

Enabled

Enabled

Disabled

Option

Display name and email

Number of times accessed

Maximum number of times accessed

If the user is connected, the name and email will display in the page.

User can choose how many times the share page can be consulted.

Maximum number of times that the shared page can be consulted

Enabled

Disabled

-1 page hits

Unable to load the jQuery Sortable Tables feature.

SOCIAL NETWORKS - BIT.LY

Option

bit.ly login

DescriptionSite-wide log-in name (username) for bit.ly

None

Option

bit.ly key

Use site-wide account

Site-wide API key for bit.ly

When set to "yes", only the site-wide account will be used for all users.

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

bit.ly login

bit.ly key

Use site-wide account

Site-wide log-in name (username) for bit.ly

Site-wide API key for bit.ly

When set to "yes", only the site-wide account will be used for all users.

None

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

bit.ly login

bit.ly key

Use site-wide account

- Site-wide log-in name (username) for bit.ly
- Site-wide API key for bit.ly
- When set to "yes", only the site-wide account will be used for all users.

None

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

bit.ly login

bit.ly key

Use site-wide account

Site-wide log-in name (username) for bit.ly

Site-wide API key for bit.ly

When set to "yes", only the site-wide account will be used for all users.

None

None

Disabled

SOCIAL NETWORKS - FACEBOOK

Option

Facebook site name

Facebook site image

The default website name that will be used by Facebook (og:site_name) for every webpage. This parameter will be used instead of the browser title.

The default image (logo, picture, etc.) that will be used by Facebook (og:image) for every webpage. It must be specified as a URL. The minimum valid image size is 200x200px. However, Facebook recommends 1200x630px or larger for the best display on high resolution devices.

None

None

Option

Application ID

Application secret

Login using Facebook

Auto-create Tiki user

- Application ID generated by registering this Tiki site as an application at Facebook
- Application secret generated by registering this Tiki site as an application at Facebook
- Allow users to log in using Facebook
- Automatically create a Tiki user by the username of fb_xxxxxxxx for users logging in using Facebook if they do not yet have a Tiki account. If not, they will be asked to link or register a Tiki account

None

None

Disabled

Disabled

Option

Require Facebook users to enter local account info on creation

Set user email from Facebook on creation.

Create a user tracker item on registration

First and last name tracker field IDs to set on creation

Tiki can post to the Facebook wall

Tiki can manage events

- Require Facebook users to enter local account info, specifically email and local log-in name
- Tiki will set the user's email from Facebook on creation.
- Sets whether a tracker item should be created for the user upon registration
- Comma-separated, with first name field followed by last name field; for example, '2,3'
- Tiki may post status messages, notes, photos, and videos to the Facebook Wall.
- Tiki may create and RSVP to Facebook events.

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Tiki can manage pages

Tiki can SMS

Tiki can manage user pages.

Tiki can use SMS functions via Facebook.

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

SOCIAL NETWORKS - GENERAL

Option

Social networks

Integration with social applications and networks like Twitter and Facebook

DefaultDisabled

Unable to load the jQuery Sortable Tables feature.

Option

Social networks

Integration with social applications and networks like Twitter and Facebook

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Social networks

Integration with social applications and networks like Twitter and Facebook

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Social networks

Integration with social applications and networks like Twitter and Facebook

DefaultDisabled

Unable to load the jQuery Sortable Tables feature.

SOCIAL NETWORKS - LINKEDIN

Option

Client ID

Client secret

Log in using LinkedIn

Auto-create Tiki user from LinkedIn

- Client ID generated by registering this site as an application at LinkedIn
- Client Secret generated by registering this site as an application at LinkedIn
- Allow users to log in using LinkedIn.
- Automatically create a Tiki user by the username of li_xxxxxxxx for users logging in using LinkedIn if they do not yet have a Tiki account. If not, they will be asked to link or register a Tiki account

None

None

Disabled

Disabled

Option

Set user email from LinkedIn on creation.

Create a user tracker item on registration

First and last name tracker field IDs to set on creation

Tiki will set the user's email from LinkedIn on creation.

Sets whether a tracker item should be created for the user upon registration

Comma-separated, with first name field followed by last name field; for example, '2,3'

Disabled

Disabled

None

Unable to load the jQuery Sortable Tables feature.

SOCIAL NETWORKS - SHARETHIS

ShareThis buttons

Your ShareThis publisher identifier (optional)
Display ShareThis icon prominently

Enable sharing site content via ShareThis

Insert a ShareThis button from

http://www.sharethis.com.

Set to define your ShareThis publisher identifier

Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).

Disabled

None

Disabled

Unable to load the jQuery Sortable Tables feature.

ShareThis buttons

Your ShareThis publisher identifier (optional)
Display ShareThis icon prominently

Enable sharing site content via ShareThis

Insert a ShareThis button from

http://www.sharethis.com.

Set to define your ShareThis publisher identifier

Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).

Disabled

None

Disabled

Unable to load the jQuery Sortable Tables feature.

ShareThis buttons

Your ShareThis publisher identifier (optional)
Display ShareThis icon prominently

Enable sharing site content via ShareThis

Insert a ShareThis button from

http://www.sharethis.com.

Set to define your ShareThis publisher identifier

Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).

Disabled

None

Disabled

Unable to load the jQuery Sortable Tables feature.

ShareThis buttons

Your ShareThis publisher identifier (optional)
Display ShareThis icon prominently

Enable sharing site content via ShareThis

Insert a ShareThis button from

http://www.sharethis.com.

Set to define your ShareThis publisher identifier

Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).

Disabled

None

Disabled

Unable to load the jQuery Sortable Tables feature.

SOCIAL NETWORKS - TWITTER

Twitter site name

Twitter site image

Consumer key

Consumer secret

The default website name that will be used by Twitter (twitter:site) for every web page. This parameter will be used instead of the browser title.

The default image (logo, picture, etc) that will be used by Twitter (twitter:image) for every web page. The image must be specified as a URL.

Consumer key generated by registering this Tiki site as an application at Twitter

Consumer secret generated by registering this Tiki site as an application at Twitter.

None

None

None

None

STATS - GOOGLE ANALYTICS

Option

Google Analytics account number

Google Global Site Tag Mode

Google authentication credentials file

The account number for the site. The account number from Google is something like UA-XXXXXXX-YY or G-XXXXXXXXXX.

Left the account number with prefix (prefix eg: "G-" or "UA-")

Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.

Path to the Google Service Account credentials JSON file.

⚠ Must be kept private and not accessible on the internet directly

None

Enabled

None

Google Analytics Groups Option

Google Analytics Available Groups

Define option for Google Analytics groups

User groups for which Google Analytics will be available

DocTwoEditors | Registered | Team Developers

None

None

Unable to load the jQuery Sortable Tables feature.

Option

Google Analytics account number

The account number for the site. The account number from Google is something like UA-XXXXXXXYY.

Left the UA Enter only XXXXXXXXXYY (without the UA)

None

Google Global Site Tag Mode

Google authentication credentials file

Google Analytics Groups Option

Google Analytics Available Groups

- Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.
- Path to the Google Service Account credentials JSON file.
- ⚠ Must be kept private and not accessible on the internet directly
- Define option for Google Analytics groups
- User groups for which Google Analytics will be available
- DocTwoEditors | Registered | Team Developers

Enabled

None

None

None

Unable to load the jQuery Sortable Tables feature.

Google Analytics account number

Google Global Site Tag Mode

Google authentication credentials file

Google Analytics Groups Option

- The account number for the site. The account number from Google is something like UA-XXXXXXXYY.
- Left the UA Enter only XXXXXXXXXYY (without the UA)
- Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.
- Path to the Google Service Account credentials JSON file.
- ⚠ Must be kept private and not accessible on the internet directly
- Define option for Google Analytics groups None | Included | Excluded

None

Enabled

None

None

Google Analytics Available Groups

None

Unable to load the jQuery Sortable Tables feature.

Option

Google Analytics account number

Google Global Site Tag Mode

The account number for the site. The account number from Google is something like UA-XXXXXXXYY.

Left the UA Enter only XXXXXXXXXYY (without the UA)

Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.

None

Enabled

Google authentication credentials file

Google Analytics Groups Option

Google Analytics Available Groups

Path to the Google Service Account credentials JSON file.

A Must be kept private and not accessible on the internet directly

Define option for Google Analytics groups

User groups for which Google Analytics will be available

∷ All | Admins | Registered

None

None

None

Unable to load the jQuery Sortable Tables feature.

STATS - PIWIK ANALYTICS

Piwik server URL

Site Id

Piwik JavaScript tracking code

The URL to the Piwik server of this site
In Piwik, the selected site (Site Id) must have view permiss
set for anonymous, or a token authentication parameter of
be inserted in the Piwik server URL.



http(s)://yourpiwik.tld/index.php(?token_auth=yourtokenc

The ID of this website in Piwik

Code to be placed on every page of this website just before the tag

None

None

None

Piwik Groups Option

Piwik Available Groups

Define option for Piwik groups

≔ None | Included | Excluded

User groups for which piwik will be available

All | Admins | DocContributors | DocTwoAdmins | DocTwoEditors
Registered | Team Developers

None

None

Unable to load the jQuery Sortable Tables feature.

Piwik server URL

Site Id

Piwik JavaScript tracking code

The URL to the Piwik server of this site
In Piwik, the selected site (Site Id) must have view permiss
set for anonymous, or a token authentication parameter of
be inserted in the Piwik server URL.



http(s)://yourpiwik.tld/index.php(?token_auth=yourtokenc

The ID of this website in Piwik

Code to be placed on every page of this website just before the

None

None

tag Unable to load the jQuery Sortable Tables feature.

Piwik server URL

Site Id

Piwik JavaScript tracking code

The URL to the Piwik server of this site
In Piwik, the selected site (Site Id) must have view permiss
set for anonymous, or a token authentication parameter of
be inserted in the Piwik server URL.



http(s)://yourpiwik.tld/index.php(?token_auth=yourtokenc

The ID of this website in Piwik

Code to be placed on every page of this website just before the tag

None

None

None

Piwik Groups Option

Piwik Available Groups

Define option for Piwik groups

≔ None | Included | Excluded

User groups for which piwik will be available

∷ All | Admins | Registered

None

None

Unable to load the jQuery Sortable Tables feature.

Piwik server URL

Site Id

Piwik JavaScript tracking code

The URL to the Piwik server of this site
In Piwik, the selected site (Site Id) must have view permiss
set for anonymous, or a token authentication parameter of
be inserted in the Piwik server URL.



http(s)://yourpiwik.tld/index.php(?token_auth=yourtokenc

The ID of this website in Piwik

Code to be placed on every page of this website just before the tag

None

None

None

Piwik Groups Option

Piwik Available Groups

Define option for Piwik groups

≔ None | Included | Excluded

User groups for which piwik will be available

∷ All | Admins | Registered

None

None

Unable to load the jQuery Sortable Tables feature.

STATS - TIKI STATISTICS

Option

Stats

Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)

Disabled

Referrer stats

Count admin pageviews

Record domain name of sites that send visitors to this Tiki.

Include pageviews by Admin when reporting stats.

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Stats

Referrer stats

Count admin pageviews

Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)

Record domain name of sites that send visitors to this Tiki.

Include pageviews by Admin when reporting stats.

Disabled

Disabled

Disabled

Stats

Referrer stats

Count admin pageviews

Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)

Record domain name of sites that send visitors to this Tiki.

Include pageviews by Admin when reporting stats.

Disabled

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Stats

Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)

Disabled

Referrer stats

Count admin pageviews

Record domain name of sites that send visitors to this Tiki.

Include pageviews by Admin when reporting stats.

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

None

Piwik Groups Option

Piwik Available Groups

Define option for Piwik groups

■ None | Included | Excluded

User groups for which piwik will be available

DocTwoEditors | Registered | Team Developers

None

None