


Search Engine Friendly URL

Overview

This feature shortens and simplifies URLs, which make them both more friendly for users and for search engines

To access

Click the **SEFURL** icon  on the [Admin Panel](#)
or Access **<http://example.org/tiki-admin.php?page=sefurl>**

×

⚠ Important Note

Search Engine Friendly URLs will not work unless the `.htaccess` file is enabled. [Instructions for enabling `.htaccess`](#)

This setting may bring down your website if there is an issue with your `.htaccess` file.
Prior enabling this option check you have access to your database to disable it manually in case of.
Do not use this feature when installing Tiki on IIS server.

Related Topics

- [Search engine optimization](#)
- [Apache Clean URLs](#)
- [Bugs and Wishes](#)

Option

Search engine friendly URL

Canonical URL tag

HTTPS for user-specific links

Description

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Indicates to search engines which URL to use, to prevent duplicate listings

When building notification emails, RSS feeds, the canonical URL or other externally available links, use HTTPS when the content applies to a specific user. HTTPS must be configured on the server.

Default

Disabled

Enabled

Disabled

Option


Canonical URL domain

Wiki URL scheme

Description

If this is a testing site with duplicate content, you may want to put the real site domain here so search engines don't index the testing site. In complex perspective setups using multiple domains, you may want more control on which canonical domain is advertised.

Alter the SEFURL pattern for page names.

 *Use the "View" action to regenerate your URLs after changing this setting.*

 Replace spaces with dashes | Replace spaces with underscores
| URL Encode (Tiki Classic)

Default

None

Replace spaces with dashes

Option

Custom Routes

Short URL

Short URL base URL

Description

Custom routes allow the definition of URLs by the admin, that can be mapped to existing Tiki objects like pages and trackers. "Add BASE tag in the page HEAD" is required when you have "/" as part of the URL.

Provides the ability to create a short url, easy to share.

The base URL that is used when generating short URLs, including the HTTP prefix, example:

"http://www.example.com". By default will use the URL of the current website.

Default

Enabled

Disabled

None

Option


SEFURL postfilter

Max size of title in the search engine friendly URL
(Tracker Items and Forum Threads)

Article title in SEFURL

Blog title in SEFURL

Description

 *Do not enable this feature as most Tiki features output friendly URLs and this feature has high processor overhead.*

Limit the number of characters in the tracker item or forum thread title.

The article title rather than article number can be displayed in the search engine friendly URL.

The blog title rather than blog number can be displayed in the search engine friendly URL.

Default

Disabled

200

Enabled

Enabled

Option

Display forum thread or forum post title in the search engine friendly URL

Tracker title in SEFURL

Rewrite `tiki-view_tracker.php?itemId=yyy` to Prefixyyy page

Use Only ASCII in SEFURLs

Description

To display the title, you should disable `Rewrite tiki-view_tracker.php?itemId=yyy to Prefixyyy page`

This redirection uses the wiki prefix alias feature

Do not use accented characters in short (search engine friendly) URLs.

Default

Enabled

Enabled

Disabled

Disabled

Option

URL Frgament format

URL Fragment Guesser

Description

Provides ability to change anchor format

** Set to "Complete" to change the encoding and allow anchors to contain other characters in addition to ASCII letters and digits.*

☰ Strict | Complete

Scroll to the closest anchor when the one indicated in the URL is missing in a page.

Default

Strict

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Search engine friendly URL

Canonical URL tag

HTTPS for user-specific links

Description

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Indicates to search engines which URL to use, to prevent duplicate listings

When building notification emails, RSS feeds, the canonical URL or other externally available links, use HTTPS when the content applies to a specific user. HTTPS must be configured on the server.

Default

Disabled

Enabled

Disabled

Option


Canonical URL domain

Wiki URL scheme

Description

If this is a testing site with duplicate content, you may want to put the real site domain here so search engines don't index the testing site. In complex perspective setups using multiple domains, you may want more control on which canonical domain is advertised.

Alter the SEFURL pattern for page names.

 *Use the "View" action to regenerate your URLs after changing this setting.*

 Replace spaces with dashes | Replace spaces with underscores
| URL Encode (Tiki Classic)

Default

None

Replace spaces with dashes

Option

Custom Routes

Short URL

Short URL base URL

Description

Custom routes allow the definition of URLs by the admin, that can be mapped to existing Tiki objects like pages and trackers. "Add BASE tag in the page HEAD" is required when you have "/" as part of the URL.

Provides the ability to create a short url, easy to share.

The base URL that is used when generating short URLs, including the HTTP prefix, example:

"http://www.example.com". By default will use the URL of the current website.

Default

Enabled

Disabled

None

Option


SEFURL postfilter

Max size of title in the search engine friendly URL
(Tracker Items and Forum Threads)

Article title in SEFURL

Blog title in SEFURL

Description

 *Do not enable this feature as most Tiki features output friendly URLs and this feature has high processor overhead.*

Limit the number of characters in the tracker item or forum thread title.

The article title rather than article number can be displayed in the search engine friendly URL.

The blog title rather than blog number can be displayed in the search engine friendly URL.

Default

Disabled

200

Enabled

Enabled

Option

Display forum thread or forum post title in the search engine friendly URL

Tracker title in SEFURL

Rewrite `tiki-view_tracker.php?itemId=yyy` to Prefixyyy page

Use Only ASCII in SEFURLs

Description

To display the title, you should disable `Rewrite tiki-view_tracker.php?itemId=yyy to Prefixyyy page`

This redirection uses the wiki prefix alias feature

Do not use accented characters in short (search engine friendly) URLs.

Default

Enabled

Enabled

Disabled

Disabled

Option

URL Frgament format

URL Fragment Guesser

Description

Provides ability to change anchor format

** Set to "Complete" to change the encoding and allow anchors to contain other characters in addition to ASCII letters and digits.*

☰ Strict | Complete

Scroll to the closest anchor when the one indicated in the URL is missing in a page.

Default

Strict

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Search engine friendly URL

Canonical URL tag

HTTPS for user-specific links

Description

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Indicates to search engines which URL to use, to prevent duplicate listings

When building notification emails, RSS feeds, the canonical URL or other externally available links, use HTTPS when the content applies to a specific user. HTTPS must be configured on the server.

Default

Disabled

Enabled

Disabled

Option


Canonical URL domain

Wiki URL scheme

Description

If this is a testing site with duplicate content, you may want to put the real site domain here so search engines don't index the testing site. In complex perspective setups using multiple domains, you may want more control on which canonical domain is advertised.

Alter the SEFURL pattern for page names.

 *Use the "View" action to regenerate your URLs after changing this setting.*

 Replace spaces with dashes | Replace spaces with underscores
| URL Encode (Tiki Classic)

Default

None

Replace spaces with dashes

Option

Custom Routes

Short URL

Short URL base URL

Description

Custom routes allow the definition of URLs by the admin, that can be mapped to existing Tiki objects like pages and trackers. "Add BASE tag in the page HEAD" is required when you have "/" as part of the URL.

Provides the ability to create a short url, easy to share.

The base URL that is used when generating short URLs, including the HTTP prefix, example:

"http://www.example.com". By default will use the URL of the current website.

Default

Disabled

Disabled

None

Option


SEFURL postfilter

Max size of title in the search engine friendly URL
(Tracker Items and Forum Threads)

Article title in SEFURL

Blog title in SEFURL

Description

 *Do not enable this feature as most Tiki features output friendly URLs and this feature has high processor overhead.*

Limit the number of characters in the tracker item or forum thread title.

The article title rather than article number can be displayed in the search engine friendly URL.

The blog title rather than blog number can be displayed in the search engine friendly URL.

Default

Disabled

200

Enabled

Enabled

Option

Display forum thread or forum post title in the search engine friendly URL

Tracker title in SEFURL

Rewrite `tiki-view_tracker.php?itemId=yyy` to Prefixyyy page

Use Only ASCII in SEFURLs

Description

To display the title, you should disable `Rewrite tiki-view_tracker.php?itemId=yyy to Prefixyyy page`

This redirection uses the wiki prefix alias feature

Do not use accented characters in short (search engine friendly) URLs.

Default

Enabled

Disabled

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Search engine friendly URL

Canonical URL tag

HTTPS for user-specific links

Description

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Indicates to search engines which URL to use, to prevent duplicate listings

When building notification emails, RSS feeds, the canonical URL or other externally available links, use HTTPS when the content applies to a specific user. HTTPS must be configured on the server.

Default

Disabled

Enabled

Disabled

Option


Canonical URL domain

Wiki URL scheme

Description

If this is a testing site with duplicate content, you may want to put the real site domain here so search engines don't index the testing site. In complex perspective setups using multiple domains, you may want more control on which canonical domain is advertised.

Alter the SEFURL pattern for page names.

 *Use the "View" action to regenerate your URLs after changing this setting.*

 Replace spaces with dashes | Replace spaces with underscores
| URL Encode (Tiki Classic)

Default

None

Replace spaces with dashes

Option

Custom Routes

Short URL

Short URL base URL

Description

Custom routes allow the definition of URLs by the admin, that can be mapped to existing Tiki objects like pages and trackers. "Add BASE tag in the page HEAD" is required when you have "/" as part of the URL.

Provides the ability to create a short url, easy to share.

The base URL that is used when generating short URLs, including the HTTP prefix, example:

"http://www.example.com". By default will use the URL of the current website.

Default

Disabled

Disabled

None

Option


SEFURL postfilter

Max size of title in the search engine friendly URL
(Tracker Items and Forum Threads)

Article title in SEFURL

Blog title in SEFURL

Description

 *Do not enable this feature as most Tiki features output friendly URLs and this feature has high processor overhead.*

Limit the number of characters in the tracker item or forum thread title.

The article title rather than article number can be displayed in the search engine friendly URL.

The blog title rather than blog number can be displayed in the search engine friendly URL.

Default

Disabled

200

Enabled

Enabled

Option

Display forum thread or forum post title in the search engine friendly URL

Tracker title in SEFURL

Rewrite `tiki-view_tracker.php?itemId=yyy` to Prefixyyy page

Use Only ASCII in SEFURLs

Description

To display the title, you should disable `Rewrite tiki-view_tracker.php?itemId=yyy to Prefixyyy page`

This redirection uses the wiki prefix alias feature

Do not use accented characters in short (search engine friendly) URLs.

Default

Enabled

Disabled

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Search engine friendly URL

Canonical URL tag

HTTPS for user-specific links

Description

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Indicates to search engines which URL to use, to prevent duplicate listings

When building notification emails, RSS feeds, the canonical URL or other externally available links, use HTTPS when the content applies to a specific user. HTTPS must be configured on the server.

Default

Disabled

Enabled

Disabled

Option


Canonical URL domain

Wiki URL scheme

Description

If this is a testing site with duplicate content, you may want to put the real site domain here so search engines don't index the testing site. In complex perspective setups using multiple domains, you may want more control on which canonical domain is advertised.

Alter the SEFURL pattern for page names.

 *Use the "View" action to regenerate your URLs after changing this setting.*

 Replace spaces with dashes | Replace spaces with underscores
| URL Encode (Tiki Classic)

Default

None

Replace spaces with dashes

Option

Custom Routes

Short URL

Short URL base URL

Description

Custom routes allow the definition of URLs by the admin, that can be mapped to existing Tiki objects like pages and trackers. "Add BASE tag in the page HEAD" is required when you have "/" as part of the URL.

Provides the ability to create a short url, easy to share.

The base URL that is used when generating short URLs, including the HTTP prefix, example:

"http://www.example.com". By default will use the URL of the current website.

Default

Disabled

Disabled

None

Option


SEFURL postfilter

Max size of title in the search engine friendly URL
(Tracker Items and Forum Threads)

Article title in SEFURL

Blog title in SEFURL

Description

 *Do not enable this feature as most Tiki features output friendly URLs and this feature has high processor overhead.*

Limit the number of characters in the tracker item or forum thread title.

The article title rather than article number can be displayed in the search engine friendly URL.

The blog title rather than blog number can be displayed in the search engine friendly URL.

Default

Disabled

200

Enabled

Enabled

Option

Display forum thread or forum post title in the search engine friendly URL

Tracker title in SEFURL

Rewrite `tiki-view_tracker.php?itemId=yyy` to Prefixyyy page

Use Only ASCII in SEFURLs

Description

To display the title, you should disable `Rewrite tiki-view_tracker.php?itemId=yyy to Prefixyyy page`

This redirection uses the wiki prefix alias feature

Do not use accented characters in short (search engine friendly) URLs.

Default

Enabled

Disabled

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.