

Search Results tab

Overview

This tab is where the Administrator selects the appropriate results for a user search

To Access

From the [Search](#) page, click the **Search Results** tab.

Option

Use facets for default search interface

Facet result count

Excluded facets

Exclude non searchable fields from facets

Related Topics

- [Search](#)
- [Admin for Older Tiki Versions](#)
- [Search for Users](#)
- [Search Statistics Option](#)
- [Bugs and Wishes](#)

Description

Facets are dynamic filters generated by the search engine. This feature may not be supported for all search engines.

Default number of facet results to obtain

List of facets (a.k.a. aggregations) to exclude from the default

 *For example: object_type,title_initial,title_firstword,tracker*

Only tracker fields checked as "search" to generate facets

Default

Disabled

10 facet results

title_initial, title_firstword

Disabled

Option

Generate custom facets from categories

Use date histogram aggregations

Date histogram aggregations interval

Date range aggregations ranges

Restrict search language by default

Description

Comma-separated list of category IDs.

Use date histogram aggregations (facets) when indexing,

Default interval for date histogram aggregations.

Use "year, quarter, month, week, day, hour, minute, second" as described here

<https://www.elastic.co/guide/en/elasticsearch/reference/5.0/#date-histogram>

Default ranges for date range aggregations.

Comma separated ranges, one per line using Elasticsearch

<https://www.elastic.co/guide/en/elasticsearch/reference/5.0/#date-range>

Only search content that is in the interface language, other

Default

None

Disabled

Year

now-2y/y,now-1y/y,Last Year...

Disabled

Option

Default where

Category filter

Tag filter

Object filter

Sort order

Search box

Visits

Description

When object filter is not on, limit to search one type of object

☰ Entire site | Wiki pages | Blog posts | Articles | Files | Forums | T

Enables object type filters to be displayed above the search results by object type.

Shows a search box above the search results to do additional

Include the number of visits in the search results.

Default

None

Disabled

Disabled

Disabled

Disabled

Enabled

Disabled

Option

Relevance

Object type

Last-modified date

Parse search results

Highlight results pages

Description

Display Tiki's estimate of the relevance of search matches

Shows object type filters above the search results to further refine results by type.

Show the last-modified date in search results.

When enabled search results are parsed so content formatting is preserved.

 *May impact performance*

Highlight words on the result pages based on the search criteria.

Default

Disabled

Disabled

Disabled

Enabled

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

Use facets for default search interface

Facet result count

Excluded facets

Exclude non searchable fields from facets

Generate custom facets from categories

Use date histogram aggregations

Description

Facets are dynamic filters generated by the search engine. This feature may not be supported for all search engines.

Default number of facet results to obtain

List of facets (a.k.a. aggregations) to exclude from the default

👉 *For example: object_type,title_initial,title_firstword,track*

Only tracker fields checked as "search" to generate facets

Comma-separated list of category IDs.

Use date histogram aggregations (facets) when indexing,

Default

Disabled

10 facet results

None

Disabled

None

Disabled

Option

Date histogram aggregations interval

Date range aggregations ranges

Restrict search language by default

Default where

Description

Default interval for date histogram aggregations.

Use "year, quarter, month, week, day, hour, minute, second" as described here

<https://www.elastic.co/guide/en/elasticsearch/reference/5.0/date-histogram-aggregation.html>

Default ranges for date range aggregations.

Comma separated ranges, one per line using Elasticsearch

<https://www.elastic.co/guide/en/elasticsearch/reference/5.0/date-range-aggregation.html>

Only search content that is in the interface language, otherwise

When object filter is not on, limit to search one type of object

☰ Entire site | Wiki pages | Blog posts | Articles | Files | Forums | Tools

Default

Year

now-2y/y,now-1y/y,Last Year...

Disabled

None

Option

Category filter

Tag filter

Object filter

Sort order

Search box

Visits

Relevance

Description

Enables object type filters to be displayed above the search results by object type.

Shows a search box above the search results to do additional searches.

Include the number of visits in the search results.

Display Tiki's estimate of the relevance of search matches.

Default

Disabled

Disabled

Disabled

Disabled

Enabled

Disabled

Disabled

Option

Object type

Last-modified date

Parse search results

Highlight results pages

Description

Shows object type filters above the search results to further refine results by object type.

Show the last-modified date in search results.

When enabled search results are parsed so content formatting is preserved.

 *May impact performance*

Highlight words on the result pages based on the search criteria.

Default

Disabled

Disabled

Enabled

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

Use facets for default search interface

Description

Facets are dynamic filters generated by the search engine. This feature may not be supported for all search engines.

Default

Disabled

Option

Facet result count

Excluded facets

Exclude non searchable fields from facets

Generate custom facets from categories

Use date histogram aggregations

Date histogram aggregations interval

Description

Default number of facet results to obtain

List of facets (a.k.a. aggregations) to exclude from the default

👉 *For example: object_type,title_initial,title_firstword,tracker*

Only tracker fields checked as "search" to generate facets

Comma-separated list of category IDs.

Use date histogram aggregations (facets) when indexing,

Default interval for date histogram aggregations.

Use "year, quarter, month, week, day, hour, minute, second" as described here

<https://www.elastic.co/guide/en/elasticsearch/reference/5.0/>

Default

10 facet results

None

Disabled

None

Disabled

Year

Option

Date range aggregations ranges

Restrict search language by default

Default where

Category filter

Tag filter

Object filter

Description

Default ranges for date range aggregations.

Comma separated ranges, one per line using Elasticsearch

<https://www.elastic.co/guide/en/elasticsearch/reference/5.>

Only search content that is in the interface language, other

When object filter is not on, limit to search one type of obj

☰ Entire site | Wiki pages | Blog posts | Articles | Files | Forums | T

Enables object type filters to be displayed above the search
results by object type.

Default

now-2y/y,now-1y/y,Last Year...

Disabled

None

Disabled

Disabled

Disabled

Option

Sort order

Search box

Visits

Relevance

Object type

Last-modified date

Parse search results

Description

Shows a search box above the search results to do additional searches.

Include the number of visits in the search results.

Display Tiki's estimate of the relevance of search matches.

Shows object type filters above the search results to further filter results by object type.

Show the last-modified date in search results.

When enabled search results are parsed so content formatting is preserved.

 *May impact performance*

Default

Disabled

Enabled

Disabled

Disabled

Disabled

Disabled

Enabled

Option

Highlight results pages

Description

Highlight words on the result pages based on the search o

Default

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

Use facets for default search interface

Facet result count

Excluded facets

Generate custom facets from categories

Use date histogram aggregations

Description

Facets are dynamic filters generated by the search engine. This feature may not be supported for all search engines.

Default number of facet results to obtain

List of facets (a.k.a. aggregations) to exclude from the default

👉 *For example: object_type,title_initial,title_firstword,track*

Comma-separated list of category IDs.

Use date histogram aggregations (facets) when indexing,

Default

Disabled

10 facet results

None

None

Disabled

Option

Date histogram aggregations interval

Date range aggregations ranges

Restrict search language by default

Default where

Description

Default interval for date histogram aggregations.

Use "year, quarter, month, week, day, hour, minute, second" as described here

<https://www.elastic.co/guide/en/elasticsearch/reference/5.0/date-histogram-aggregation.html>

Default ranges for date range aggregations.

Comma separated ranges, one per line using Elasticsearch

<https://www.elastic.co/guide/en/elasticsearch/reference/5.0/date-range-aggregation.html>

Only search content that is in the interface language, otherwise

When object filter is not on, limit to search one type of object

☰ Entire site | Wiki pages | Blog posts | Articles | Files | Forums | T

Default

Year

now-2y/y,now-1y/y,Last Year...

Disabled

None

Option

Category filter

Tag filter

Object filter

Sort order

Search box

Visits

Relevance

Description

Enables object type filters to be displayed above the search results by object type.

Shows a search box above the search results to do additional searches.

Include the number of visits in the search results.

Display Tiki's estimate of the relevance of search matches.

Default

Disabled

Disabled

Disabled

Disabled

Enabled

Disabled

Disabled

Option

Object type

Last-modified date

Parse search results

Highlight results pages

Description

Shows object type filters above the search results to further refine results by type.

Show the last-modified date in search results.

When enabled search results are parsed so content formatting is preserved.

 *May impact performance*

Highlight words on the result pages based on the search criteria.

Default

Disabled

Disabled

Enabled

Enabled

Unable to load the jQuery Sortable Tables feature.