Ustream Watershed tab

Overview

Ustream Watershed Webcasting Platform

To Access

From the Video page, click the **Ustream Watershed** tab.

Note

This feature has been removed.

() Ustream Watershed Registration
If you don't have a Watershed account, you can find out more about it here.
Adivate the feature
Log errors to Tiki log ()
Configuration within Watershed
Set the webservice to point to tiki-watershed_service.php on your site, and turn on Authentication Lock.
() Watershed Wiki plugins
Use Wiki plugins WatershedBroadcaster, WatershedViewer and WatershedChat to embed your
broadcaster, viewer or chat. Basic tracker settings
Tracker Information for each channel is stored in a tracker. Tracker item view/modify permissions will
determine which channels users will be able to view or broadcast to respectively. You can find the Brand Id and Channel Code from the embed codes provided by Watershed, looking for the
cid variable which will be "brandld%2Fchannelcode"
Tracker ID of Channel tracker.
Field ID of Brandid:
Field ID of ChannelCode:
Archive settings
() Tracker O
Information on archived clips are stored in a tracker. Tracker item view permissions will
determine which archives users will be able to view. Note that recordings set to private in the broadcaster are not added to Tiki. Also, there is a delay for information to be received which could
be quite long (30 min).
Tracker ID of Archive tracker.
Field ID of videoId:
Field ID of Brandid for Archive:
Field ID of ChannelCode for Archive:
Field ID of rtmpURL for Archive (url field type):
Field ID of flvURL for Archive (url field type):
Field ID of Date string for Archive:
Field ID of Duration for Archive:
Field ID of Filesize for Archive:
Field ID of Title for Archive:
Field ID of Description for Archive (textarea field type):
Field ID of Tags for Archive (freetags field type):
Flash Media Encoder
() Flash Media Encoder
This is only needed if you are using Flash Media Encoder for higher-quality broadcasting which support only shared secret authentication.
Flash Media Encoder shared secret.
Save
- Save
Coolel Networks tob

Social Networks tab

Setting

Description

Activate the feature

Jstream Watershed:

Related Topics • reference

Setting

_og Errors to Tiki log

Basic tracker settings

Fracker ID of Channel tracker:

Field ID of ChannelCode:

Archive settings

- Fracker ID of Archive tracker: Field ID of videold:
- Field ID of BrandId for Archive:
- Field ID of ChannelCode for Archive:
- Field ID of rtmpURL for Archive (url Field type):
- Field ID of fivURL for Archive (url Field type):

Archive settings (optional)

- Field ID of Date string for Archive: Field ID of Duration for Archive:
- Field ID of Filesize for Archive:
- Field ID of Title for Archive:
- Field ID of Description for Archive:

Field ID of Tags for Archive:

Flash Media Encoder

-lash Media Encoder shared secret: _og Errors to Tiki log

Description

Capture Ustream Errors to the Tiki log~

One tracker is required per Channel, this is where the Trackerld goes

The Watershed BrandID should go into the Channel tracker as a text field, enter the FieldID number here

The Watershed ChannelCode should go into the Channel tracker as a text field, enter the FieldID number here

A tracker is required to store Archive information Tracker FieldId number for where the Watershed videold is stored Tracker FieldId number for where the Watershed BrandId is stored Ye: Tracker FieldId number for where the Watershed ChannelCode is stored Tracker FieldId number for where the Watershed rtmpURL is stored. Note tracker field type must be a URL Tracker FieldId number for where the Watershed fivURL is stored. Note tracker field type must be a URL Tracker FieldId number for the text field where the date of recording is stored

Tracker Fieldld number for the text field where the duration of recording is stored Tracker Fieldld number for the text field where the file size of recording is stored Tracker Fieldld number for the text field where the title of the recording is stored Tracker Fieldld number for the textarea field where the description of the recording is stored Tracker Fieldld number for the freetags field where freetags of the recording are stored

Enter shared secret here, note required only if Flash Media Encoding is used
Capture Ustream Errors to the Tiki log~

Ustream Watershed

Integration to Ustream Watershed live video streaming. See also: PluginWatershed

https://watershed.ustream.tv/ https://sourceforge.net/p/tikiwiki/code/27711 https://sourceforge.net/p/tikiwiki/code/27708 alias

- Ustream
- $\boldsymbol{\cdot} \text{Watershed}$