

# VIEW OR LIST THE RESULTS





Creating a Tracker

Adding fields to a tracker


Adding items to a tracker Viewing Tracker Results

Assigning Trackers to groups

Once items have been inserted into a tracker, they can be viewed or listed through the tracker interface itself, or using trackerrelated Plugins inside wiki pages.

### LISTING RESULTS THROUGH TRACKER INTERFACE

When using the tracker feature itself (i.e., **tiki-view\_tracker.php?trackerId=N**), very little customization is allowed for the end user, plus there is no message shown to the user after insertion of new items (either success or failure messages, for instance).



However, when using tracker plugins inside Wiki pages, much more customization of the fields to be shown in a table with the results is allowed. (PluginTrackerList).

## LISTING RESULTS THROUGH WIKI PLUGINS

ou can list all items in a tracker, allow a user to select which filters he/she wants to use to have a selection of items shown, or shown of items in the tracker.

#### 1. PLUGINTRACKERLIST TO LIST ALL

In order to list all items in tracker 2 (Staff) you can use something like:

```
! All Staff (alphabetical) ^{TRACKERLIST(trackerId=>2,fields=>5:11:30:41, showtitle=>n, showlinks=>y, showdesc=>n, showlinks=>n, showstatus=>n)}Notice{TRACKERLIST}^
```

This example, when inserted in a wiki page, would produce:

```
All Staff (alphabetical)

Name and surnames Group Phone E-mail
Armando Bronca GROC +34934001122 armando.bronca@ub.edu
Aytor Tilladepa Tata GEMM +34933333333 aytor@tilladepatata.es
Aytor Tillateja Mon GEMM +34932222222 aytor@tilladejamon.es
```

#### 2. PLUGINTRACKERFILTER TO ALLOW FILTERING FOR A USER

Moreover, another Wiki Plugin can be added in order to allow the user to choose from a Wiki page which items and fields from that tracker want to see within that Wiki page. This can be achieved with the PluginTrackerFilter:

 $TRACKERFILTER(filters=>5:11:12/d:30,action=>Find items, showtitle=>n, showlinks=>y, showdesc=>n, showinitials=>n, showstatus=>n) {TRACKERFILTER}$ 

This other example would produce:

Name and surnames	<ul> <li>Any</li> <li>Armando Bronca</li> <li>Aytor Tilladepa Tata</li> <li>Aytor Tillateja Mon</li> </ul>
Phone	<ul><li>♠ Any</li><li>↑34932222222</li><li>↑34933333333</li><li>↑34934001122</li></ul>
Contract type	Any Professor Associate Professor Assistant Professor Visitor Professor
E-mail	Any     armando.bronca@ub.edu     aytor@tilladejamon.es     aytor@tilladepatata.es
	Find items

#### 3. PLUGINTRACKERLIST TO LIST A SUB-SET OF ITEMS

Besides that, we can filter for members of a single group as follows, using PluginTrackerList and adding the **filterfield** and **filtervalue** parameters. For instance:

!! Staff from GEMM group ^{TRACKERLIST(trackerId=>2,fields=>5:11:30, showtitle=>n, showlinks=>y, showdesc=>n, showinitials=>n, showstatus=>n, filterfield=>41, filtervalue=>GEMM)}Notice{TRACKERLIST}^

This would produce:

# Staff from GEMM group

Name and surnames	<u>Phone</u>	<u>E-mail</u>
Aytor Tilladepa Tata	+34933333333	aytor@tilladepatata.es
Aytor Tillateja Mon	+34932222222	aytor@tilladejamon.es