

>= 2.0

# Tracker

Tracker is a free and open source software for tracking your expenses and income. It is designed to be simple and easy to use, and it is available for Windows, Mac OS X, and Linux. Tracker is a powerful tool for managing your finances, and it is a great choice for anyone who wants to keep track of their money. Tracker is a free and open source software for tracking your expenses and income. It is designed to be simple and easy to use, and it is available for Windows, Mac OS X, and Linux. Tracker is a powerful tool for managing your finances, and it is a great choice for anyone who wants to keep track of their money.

Tracker is a free and open source software for tracking your expenses and income. It is designed to be simple and easy to use, and it is available for Windows, Mac OS X, and Linux. Tracker is a powerful tool for managing your finances, and it is a great choice for anyone who wants to keep track of their money.

- **Tracker** is a free and open source software for tracking your expenses and income. It is designed to be simple and easy to use, and it is available for Windows, Mac OS X, and Linux. Tracker is a powerful tool for managing your finances, and it is a great choice for anyone who wants to keep track of their money.
- **TrackerStat** is a free and open source software for tracking your expenses and income. It is designed to be simple and easy to use, and it is available for Windows, Mac OS X, and Linux. TrackerStat is a powerful tool for managing your finances, and it is a great choice for anyone who wants to keep track of their money.

Tracker is a free and open source software for tracking your expenses and income. It is designed to be simple and easy to use, and it is available for Windows, Mac OS X, and Linux. Tracker is a powerful tool for managing your finances, and it is a great choice for anyone who wants to keep track of their money.

- Tracker is a free and open source software for tracking your expenses and income. It is designed to be simple and easy to use, and it is available for Windows, Mac OS X, and Linux. Tracker is a powerful tool for managing your finances, and it is a great choice for anyone who wants to keep track of their money.

Ã¬,Ã¬Ã¬šÃ©Ã•Ã©Ã«<sup>^</sup>Ã«<sup>^</sup>Ã« (Ã³ÃµÃ³Ã°€ , Ã«“œÃ«Ã;Ã«<sup>^</sup>Ã«Ã¬šÃ´ Ã«Ã©”Ã«%oÃ´ ,  
Ã«Ã¼Ã«””Ã¬~Ã« Ã«<sup>^</sup>Ã²,,ÃšÃ¼ Ã«“Ã±Ã«“Ã±)

- Ã^Ã¬Ã´œÃ¬™ €Ã«Š” Ã«<sup>^</sup>Ã«Ã«Ã«Ã´Ã³Ã²œ , Ã¬—Ã¬Ã«ŸÃ¬ Ã³Ã°œÃ¬~ Ã¬Ãš^Ã«Ã¬Ã ,Ã¬,, Ã•Ã  
Ã¬^~ Ã¬ž^Ã¬šÃµÃ«<sup>^</sup>Ã«<sup>^</sup>Ã«
- Ã•,,Ã¬^~Ã¬ž...Ã«<sup>^</sup>Ã« Ã«<sup>^</sup>Ã«<sup>^</sup>Ã¼ Ã¬Ãš€Ã¬Ã •Ã•Ã Ã¬^~ Ã¬ž^Ã¬šÃµÃ«<sup>^</sup>Ã«<sup>^</sup>Ã«
- Ã¬,,Ã«Ã«Ã¬Ã ,Ã³Ã³Ã¼Ã«Š” Ã«<sup>^</sup>Ã«Ã«Ã«Ã´Ã³Ã²œ , Ã•œ Ãž~Ã¬Ã´Ã¬Ãš€ Ã«<sup>^</sup>Ã´Ã¬— Ã¬>Ã•~Ã«Š”  
Ã«ÃšœÃ³Ã¼Ã¬~ Ã³Ã°Ã¬~Ã¬~ Ã¬^Ã¬Ã´œ Ã¬fÃ¬žÃ«Ã«Ã¼ Ã«<sup>^</sup>Ã³Ã´Ã¬œÃ Ã•Ã Ã¬^~  
Ã¬ž^Ã¬šÃµÃ«<sup>^</sup>Ã«<sup>^</sup>Ã« (Ã¬Ã œÃ•œÃ¬,Ã¬Ã•Ã: Ã³Ã° Ã¬^Ã¬Ã´œÃ«Š” Ã«<sup>^</sup>Ã«Ã«Ã«Ã´ , Ã-  
šÃ ,Ã«ž~Ã¬Ã»Ã«Ã«Ã¼ Ã¬,Ã¬Ã¬šÃ©Ã•Ã´Ã¬•Ã¼Ã«Ãšœ Ã•Ã©Ã«<sup>^</sup>Ã«<sup>^</sup>Ã«)
- Ã¬fÃ¬,,Ã ,Ã«<sup>^</sup>Ã´Ã¬—Ã¬,, Ã«<sup>^</sup>Ã³Ã´Ã¬œÃ Ã•~Ã³Ã´,Ã° Ã¬œ,,Ã•~Ã¬—Ã¬ trackerlist Ã-  
”œÃ«ŸÃ¬Ã³Ã´,Ã¬Ã ,Ã¬,, Ã¬,Ã¬Ã¬šÃ©Ã•Ã´ Ã¬^~ Ã¬ž^Ã¬šÃµÃ«<sup>^</sup>Ã«<sup>^</sup>Ã« - Ã«<sup>^</sup>,,Ã³Ã°€  
Ã¬-Ã´Ã«-Ã« Ã«<sup>^</sup>Ã´Ã¬šÃ©Ã¬— Ã¬^Ã¬Ã´œÃ«Ã«Ã¼ Ã•~Ã¬~€Ã«Š”Ã¬Ãš€

Ã«Ã¬Ã ,Ã«Ã²•

Ã¬~^Ã¬Ã œ:

{VOTE(trackerId=>19, fields=>73,float=>right)}Thank you for your vote{VOTE}

Ã«ÃšÃ«Ã³œÃ°œÃ«Ã³€Ã¬^~

Ã¬Ã´ Ã”œÃ«ŸÃ¬Ã³Ã´,Ã¬Ã ,Ã¬~ Ã«ÃšÃ«Ã³œÃ°œÃ«Ã³€Ã¬^~Ã«Š” tracker Ã”œÃ«ŸÃ¬Ã³Ã´,Ã¬Ã ,Ã³Ã³Ã¼ trackerStatÃ¬~ Ã-  
”œÃ«ŸÃ¬Ã¬Ã ,Ã¬~ Ã«ÃšÃ«Ã³œÃ°œÃ«Ã³€Ã¬^~Ã¬ž...Ã«<sup>^</sup>Ã«<sup>^</sup>Ã«.

trackerId

Š, «ž~¬»α ID

Ã• „Ã¬ ^~ - ÃŠÂ, Ã«ž~ Ã¬Â»ÂœÃ«Š” ÃŠÂ¹Ã¬ „Â±  
Ã¬ „ÂœÃ¬Â • Ã¬ „ Ã«Â³Â´ Ã¬œÂ Ã•Â´ Ã¬•Â¼Ã«Â§Œ Ã-  
•Â©Ã«<sup>^</sup>Ã«<sup>^</sup>Âœ (Ã¬• „Ã«ž~ Ã¬Â°Â, Ã¬Â¡Â°)

field

:  $\tilde{A} \ll \hat{A}; \omega \tilde{A}^a \hat{A} \mu \hat{A} \neg \tilde{A} \ll \hat{A} \uparrow, \tilde{A} \ll \sim \tilde{A} \ll \check{S}$   $\tilde{A} \neg \hat{A} \ll \tilde{A} \neg \check{Z} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \hat{A};$

$\tilde{A} \hat{A} \rightarrow \tilde{A}' \in \tilde{A} \rightarrow \text{TM} \in \tilde{A}$

$' \in \tilde{A} \hat{A}, \hat{A} \circ \tilde{A} \rightarrow \tilde{A}$

$\bullet \hat{A}' \tilde{A} \ll \hat{A} \times \tilde{A} \rightarrow \hat{A}$

$\tilde{A} \rightarrow, \hat{A} \rightarrow \tilde{A} \rightarrow \check{S} \hat{A} \odot \tilde{A} \bullet \sim \tilde{A} \ll \check{S}'' \tilde{A}$

$\check{S} \hat{A}, \tilde{A} \ll \check{z} \sim \tilde{A} \rightarrow \hat{A} \gg \hat{A} \times \tilde{A} \rightarrow \sim \tilde{A}$

$\bullet \text{,,} \tilde{A} \ll \text{"} \in \text{ID}$

$\tilde{A} \rightarrow \text{,,} \hat{A} \tilde{A} \tilde{f} \tilde{A} \rightarrow, \hat{A} \rightarrow \tilde{A} \bullet \hat{A} -$

$\tilde{A} \rightarrow \text{,,} \hat{A} \times \tilde{A} \rightarrow \hat{A} \bullet \tilde{A} \ll \sim \tilde{A} \rightarrow \hat{A} \xi \in$

$\tilde{A} \rightarrow \bullet \check{S} \tilde{A} \rightarrow \in \tilde{A} \hat{A}^2 \hat{A}^{1/2} \tilde{A} \rightarrow \check{S} \hat{A}^\circ,$

$\tilde{A} \rightarrow, \hat{A} \rightarrow \tilde{A} \rightarrow \check{S} \hat{A} \odot \tilde{A} \ll \hat{A} \tilde{A} \rightarrow \hat{\sim}$

$\tilde{A} \rightarrow \check{z} \hat{\sim} \tilde{A} \ll \check{S}'' \tilde{A} \ll \hat{A} \hat{A}'' \tilde{A} \ll \hat{A} \tilde{A}$

$\bullet \text{,,} \tilde{A} \ll \text{"} \in \tilde{A} \ll \hat{A} \times \tilde{A} \rightarrow \hat{A}'$

$\tilde{A} \rightarrow, \hat{A} \rightarrow \tilde{A} \rightarrow \check{S} \hat{A} \odot \tilde{A} \ll \hat{A}''$  (IP,

$\tilde{A} \rightarrow, \hat{A} \rightarrow \tilde{A} \rightarrow \check{S} \hat{A} \odot \tilde{A} \rightarrow \check{z},$

$\tilde{A} \hat{A}^\circ \in \tilde{A} \rightarrow \hat{A}, \tilde{A} \rightarrow \check{S} \hat{A} \odot \tilde{A}$

$\bullet \text{,,} \tilde{A} \ll \text{"} \in \tilde{A} \ll \check{S}''$

$\tilde{A} \rightarrow \hat{A} \in \tilde{A} \rightarrow \text{TM} \hat{A}, )$

float

show\_stat

show\_stat\_only\_after

show\_creator

---

right or left

y or n

y or n

y or n

---

the box position on the  
page

optional.

displays the statistics or  
results

optional - default y

displays the statistics or  
results only after the after  
date given in the tracker  
configuration

optional - default n

displays the user that  
creates the tracker

optional - default n

---

# ÄªÄµÄ¬Ä¬,Ä±

Ä¹Ä¬Ä¬œÄ¬— Ä¬,Ä¬Ä¬šÄ©Ä«Äš” ÄšÄ, Ä«ž~Ä¬Ä»ÄªÄš” Ä¹Ä¬Ä¬œ Ä¬œÄ¬šÄªÄ...œÄ¬Ä²~Ä«ÿÄ¼ Ä¬ž'Ä«™ Ä•Ä«„Ä«Ä; Ä-  
šÄ¹Ä«Ä³„Äž' ÄªÄµÄ¬Ä¬,Ä±Ä«~Ä¬Ä'Ä¬•Ä¼Ä«Äšœ Ä•Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª

- Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä~Ä¹Ä¬¬€ IP Ä«<sup>^</sup>Ä¹ Ä«<sup>^</sup>Ä” Ä•œ Ä«Ä²^Ä«Äšœ ÄªÄ°€Ä«šÄ¥ Ä¬Ä' Ä¬Ä²Ä'Ä-  
Ä¬Ä«~Ä¬Ä'Ä¬•Ä¼ Ä•Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª
- ÄšÄ, Ä«ž~Ä¬Ä»ÄªÄš” Ä«Ä°~Ä«“œÄ¬œ Ä¬,Ä ÄfÄ¬,Ä¬Ä•ÄÄ¬Ä' 1Ä«Ä;œ Ä«œ 'IP Ä¬,Ä Ä-  
fÄªÄ, Ä°' Ä~Ä¹Ä¬¬€ 'Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä¬,Ä ÄfÄªÄ, Ä°' Ä¬œÄ Ä~•Ä¬~ Ä•„Ä«“œÄ«Ä¥Ä¼  
Ä«Ä³Ä'Ä¬œÄ Ä•Ä'Ä¬•Ä¼Ä«Äšœ Ä•Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª
- ÄšÄ¹Ä¬Ä • ÄªÄ, Ä°ÄªÄ°„Ä«™ Ä¬•^Ä«Äšœ Ä¹Ä¬Ä¬œ Ä~Ä¹Ä¬¬€ Ä¬,ÄªÄ«Ä¬Ä, Ä¬Ä' Ä™ œÄ¬,Ä±Ä-  
™”Ä«~ÄªÄ, Ä°Ä«Ä¥Ä¼ Ä¬>Ä~Ä«š” ÄªÄ²Ä½Ä¬šÄ°, Ä¬Ä'Ä»„Ä¬™ € Ä¬Ä'Ä¬Ä „Ä¬, Ä«, ~Ä-  
f€Ä«, Ä'Ä«š” 2ÄªÄ°œÄ¬~ Ä«,Ä Ä¬Äšœ (Ä~Ä¹Ä¬¬€ 1ÄªÄ°œÄ«Äšœ)Ä«Ä¥Ä¼ Ä¬,ÄªÄ¬Ä •Ä-  
Ä'Ä¬•Ä¼Ä•Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª.

IP Ä¬,Ä ÄfÄªÄ, Ä°' Ä•„Ä«“œÄ«Äšœ Ä¬ž^Ä«š” ÄªÄ²Ä½Ä¬šÄ°, Ä«™ Ä¬Ä¼Ä•œ IPÄ«Ä;œ Ä«œ Ä¹Ä¬Ä¬œÄ«š” Ä¬Ä'Ä¬Ä „Ä¬~ Ä¹Ä¬Ä-  
'œÄ«Ä¥Ä¼ Ä«Ä®Ä¬Ä'Ä¬Ä°ÄªÄ²œ Ä«Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª. 'Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä¬,Ä ÄfÄªÄ, Ä°' Ä•„Ä«“œÄ«Äšœ Ä¬ž^Ä«š”  
ÄªÄ²Ä½Ä¬šÄ°, Ä«™ Ä¬Ä¼Ä•œ Ä¬,Ä¬Ä¬šÄ©Ä¬žÄ«Ä;œÄ«Äª€Ä„Ä°Ä¬~ Ä¹Ä¬Ä¬œÄ«š” Ä¬Ä'Ä¬Ä „Ä¬~ Ä¹Ä¬Ä¬œÄ«<sup>^</sup>Ä«<sup>^</sup>Äª,Ä'Ä¬šÄ©Ä¬,Ä  
ªÄµÄ¬Ä²Ä'Ä~ÄªÄ²œ Ä«Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª. ÄšÄ, Ä«ž~Ä¬Ä»ÄªÄªÄ°€ Ä¬Ä' 2ÄªÄ°œÄ¬~ Ä•„Ä«“œÄ«Ä¥Ä¼ Ä«Äª Ä«Ä³Ä'Ä¬œÄ Ä•~ÄªÄ³Ä  
Ä¬ž^Ä«š” ÄªÄ²Ä½Ä¬šÄ°, Ä«™ Ä¬Ä¼Ä•œ Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä~Ä¹Ä¬¬€ Ä«™ Ä¬Ä¼Ä•œ IP Ä¬~ Ä¹Ä¬Ä¬œÄ«š” ÄªÄ, Ä°Ä¬Ä;Ä'Ä¬~  
ÄªÄ²fÄ¬, ÄªÄµÄ¬Ä²Ä'Ä~ÄªÄ²œ Ä«Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª.

If you give a "Ä¬Ä'Ä»„” Ä«,Ä Ä¬ÄšœÄªÄ°€ Ä¬ÄfÄ¼Ä¬Ä'Ä¬Äš€Ä«Ä©Ä', Ä¹Ä¬Ä¬œ Ä¬fÄ¬žÄªÄ°€ Ä¬Ä' Ä«,Ä Ä¬Äšœ  
Ä¬Ä'Ä¬Ä „Ä¬—Ä«š” "the vote before this date (Ä¹Ä¬Ä¬œÄ«š” Ä«ÄªÄ¬œÄ¬Ä'Ä»„Ä¬— Ä¬œÄ¬ž^Ä«Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª)" Ä«Ä¥Ä¼ Ä-  
'œÄ¬œÄ•Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Äª  
"Ä¬Ä'Ä¬Ä „Ä«,Ä Ä¬ÄšœÄªÄ°€ Ä¬ÄfÄ¼Ä¬Ä'Ä¬Äš€Ä«Ä©Ä', Ä¹Ä¬Ä¬œ Ä¬fÄ¬žÄ«š” "the vote ends after (Ä¹Ä¬Ä¬œÄ«š”

Ä«Ä¸Ä¬Ç Ä¬Ä'Ä>„Ä¬— Ä¬Äç...Ä«ÄfÇÄ«"Ä¸Ä«^Ä«Ä¸)" Ä«Ä¸Ä¼ Ä¬Äç...Ä«ÄfÇÄ¬Ä „Ä²Ä¹ÇÄ¬Ä¸€ Ä'œÄ¬<œÄ•Ä  
Ä²Ä²fÄ¬Ä'Ä«Ä©Ä°, Ä«Ä Ä¬Ä¸œ Ä¬Ä'Ä>„Ä¬—Ä«Ä" "the vote is closed since(Ä^Ä¬Ä'œÄ«Ä" Ä«Ä¸Ä¬Ç Ä«Ä Ä¬Ä¸œ Ä¬Ä'Ä>„Ä¬—  
Ä«Ä«Ä~€Ä¬ž^Ä¬ŠÄµÄ«^Ä«Ä¸)" Ä«Ä¸Ä¼ Ä'œÄ¬<œÄ•Ä²Ä²Ç Ä«Ä©Ä«^Ä«Ä¸

# Ä¬—Ä°Ä²Ä'€

- Convene Ä"ÇÄ«Ä¬Ä²Ä•Ä, Ä¬Ä,
- Proposal Ä"ÇÄ«Ä¬Ä²Ä•Ä, Ä¬Ä,