

~Ä¬œÂ ŠœÄ«Ä, Ç Ä"ÇÄ«ÿÄ¬ÄªÄ·Ä, Ä¬Ä,

Ä¬Ä' Ä¬œ,,Ä,Ä Ä"ÇÄ«ÿÄ¬ÄªÄ·Ä, Ä¬Ä, Ä¬€ Ä¬œ,,Ä,Ä Äž~Ä¬Ä'Ä¬Ä\$€ Ä¬fÄ¬¬Ä¬,,œ Ä¬œÄ ŠœÄ«Ä, Ç Ä«™Ä¬~Ä¬fÄ¬,, Ä-  
'œÄ¬<œÄ·~ÄªÄ,Ä° Ä¬œ,,Ä·~Ä¬¬Ä¬ PluginFlash Ä¬,, ÄªÄ°Ä¬f%œÄ·œ ÄªÄ²fÄ¬ž...Ä«^Ä«Ä. Ä«™Ä¬~Ä¬fÄ¬~ Ä¬žÄ¬Ä¬f  
Ä«ÄªÄ©Ä«ÄjÄ¬,, Ä'œÄ¬<œÄ·~ÄªÄ ÄÄ«Ä©Ä', Ä«ÄÄ¬ÇÄ¬,, Ä«Ç€Ä¬<Ä Ä¬,Ä¬Ä¬šÄ©Ä·Ä Ä¬^~ Ä¬ž^Ä¬šÄµÄ«^Ä«Ä: Modul  
last\_youtube\_playlist\_videos.

Ä«Ä³€Ä¬^~

Embed a YouTube video in a page  
Introduced in Tiki 2. Required parameters are in **bold**.  
[Go to the source code](#)  
Preferences required: wikiplugin\_youtube

Parameters Accepted Values

**movie**

url

**start**

digits

**height**

digits

## Description

Complete URL to the YouTube video or last part (after `www.youtube.com/v/` and before the first question mark)

Start time offset in seconds

Height in pixels Default : `350`

Default	Since
0	2.0
350	2.0

privacyEnhanced (blank)

y

n

width digits

allowFullScreen (blank)

y

n

background

border

Enable privacy-enhanced mode

Width in pixels. Default :`425`

Enlarge video to full screen size

Toolbar background color. Use an HTML color code.

Example: `ffffff`

Toolbar border colors. Use an HTML color code. Example:

`ffffff`

425

2.0

5.0

6.1

6.1

quality

(blank)

high

medium

low

related

(blank)

y

n

---

Quality of the video. Default is `high`.

Show related videos (shown by default)

---



high

2.0

6.1

~-Â±Â¼~: url ~«Â§Â±~°œ~«Â³€~^~«Â½ ~-,Â-~šÂ©~•~--Â-, ~ž~™ ~žÂ-f, ~Â œ~-'~œ~œ  
 ~«"Â±~"Â±~ ~«" ~«Â§ž~€ ~«Â§Â±~°œ~«Â³€~^~«Â½ ~-Â¶"~°€~•Â ~-^~ ~ž^~šÂµ~«^~«Â±. ~œÂ ~-  
 šœ~«Â,œ~--~,,œ ~™ •~-Â, ~°€~šÂ±~œ ~-Â „~²Â' ~«Â©~«Â;

~«™ ~-~Â-f ~«Â³Â' ~«Â,Â°

~-œ,,~Â± ~ž~Â-'Â-Â§€, ~²œ~œ~²œ~œ~«Â-Â¼, ~«Â," ~«Â;œ~°Â, ~²œ~œ~«Â-Â¼~-- ~œÂ ~-  
 šœ~«Â,œ ~™ ~-~Â-f~,, ~-Â¶"~°€~•~«Â Â±~«Â©Â', ~«Â±~œ~³Â¼ ~°™ ~-Â' ~œÂ ~šœ~«Â,œ ~-  
 "œ~«ÿÂ-~°Â,~-Â,~-, ~-,Â-~šÂ©~•~-«~œ~-Â±:





# RELATED PAGES

See these pages for information that applies for all modules:

- [Module](#) — Overall introduction and overview
- [Module Admin](#) — Introduction to the module admin pages for site-wide and individual module settings
  - [Assigning Modules](#) — How to select a module to configure it
  - [Module Settings Interface](#) — Interface for configuring individual module settings
  - [Module Settings Parameters](#) — Explanation of standard parameter settings for modules
  - [Creating Custom Modules](#) — How to create user modules
- [Index of Modules](#) — Links to the documentation of individual modules
- [User Modules](#) — How (if the feature is active) users can choose and place their modules
- [Mods Type Modules](#) — Links to modules that are installed as components
- [PluginBlipTV](#)
- [PluginMediaPlayer](#)
- [PluginVimeo](#)
- [PluginWatershed](#)