

Test Page

PluginTabs

This code:

```
{TABS(name="user_tabset_01" tabs="Title 1|Title 2|Title3")}This is the content of the first tab ///// This is the content of the second tab ///// This is the content of the third tab {TABS}
```


Would produce:

This is the content of the first tab

This is the content of the second tab

This is the content of the third tab

When clicking on a tab name, the content of each tab is loaded and shown without refreshing the browser window.
And when clicking on the **"No Tabs"** option, the display would change into:



Related pages

- PluginPageTabs

Aliases

Plugintabs | Plugintab | PluginTab | Plugin Tabs | Plugin tabs

Bernard test for video

HTML for bootstrap 5.3

It is not possible to add a class in the Wikiplugin (which is another consistency issue between wiki plugins) so it have to be added in the parent div.

Ignore this, just a page for testing.

Test Saturday 12 April, 2025 03:05:12 UTC

I don't ignore pages ☐

Just another testing line...

This will break this page:

The screenshot shows a web application interface for a 'Report Builder'. The form includes fields for 'Report Type' (Tracker), 'Tracker' (Time sheet - 4), 'Start', 'End', 'Item Id', 'Search' (Summary - 12), 'Status' (o, p, c), 'Fields' (Summary - 12, Associated project - 13, Description - 14, Amount of time spent - 15, Done by - 16), and 'Limit'. A modal window titled 'Wiki Data Output For REPORT Plugin' is open, displaying a code block with a report structure. Below the form is a table with columns A, B, C, D, and E.

```
{REPORT()}
: type : Tracker
: tracker_value : 4
: tracker_search_0_value : 12
: tracker_status_0_value : o
: tracker_status_1_value : p
: tracker_status_2_value : c
: tracker_fields_0_value : 12
: tracker_fields_1_value : 13
: tracker_fields_2_value : 14
: tracker_fields_3_value : 15
: tracker_fields_4_value : 16
{REPORT}
```

| | A | B | C | D | E |
|---|--------------|------------------------|----------------------|----------------------|--------------|
| 1 | Summary - 12 | Associated project ... | Description - 14 | Amount of time sp... | Done by - 16 |
| 2 | Watch TV | | Taking it easy | 5 | |
| 3 | | | | | |

Click to expand

16 : 9 ratio

b. 16 : 9 ratio iframe

"This code ..."

```
{HTML()}  
{HTML}
```

... will show this video

d. 4 : 3 ratio iframe

"This code ..."

```
{HTML()}
```

```
{HTML}
```

... will show this video

For Tiki 7

- 28 may - jb here testing saving ajax errors
- Maybe try without having done a preview...
- what else could it be? 3 saves and no error (in Firefox 4.0.1)
- trying the click on save directly thing... seemed fine
- maybe if you edit for ages?
 - I bet it only happens when you really don't want it to...
 - trying with pop-up preview...
 - Seems the auto save timer is broken ☐
- Wonder if that magnify icon to open/close the preview pane is the right icon?
 - Probably not...
- I also wonder if there are any docs about this *new* preview thing?

Have to go out now, will try more later.

Previously on Tiki 6

- In Safari if you make a change and then click directly on the save button you sometimes get an alert about an undefined and irrelevant AJAX error.
 - Fixed (as far as i can tell)