

Êµ¬ìi°ì²'

Êµ¬ìi°ì²' ëŠ" [ìœ,,í,¤](#) íž~ì`ì§€ ê·,ëf¹ì,, íš,ë|¬êµ¬ìi° í^`ì€ ì±...ì²~ëÝ¼ ì •ë|¬í•~ì—ì,¬ìš©ìžé°€
ì‰½ê²Œ ìfjf‰oí· ì^~ìž^ë,,ëi ì•©ë<^ë<¤. íž~ì`ì§€ëŠ" ì§€ì •ëœ ê³³ì—ët“ì—ìš€ë©°, ê,°ìi`ì—
ìi`ìž—í,~ì§€ ì·ŠëŠ" ê³³ì—ëŠ" ë¹,,ì-`ìž^ëŠ" íž~ì`ì§€ê°€ ìfj,,±ë©ë<^ë<¤. êµ¬ìi°ì²'ë¥¼ ìfj,,±í·~ëŠ" ê²fi¢
í•œ ë²ì—ì—ëÝ—ë°œì`ìž~ë¥¼ ìfj,,±í·~ëŠ" ê°€ìž¥ ë¹ ë¥,,ë°©ë²•ìž...ë<^ë<¤. êµ¬ìi°ì²'ë¥¼
ítmí·~ì—ì,¬ìš©ìž“¤ì`ì’ë™ì·ëŠ" ê²fi,,ë•ê,° ìœ,,í•~ì—ìfjf‰o ë,,ìš°ë~,ë°€ ìžë™ì`ìœ¹¼ëiœ
ìfj,,±ë©ë<^ë<¤. ì’ëŠ" ì±... ì•œ ê¶Œì,,ë§Œë“œëŠ" ìœë¥•œ ë°©ìkiž...ë<^ë<¤.

- ê,°ëŠ¥ í™œì,,±í™" ì•~ê,°

- ìš"êµ¬ì,-í•

- íž~ì`ì§€ ìfj,,±ìœ êµ¬ìi°ì²`ì—íž~ì`ì§€ ì¶"ê°€í•~ê,°

- êµ¬ìi°ì²'ë²©ì°"ëiœë¶€í,,°ë©"ë‰o'ìfj,,±í·~ê,°

- ê‘€ë|¬ë¥¼ ìœ,,í•œ ë“œëž~ê,ì•¤ ë“œëž ê,°ëŠ¥ ì§€ì (í°í,¤9 ì—ì,,œ ìf^ëiê²Œ ì¶"ê°€ë")

- êµ¬ìi°ì²'ë“œëí'ë<¤ìš'ë©"ë‰o'(í°í,¤10ì—ì,,œ ìf^ëiê²Œ ì¶"ê°€ë")

- ì¶"ê°€ ì•~ê³'

- ê‘€ë"íž~ì`ì§€

ê,°ëŠ¥ í™œì,,±í™" ì•~ê,°

Tiki3 ì’í„, êµ¬ìi°ì²' ê,°ëŠ¥í€ Admin > Wiki > Features (ê‘€ë|¬ > ìœ,,í,¤ > ê,°ëŠ¥) ì—ì,,œ
í™œì,,±í™"/ë¹,,í™œì,,±í™" ê°€ëŠ¥í•©ë<^ë<¤.

í°í,¤9 ì—ì,,œ, êµ¬ìi°ì²' ê‘€ë|¬ê°€ í™•ìž¥ë~ì—ìŠµë<^ë<¤: êµ¬ìi°ì²' íš,ë|¬ ë,“œëž~ê,ì•¤
ë“œëíì,,ì,¬ìš©ì·~ì—ì ë...,,ë“œëì`ì’ë™ì`ì°€ëŠ¥í•©ë<^ë<¤. ë¶€ìžê±°ìœ¹¼ëiœ "ìf^ íž~ì`ì§€
ì¶"ê°€" ì,,œìì`ì’ëŒ€í™"ìfjžëiœ ì’ë™ë~ì—ìœ¹¼ë©° ì¶"ê°€ + ë²,,íŠ¼ì`ìž~ì`ì§€ ìž’ì—...ì—
ì¶"ê°€ë~ì—ìŠµë<^ë<¤.

ìš"êµ¬ì,-í•

Êµ¬ìi°ì²`ì™€ ê‘€ë"ëœ ìŠ¹ë³,,í•œ ê¶Œí•œì`ìž~ìŠµë<^ë<¤, ì’ëŠ" ì,¬ìš©ìž ê·,ëf¹ì—ëŒ€í•~ì—ì`ìŠ¹ì`ìž’ì—...ì,,í—ìš©ì·~ê,°ìœ,,í•~ìž...ë<^ë<¤.

tiki_p_edit_structures ì,¬ìš©ìžé°€ êµ¬ìi°ì²'ë¥¼ ìfj,,±í•~ê³'íž~ì`ì§€ì•ì~ìž^ë,,ëi ì—ìš©ì·~

tiki_p_watch_structure ì,¬ìš©ìžé°€ êµ¬ìi°ì²'í^`ì€ ì•~ë¶€êµ¬ìi°ì²'ì~ì-`ë- ì•œ ìž~ì`ì§€ë¹¼ë,,
ì£¹¼ìœí•~ëŠ" ê²fi,,í—ìš©ì•~

íž~ì`ì§€ ìfj,,±ìœ êµ¬ìi°ì²`ì—íž~ì`ì§€ ì¶"ê°€í•~ê,°

íž~ì`ì§€ ìfj,,±ìœ, êµ¬ìi°ì²`ì—íž~ì`ì§€ë¥¼ ë"í•`ì~ìž^ìœ¹¼ë©°, ì’ëŠ" ì½~í...ì,,/ë©"ë‰o`ì~ìµ¬ìi°
í...Œì`ì—ì<¤ìœé°,,ìœ¹¼ëiœ ì—...ë®`ìŠ, ë~ë,,ëi ì•©ë<^ë<¤.

1. ê,°ìi`ì—ìfj,,±ëœ êµ¬ìi°ì²'ê°€ ìž~ì`ì•~ì¹¼ ì•©ë<^ë<¤

2. íž~ì`ì§€ ìfjë<“ì—ëŠ" ìœ,,ì—ì,,œ ì-`ì,ë‰oí•œ ë“ì¹¼ì•œ êµ¬ìi°ì²`ì—ìžëşì `ìž~ì`ì§€ë¥¼ ì¶"ê°€í•`ì~ìž^ë,,ëi`ì·~ëŠ" ìž...ë¥í•`ì“œëé°`ìž~ìŠµë<^ë<¤. íž~ì`ì§€ ìfj,,±ìi,,`ìžì`ìžë¥¼ ì`ìélí•`ì~ìž^ìœ¹¼ë©°,`ì`ìž~ìŠµë<^ë<¤. ì`ìž~ìŠµë<^ë<¤.

3. íž~ì`ì§€ì—ëŠ" {toc} êµ¬ë`ì’ìž~ìœ¹¼ë©°, ì’ëŠ" ì’ëÝ—ì’ëÝ—ì•œ êµ¬ìi°ì²', ì’ëÝ" ë~ë²,,ê¹Šì`ì—ìž~ìœ¹¼ë©°.

é“±é“±ì,, í‘œê, °í•~ê³ ì¶ë<¤é³ é¤...é°±íž^ í§€í •í• ì^~ íž^ìŠµë<^ë<¤.

ì^~ì oe:

The screenshot shows a web browser window with the URL doc.tiki.org. The page title is "Plugin Events". On the left, there's a sidebar with a menu:

- Home
- All the documentation **1** (highlighted with a red oval)
- Configuration
- Administration
- Tuning and Performance
- Troubleshooting
- Tutorials
- New in version...
- Author Resources

Below the menu, the text "Site Language" is followed by "This Wiki Plugin displays upcoming events from the tiki site's calendars in a formatted table." At the top right, there's a toolbar with icons for edit, print, etc., and a language dropdown set to "English". The main content area shows a breadcrumb trail: Documentation TOC > Features > Wiki > Wiki Plugin > **PluginEvents** **2** (highlighted with a red oval). To the right of the breadcrumb is a "Child" checkbox and a yellow "Add Page" button **3** (highlighted with a red oval). A red arrow **4** points to the "Add Page" button. The page content itself is titled "Plugin Events".

êµ¬ìi°ì²’ é¤©ì°”ëiœë¶€í,,° é©”ë‰o’ ìƒì,,±í•~ê,,°

êµ¬ìi°ì²’ ì,¬ìš©ìž é¥¼ ì,‘íž’ë³’ì<œì~¤

ì<œí—~ í•‘ë³’ê,,°

ì^~ë¥¼ é“¤ë©’, í§€ê, ^ ì‘íž’ì í§€ê°€ êµ¬ìi°ì²’ è, ‘ë¶€í— íž^ë<¤ëŠ” ì,¬ì<¤ì,, ì£¼ë¤©í•~ì<œì~¤.
íž’ì í§€ ìfë<”ì~ í§’ ì•,,ì‘ì½~ (☒) ê³¼ í™ ”ì,‘íœëŠ” - í•~ë,~ì~ êµ¬ìi°ì²’ì, ì‘ è©”ë‰o’ì-ì¼~ íž’ì í§€ë“¤
ê°,, íƒí‰oì,, í~ë,,ëi í•‘ì<œë<¤ (ë’ëiœ:☒ | ìœ,,ëiœ:☒ | ì•žœ¼ëiœ:☒).

The screenshot shows a "Structures" page. At the top, there's a breadcrumb trail: Documentation > Features > Structure. Below the breadcrumb, the word "Structures" is prominently displayed in large, bold, black font. The page has a clean, modern design with a white background and light gray header/footer areas.

ë§Œì•½ ì,¬ìš©ìžê°€ í•,,ìš” ê¶Œí•œì,, é³’ìœ í•œ ê·,ëf¹ì— ìtí•‘íž^ë<¤ë©’ (ìœ,, è, ‘íš© ì°,ìi),
ê,°ìi ì~ êµ¬ìi°ì²’ì— ìtí•‘íž^ëŠ” ê·, ì‘ë- í•œ íž’ì í§€í—ì,,œë,, íž’ì í§€ë¥¼ í¶”ê°€í• ì^~ íž^ìŠµë<^ë<¤:

This screenshot is identical to the one above it, showing the "Structures" page with the breadcrumb trail "Documentation > Features > Structure" and the large "Structures" heading. The layout and design are consistent with the first screenshot.

toc é¬,é²•ì, ì,¬ìš©í•~ë© ´ ë, `ìš© è¤©ì°~ë¥¼ lfi,,±í• ´^~ ìž`ìŠµé<^ë<¤ (ë<¤)Œ íŽ`ì`ì§€ë“¤—ì,,œ ì,,¤ë¤...ë”); `ì^: `ì`ìž`ì`ì§€í~ ìfë<`— è³`ì`ëŠ” ì§’ ì•“ì`ì½~ ([x]) ì, í`ë;í•~ë© ´ ë³¼`ì~ ìž`ìŒ

The screenshot shows a sidebar menu with the following items:

- 1 Introduction
 - 1.1 Goals
 - 1.2 Social Contract
- 2 Installation
 - 2.1 Requirements and Setup
 - 2.2 Download
 - 2.3 Linux
 - 2.3.1 Install with RPM
 - 2.3.2 Install on Debian
 - 2.3.3 Install on Gentoo
 - 2.4 Windows Desktop Install
 - 2.5 Advanced Settings
 - 2.5.1 Shared Hosting
 - 2.5.2 Lite Install
 - 2.5.3 MultiTiki

ê‘€ë|¬ë¥¼ ìœ,,í•œ ë“œëž~ ê· , ì•¤ ë“œëž ê, °ëŠ¥`ì§€í> (í^oí,¤9 ì—ì,,œ ìf^ëié²Œ ì¶”ê°€ë”)↔

í^oí,¤9 ë¶€í,° ë“œëž~ ê· , ì•¤ ë“œëž, , ìtµí•~ì— ìµ¬ìi°ì²’ ë, ‘ë¶€í—ì,,œ íŽ`ì`ì§€ë“¤—ìœ,,ì¹~ ì`ë™ì` ë°€ëŠ¥í•`ìiŒìŠµé<^ë<¤. ì¶”ê°€ ì•ë³’ë¥¼ ìµ¬ìi°ì²’ ë‘€ë|¬ ì—ì,,œ í™•ì,í•~ì^oí,œì~¤.

êµ¬ìi°ì²’ ë“œë|’ ë<¤ìš’ ë©”ë‰o’ (í^oí,¤ 10ì—ì,,œ ìf^ëié²Œ ì¶”ê°€ë”)

êµ¬ìi°ì²’ë¥¼ ìœ,,í•œ ë“œë|’ ë<¤ìš’ ë©”ë‰o’ë°€ [í^oí,¤10](#) ì—ì,,œ ì¶”ê°€ë~ì—ì,,œ, ì,¬ìš©ìžê°€ ë§`ìš°ìŠ¤ ì»¤, œë¥¼ ìµ¬ìi°ì²’ è³, ì,µì~ ì•œ ë..., ë“œëiœì~ è²½ëiœë¥¼ í`œì<œí•~ëŠ” ì¤,, ë, ‘ë¶€í~ ë..., ë“œëiœ ë§`ìš°ìŠ¤ ì»¤, œë¥¼ ìµ¬ìi°ì²’ è³, ì,µì~ ì•œ ë..., ë“œì~ è¤~ë” ìž`ìë“¤—ìœ,,ì•~ì—ìœ, ì•~ì—ìœ, í`ë·, ° ë©è<^ë<¤.

The screenshot shows the 'Structures' page with the following content:

Group wiki pages into a navigable structure

Navigation links: Home » [Tiki Administrator Guide](#) » Features » Wiki » Structures

Page links: [Features](#) | [User - group - perms](#) | [System](#) | [Search Admin](#) | [Mail](#) | [Plugins](#) | [i18n Admin](#) | [Editing](#) | [Tuning Tiki](#)

Structures

Structures organize a group of [wiki](#) pages into a tree or book that can be easily navigated by users. The pages are placed in a hierarchy that you specify, with blank pages created where they do not already exist. Creating a structure is the fastest method for creating multiple pages at once. Navigation aids are automatically created to help users move through the structure. It's a great way to make a book.

í™•ëŒ€í•~ë¤ë©’ í`ë|

êµ¬ìi°ì²’ ë“œë|’ ë<¤ìš’ ë©”ë‰o’ë¥¼ ì°, è³

Ì¶"ê°€ ì •ë³'

ì,¬ìš©ë²•ì— ëŒ€í•œ Ì¶"ê°€ ì •ë³'ëŠ" êµ¬ìi°ì²' ì,¬ìš©ìž ì—ì,,œ í™ •ì, ê°€ëŠ¥í•~ë©°, êµ¬ìi°ì²' ê°€ë|—ì— ëŒ€í•~ì—ì,,œëŠ", êµ¬ìi°ì²' ê°€ë|—ì—ì,,œ í™ •ì, ê°€ëŠ¥í•©ë<^ë<¤.

TwTv3 School Tv - ÍŒŒì>Œìœ ì €ê°€ ì-’ë->ê²Œ í•~ëŠ"ê°€ë¥¼ ë³'ì—¬ì£¼ëŠ" íŠœít ë|¬ì-¼ ë° ë,,ì>€ës.

- Xavi ë~ì' êµ¬ìi°ì²'ë¥¼ ì,¬ìš©í•~ëŠ" ê²fê³¼ ì—ñëÝ¬ ê°œì~ ìœ,,í,¤ íž~ì'ë¥¼ ì>Œë“œ í”„ëiœì,,ì,,œëiœ ì'ë™ í•~ëŠ" ë²•ì,,ì<œì—°í•©ë<^ë<¤
 - Part 1
 - Part 2
 - Part 3

ê°€ë " íž~ì'ë¥

- êµ¬ìi°ì²' ì,¬ìš©ìž
- êµ¬ìi°ì²' ê°€ë|—
- Structure Details
- WebHelp

<http://tikiwiki.org/TikiWikiTV> - Channel 3

Ì¶"ê°€ ì°,ì°: [Multilingual structures](#)