

Translation of this page is incomplete.

ë²©ëï ìœ,,í,æ-ë¬,ë²•

ìœ,,ì¼€ íž~ì'ìš€ì™ € ìœ,,í,æ ì,œì ìš©ì,, ìš€ì'í•~ëš" ë<æëŸ, ìfì™ ©ì-ì,,œ (ê,°ì,¬, ê²œì<œíœ, ë°
ë,"ëïœë, í-í•), ìfì%½ê²œ ê,€ë",ëì¬ ê,°í~_ê°€ ì•žì- ì~æ±°ë,~, ë²^í~_ëïœ ë~ì-^ê±°ë,~, í~ì€
ì•ì~ ë²©ëì,, ëšœë"æ ì^~ ìž~ìšµë^ë<æ. ë²^í~_ê°€ ëšæê²"ìš,, ë²^ë³©ì-ì,,œ, í°í,æëš" í•ë²©ì,,
ìžë™ ì ìœ¼ëïœ ë²^í~_ëŸ¼ ëŸ€ì-¬í•©ë^ë<æ. ìæ'²©ëœ ë²©ëïë,, ëšœë"æ ì^~ ìž^ã.....ë,œë<, ë<æìœ
ì,,ì...~ì-ì,,œëš" ìfì,,_ë, ì-ì,, ì,,æë²...í•©ë^ë<æ; ê°œìš"ì- ëœ€í•~ì-ì,,œëš" ë¹ ëŸ, ì°_ìì°ëŸ¼ ì, íž'
ë³'ì<œì~æ. ë¬ ì-¬ì-Ÿ,ê°€ ìž~ ë²>ë~ë©', ìšæí-ëìæ ë<æìš'í•~ì-¬ ë,,ì>€ëšì,, ë³'ì<œì~æ.

ì' íž~ì'ìš€ì-ëš":

ë¹ ëŸ, ì°_ìì°

ëšœë"œë æë©'...	ì,¬ìš©	ì~ì œ
ê,€ë",ëì¬ ê,°í~_ëïœëœ ë²©ëì	* (asterisk)	*í•ë²© *í•ë²© *í•ë²©
ë²^í~_ëšæê,´ ë²©ëì	# (ìš°ë¬¼ì •)	#í•ë²© #í•ë²© #í•ë²©
ì•ì~ ë²©ëì	; (ì,,_ë¬_ì½œëì)	;ë<"ì-':ì•ì~

Unable to load the jQuery Sortable Tables feature.

ìž,ìš' ìæ' ì-ë-æ ë¬_ìžëŸ¼ ì,¬ìš©í•_ì•¼í•~ëš" ìš€ ìžšì€ ê²¹/²ìš°, ìœ,,í,æ ë¹ ëŸ, ë,,ì>€ëš ìfì,, ì'ëì-
í•~ì<œì~æ.

ê,€ë",ëì¬ ê,°í~_ëïœëœ ë²©ëì ëšœë"æê,°

í•œ ìæ,,ì ì•žì- ë³,,í'œ (*)ëŸ¼ ìž...ë Ÿí•~ë©', í°í,æê°€ ê,€ë",ëì¬ ê,°í~_ (ê²€ì • ì>)ì,, ìæ,, ì•žì-
ëf"ìšµë^ë<æ. ê, ìæ,,ì€ ë"æì-¬ì"°ê,° ë~ë©° ìœ ìš€ë~ëš" ë"æì-¬ì"°ê,°ëïœ ì,œì' ìš©ë©ë^ë<æ,
ê,€ë",ã...ìëïœ ë' ë²^ìš, ë° ê, ì,,ì ìæ,,ë"æì€ ë"æì-¬ì"°ê,°ë~ë©° ì²« ë²^ìš, ìæ,,ê³¼ ë,,ëž€ìž^
ëšžìŸìš€ê²œ ë©ë^ë<æ.

ê,€ë",ëì¬ ê,°í~_ëïœ ëœ ë²©ëì,, ëšœë"œë æë©', ë<æìœê³¼ ê°™ì' í•~ì<œì~æ:

- ìæ,,ì~ ì<œìž'ì- ìž...ë Ÿ í-ì,,_ëŸ¼ ìœ,,ì¹í•~ì<œì~æ.
- ë³,,í'œëŸ¼ ìž...ë Ÿí•~ì<œì~æ.
- í•ë²©ì~ ì...ìšæíš,ëŸ¼ ìž...ë Ÿí•~ì<œì~æ.
- ì-í,,_ëŸ¼ ë^,,ëŸ'ì<œì~æ.

ì~ì œ :

- ì €ëš" ì' ìx,, ì' ìžì— è³,, í'œë¼ ìž...ë ¥í• ì'€ìšmë^è<κ.
- ê·ë|—ê³ ë' è²^ìš, ìx,, ì—ë,,
- ê·ë|—ê³ ì,, è²^ìš, ìx,, ì—ë,,
- è³ ì'œë<κì'œì"¼ ìx,, è"κì' èšžì¶"ì , ìž^ìšmë^è<κ.

è²^ì' , ê°€ èšxê²"ìš,, èª©ëì èšœë"æê , °

ìfκí" , í'œì<œ (#) ìx,, ì'žì— ìž...ë ¥í• ì'è©' , í'œì'œëš" ì'«ìžì— è²^ì' , è¼¼ è¶€ì— ì'ì'è³ ìœ€ì , ì— ì—è°±ìœ¼èìœè¶€ì' , ° è"κì— ì'°è , °è¼¼ í'•œè^è<κ. í'èª©ì' ì...ìšκìš, èš" ìœ ìš€ë~èš" è"κì— ì'°è , °èìœ ì,,œì<ì š©ì' èœè^è<κ, ê·ëÿ—è-€èìœ è' è²^ìš, è° ì¶"ì>, ì' ìx,, è"κì€ è"κì— ì'°è , ° è~è©° ì²« è²^ìš, ìx,, è³¼ è, ~èž€ìž^ èšžì¶"ìš€è²œ èœè^è<κ.

è²^ì' , ê°€ èšxê²"ìš,, èª©ëì, èšœë"œè xè©' è<κìœè³¼ è°™ì' í'•ì<œì'x:

1. ìž...ë ¥ í—ì , í' , °è¼¼ ìx,, ì' ì'œìž'ì— ìœ,, ì'ì'•ì<œì'x.
2. ìfκí" , í'œì<œè¼¼ ìž...ë ¥í• ì'ì<œì'x. í'œ'è , °èš" ìì , ìžè™ìœ¼èìœ ìœè³μì'•œè^è<κ.
3. í'èª©ì' ì...ìšκì€ ìž...ë ¥í• ì'ì<œì'x.
4. è<κìœ ìx' í'•è , ~è¼¼ í'•ì<œì'x:
 1. è³,, ì† í'èª©ì, ìž...ë ¥í• ì'è xè©' , ì—"í' , °è¼¼ í'œ è²^ è^ , è¥'è³ ìœ,, ì' 2 è<"è³ , èìœ è°€ì< ì<œì'x.
 2. èª"è³© ìž...ë ¥ì , èœ^ì¶"è xè©' , ì—"í' , °è¼¼ è' è²^ è^ , è¥'ì<œì'x.

ìž ì'ìš€ì— è²^ì' , ê°€ èšxê²"ìš,, èª©ëì í'œ è°œ ì'ìž ì'ì , è²½ìš° , í'èª©è"κì€ è°è , ° è³ , °èœèìœ è²^ì' , ê°€ èšxê²"ìš'è^è<κ.

ìx'ì²©èœ èª©ëì èšœë"æê , °

ìx'ì²©èœ èª©ëì ì€ è , €è" , è|— è , °í' , í'ì€ è²^ì' , ê°€ èšxê²"ìš,, èª©ëìœ¼èìœì' í'œ è<"è³ , ì'ìfì , è°€ìš€è³ ìž^ìšmë^è<κ - ì'èš" , ì—è-x í'èª©è"κì€ "í'•ìœ,, -í'èª©"ì , è°€ìš€è³ ìž^è<κèš" è²fìž...è^è<κ. ìx'ì²©èœ èª©ëì , èšœë"œè xè©' , è<κìœ ì'^ì œì—ì , œ è³ ì— ìš,, è²fì~èÿ¼ , ìx,, ì<œìž'ì— è³ , í'œ(è , €è" , è|— è , °í' , èìœ èœ èª©ëì)è , ~ìfκí" , (è²^ì' , èìœ èœ èª©ëì)è¼¼ è' è°œ í'ì€ è , ì'ìfì , ìž...ë ¥í• ì'ì<œì'x:

- *Level 1 (è , €è" , è|— è , °í' , èìœ èœ èª©ëì)
- **Level 2 (è , €è" , è|— è , °í' , èìœ èœ èª©ëì)
- ***Level 3 (è , €è" , è|— è , °í' , èìœ èœ èª©ëì)

- #Level 1 (è²^ì' , èšxê²"ìš,, èª©ëì)
- ##Level 2 (è²^ì' , èšxê²"ìš,, èª©ëì)
- ###Level 3 (è²^ì' , èšxê²"ìš,, èª©ëì)

Creating an Outline Numbered List

You can add some custom CSS to a page by using the (PluginHTML|HTML Plugin).

```
{HTML()}<style type="text/css">
ol {
list-style-type: decimal;
```

```
}  
ol ol {  
list-style-type: lower-alpha;  
}  
ol ol ol {  
list-style-type: lower-roman;  
}  
</style>  
{HTML}
```

The following

!!!Outline numbered list

Level 1

Level 1 a

Level 2

Level 2 a

Level 2 b

Level 2 b i

Level 2 b ii

Level 3

Level 3 a

> 1. Level 1

>> a. Level 1 a

> 2. Level 2

>> a. Level 2 a

>> a. Level 2 b

>>> i. Level 2 b i

>>> ii. Level 2 b ii

> 3. Level 3

>> a. Level 3 a

Bullet list example:

- This is a Level 1 item.
- This is another Level 1 item
 - This is a Level 2 item.
- Yet another Level 1 item.
 - This is a Level 2 item.
 - Sub-items can have their own sub-items! This is Level 3.
- Back to Level 1.

👉 In a bulleted list, you can create additional sub-levels beyond the third level, but Tiki doesn't use distinctive bullets beyond Level 3.

Numbered list example:

Here's a numbered list with nested levels:

1. This is a Level 1 item.
2. This is another Level 1 item
 1. This is a Level 2 item.
3. Yet another Level 1 item.
 1. This is a Level 2 item.
 2. Another Level 2 item. Note the numbering.
 1. Sub-items can have their own sub-items! This is Level 3.
4. Back to Level 1.

👉 You can create deeper levels of nesting, but doing so might prove confusing to your readers.

Combined Bullet and Numbered list example:

Syntax:

```
*Level 1 (bulleted list) **Level 2 (bulleted list) ###Level 3 (numbered list) ###Level 3  
(numbered list) **Level 2 (bulleted list) ***Level 3 (bulleted list) #Level 1 (numbered list)  
**Level 2 (bulleted list) ##Level 2 (numbered list) ##Level 2 (numbered list)
```

Result:

- Level 1 (bulleted list)
 - Level 2 (bulleted list)
 1. Level 3 (numbered list)
 2. Level 3 (numbered list)
 - Level 2 (bulleted list)
 - Level 3 (bulleted list)
1. Level 1 (numbered list)
 - Level 2 (bulleted list)
 1. Level 2 (numbered list)
 2. Level 2 (numbered list)

Adding Hidden Details

An expandable area allows you to display the major items in your list by default. Every item is still there, but it needs to be expanded to become visible. An expandable area is created by adding a minus - character after the star * characters.

ëä©ì°¨ ëä©ëi ìfi,,±í•~ê,°

í,,ìž¬ ìœ,,í,æ íž~ì`ìš€ì~ í—æ¨©ì— ê,°ë°í•~ì—¬ ëä©ì°¨¨ë¼¼ ìžē™ìœ¼ëiœ ìfi,,±í•~ë æë©´ {maketoc} í”œëÿ¬ê,ì,, ì,¬ìš©.

ì^ë¼¼ ë“æë©´, ë³, íž~ì`ìš€ì—ì,,œ {maketoc} ìš, ì,¬ìš©í•~ë©´ ë<æìœì~ ê²°ê³¼ë¼¼ ë¶^ëÿ¬ì~´:

Table of contents

- ëä©ëi ìœ,,í,æ¬,ë²•
 - ë¹ ë¼, ì°,ìì°
 - ê,€¨,ëì¬ ê,°í~,ëiœëœ ëä©ëi ëšœë“æê,°
 - ë²^í~,ê°€ ëšæê²”ìš,, ëä©ëi ëšœë“æê,°
 - ìæ¹²©ëœ ëä©ëi ëšœë“æê,°
 - [Creating an Outline Numbered List](#)
 - [Bullet list example:](#)
 - [Numbered list example:](#)
 - [Combined Bullet and Numbered list example:](#)
 - [Adding Hidden Details](#)
 - [Text Continuation](#)
 - ì•ì~ ëä©ëi ìfi,,±í•~ê,°
 - ëä©ì°¨¨ ëä©ëi ìfi,,±í•~ê,°
 - ì£¼ì~

ëä©ì°¨¨ ëä©ëiì,, ì,¬ìš©ìž ìš€ì•í•~ë æë©´ ë<æìœì,, ìfi,¬í•ì,, ì,¬ìš©í• ì^~ ìž~ìšµë<^ë<æ:

ì,, ìfi,¬í•	ì,,æëä...	ìœ ìš¨ê°'
type (ìœ í•)	ê³¼ê±° ë¬,ë²•ê³¼ì~ í~,í™~ì,,±ì,, ìœ,,í•¨: {maketoc:box} . ì,, ìfi .	box
maxdepth (ìµœëœ€ê¹šì´)	ëä©ëiì— í¬í•¨í• í—æ¨© ë<ê³,,ì~ ì^~ë¼¼ ì•ì~. 0 ì, ê²½ìš°, í—æ¨© ì,,)²´ ê°€ í¬í•¨ë¨. ê,°ë³, = 0	ì^«ìž
title (ì œëä©)	ëä©ì°¨¨ ì œëä© (í—æ¨©). ì œëä©ì´ ì¬†ëš¨ ê²½ìš°, title ="" ì,, ì,¬ìš©í•~ì<œì~æ. ê,°ë³, = Table of Contents ì£¼ì~: title ì€ ë²^ì—ì´ ì,¬ìš©ê°€ëš¼í•œ ê²½ìš°, ë²^ì—ì´ ë ê²fiž...ë<^ë<æ. 1.9.10 ë²,,ì,,ì—ì,,œ ë,,ìž...ë¨	ì^«ìžì™€ ì•œíœœë²³
showhide (íœèìœ ë° ê°ì¶æ)	ëä©ì°¨¨ ëší¬ë¼¼ ì´ê,° (ìì%, ì^¨ê,°ê,°)ë¼¼ í•~ëš¨ ëší¬ë¼¼ ìfi,,±. ê,°ë³, = N	Y í~¹€ N
nolinks (ëší¬ì—†ìœ)	ëší¬ì—†ì´ ëä©ì°¨¨ë¼¼ ìfi,,±. ê,°ë³, = n (ëší¬ë“æì´ ìfi,,±ë ê²fiž...ë<^ë<æ).	Y í~¹€ N

ì,, ífi,-í•	ì,,æëª...	ìœ íš"ê°'
nums (î^«ìž)	ëª©ì°" ë, 'ë¶¶ì~ í•ëª©ë"æì' ë²^í~ ,ê°€ ë§æê²"ì ,ì•¼í•~ëš" ì§€ ì—¬ë¶¶ë¼¼ ì§€ì •. ê, °ë³, = n (î^«ìž ëœ€ì< ê, €ë" ,ë ¬ ê, °í~ ,ë¼¼ ì,¬ìš©).	Y, N, Force (Y ì™€ ë™ì¼)

Unable to load the jQuery Sortable Tables feature.

ì£¼ì~

{maketoc:box} ì€ ê³,,ì,µêµ¬ìì°ë¼¼ ìæ€ì^~í•~ì§€ ì•šëš" ëª©ì°"ë¼¼ ìfi,,±í•©ë<^ë<æ.

ì~^ì œ:

'index

[Show/Hide](#)