

Translation of this page is incomplete.

½ "ë" © Ÿí• Ÿí• ~ ê, °

ì, ì½"ë"© ìœë, ~ë|¬ì~¤

Í~íš€ë§Œ, MySQL ì€ ë³’ë~~æ~~, ~ì€ íš”íœ”í,,±í,, íœ,,í•~í—í ë~~æ~~¥, í,í½”ë”©í,, í,¬íš©í~ëŠ” ê²fi,,
í~íš©í~ë~~æ~~. ê³¹/₄é±°í—ëŠ”, í°í,íœ°€ MySQL ì—é²Œ í œé³µí~ëŠ” ì»í...í,, í—ëŒ€í~í—í
íž~ë¤»ëœ í•ë³’ë¥¼ í œé³µí~í~íšµë~~æ~~. ë~~æ~~í—í•œ ê²ºê³¹/₄é°€ í~íž~ë~í~íšµë~~æ~~.

UTF-8 ï, ñ ö i €

Latin ï, ñ, ö, €

ëšžì€ ê²½ìš°, MySQL ì` ì»"í...ì, ë¥¼ êŒ€ë¶€ë¶, ì~, œìœ ëÝ½ ì_,-) - ' - ì ì ^í•œ ì,)½"ë"©ì, latin1 ìœ¼ëiœ ë°>ì•, "ì"é³ ì €ìž¥í~ë, "ëi ì, ì" •ë~ì - ^ìŠmuë<ë<ì. ì`ëÝ-í•œ ì, "ì" • í~ì - ì, œëŠ" ì<í, ì"œ°€ ì, "ë"© ' - ì, œëŠ" ì œëŒ€ëiœ ìž"ë™ ì-^ìŠmuë<ë<ì, í~ì§€ëšŒ, ë<ìŒê³¼ ê°™ ì€ ë¶€ìž"ìš©ì' ìž") - ^ìŠmuë<ë<ì;

- í[°]í, æ— ï[~]í•[~]í—→ ì €ìž¥ëœ ë[°]í[°]í,,[°]ë¥^{1/4} phpMyAdminê^{3 1/4} ê[°]TM ì€ ë<æë¥, ï[~]íš©í”,,ëíœê·,ëž[~]í—ì,œ ì¶”í¶œí·~ëŠ” ê²fi’ ï[~]íjí·~ê²Œ ì,[~]í½”ë“œëœ ì[~]ëí,,[°]ë“æí’ ë[°]œëfí·~ê²Œ ë[~]í—~ê<æ.
 - ë[°]í[°]í,,[°]ë² ï[~]íSæë¥^{1/4} ë<æë¥, ì,,œë²,ëíœ ï[~]ëTM í•~ëŠ” ê²fi’ ï[~]í, ií[~]~í§€ ë[~]»í•œ ì[~]æë¥~ë¥^{1/4} ì[~]í^{1/4}ê, [°]í[~]í~ë<æ.
 - ë[~]©í[~]í—~í[~]œí,,œë¥^{1/4} ë¶€í—~í[~]ëŠ” ê²fi’ ë[~]í[~]ìž[~]íœ,,í[~]ë^{Y^{1/4}} ë³’ ì[~]€ë<æ.

ë€€ë¶€ë¶..)~ ê³ùìø ÿ ŠgíŒ...)-øëš" ï.ëì'Š ê'€ë!-ìžêº€ ÿøë².. ìf~ ê°ë³ ÿ-°ê²º

ì, ì½"ë"©— ëŒ€í•~ì— ì œì- ‘ê¶Œì’ ì— ìŠµë<^ë<¤. ì—°ê²° ì, ì½"ë"©ì€ latin1 ìœ½ëiœ ì, —ìš©ë~ê³
ìžì,, ì~ë,, ìžìŠµë<^ë<¤. í•ìš€ëšŒ, ë°ì‘í,, °ë² ì’ìŠxë¥¼ ìfi,,±í• ë•Œ, ì, —ì‘íS, ê‘ë!—ìžëS” ahems
djsdjfmf wldnjsgkrl dnlgkdu ë°ì‘í,, °ë² ì’ìŠxë¥¼ UTF-8 ìœ½ëiœ ëšŒë“¤ë²Œ ë©ë<^ë<¤.

ì’ ëŶ—í•œ ì,,¤ì •ì€ ê, °ê’ ìŠxëŶ—ìš’ ìš”ê³½ë¥¼ ë, °ë²Œ ë~ì— ìŠµë<^ë<¤. í°í,¤ê°€ UTF-8 ë°ì‘í,, °ë¥¼
ì, ìti• ë•Œ, MySQL ì€ ì’ê²fi’ latin1 ì’ë½ê³ ë°ì•, “¤ì‘ëS” ê²fiž...ë<^ë<¤. ë°ì‘í,, °ë² ì’ìŠxê°€ UTF-8
ì, ìš”ì²í•~ì~ëê, °ë•Œë—, ì—, ë³€í™~ì, ìœë,,í•~ê³ ì’ìš’ìœ½ëiœ ì, ì½"ë"œëœ UTF-8 ì, ì•½ê, °í•~ê²Œ
ë~ì— ìŠµë<^ë<¤.

í~, ìœ ì’ëŶ—í•œ ê²°ë³½ëS” latin ì, —ëi€í™€ ëš¤ìš° ìœ ì, —í•~ê²Œ ë~ì— ìŠµë<^ë<¤.

ì•ë³’ ì†ì<¤

ëšŒì•½ ì,,œë²,,ê°€ ê, °ë³, ì ìœ½ëiœ UTF-8 ì—°ê²ì,, ë°>ë, ëi ì,,¤ì •ë~ì— ^ê³ ë°ì‘í,, °ë² ì’ìŠxê°€
latin1ìœ½ëiœ ìfi,,±ë~ì— ^ë<¤ë©’, í°í,¤ëS” ì~—ë°”ë¥’ë²Œ UTF-8 ë°ì‘í,, °ë¥¼ ë³’ë, ¼ ê²fi’ê³ MySQL
ì€ ê, °ë¥¼ ì, ì~ë• ë²fiž...ë<^ë<¤. í•~ìš€ëšŒ ì ìž¥í• ìœë°,,í’ ë~ì— ì,, ë•Œ, ë°ì‘í,, °ëS” latin1 ìœ½ëiœ
ë³€í™~ë ë²fiž...ë<^ë<¤. UTF-8 ì’ ê, °if€ ì, ì½"ë"© ì¢...ë¥~ë³’ë<¤ ë”ëšZì€ ìøë!í,, °ë¥¼ ë³’ìœ ì· ì~
ìž~ê, °ë•Œë—, ì—, ì•Œë ìñ€ìñ€ ã...‡ë, ³ì€ ìøë!í,, °ëS” ? ìœìœ ì~ì€ ë<¤ë¥, ì•Œë ìñ€ìñ€ ì•Sì€ ìøë!í,,
°ëiœ ë³€í™~ë~ì— ìŠµë<^ë<¤.

ë°ì‘í,, °ë² ì’ìŠx ì, ì½"ë"©— ì~í•~ì— ìš€ì>ë~ìš€ ì•SëS” ë¹,,ìš€ì> ì-, ì-’ ì™, ì—ëS”, ë~”ë” ê, °ëS¥ì€
í°í,¤ì— ì,,œ ì~—ë°”ë¥’ë²Œ ìž’ë™í• ë²fiž...ë<^ë<¤.

ë³€ê²½ë, ‘ì—

Tiki5 ì—ì,,œ ì’ëŶ—í•œ ë—, ì œì ë“¤ì,, ì•’ê²°í•~ë ì—^ê³, ë¶€ë¶,, ì ìœ½ëiœëS” ìœíŒ”í•œ ìœë,, ì’í,,
Tiki51 ì—ì,,œ ë”ëšZì€ ì,, ìfi,, ì•ì’ ì¶”ë°€ë~ì— ìŠµë<^ë<¤.

ì’ ì,,~ì—ì,,œëS” 5.1 ëiœì~ ì—...ê, ,ë ~ì’ë”œë°€ ê•€í•~ì~ ì,,¤ì~ì— ì—ë—¤ ì~í~¥ì,, ë~, ì~ ìš€
ì,,¤ë~...í•©ë<^ë<¤.

2.x, 3.x ì~ì€ 4.x ì—ì,,œ ì—...ê, ,ë ~ì’ë”œí•~ê, °

ì’ ì,, °ë²,, ì „ë“¤ì—ì,,œ ì°í,¤ëS” ë°ì‘í,, °ë°€ ë³€ì§~ë~ëS” ê²fi,, ì”½í•~ê, ° ìœ,,í•~ì— ì,,¤ì~ëœ
ê, ,ëŒ€ëiœ ê³, ìt ìž’ë™í• ë²fiž...ë<^ë<¤.

ì, ì½"ë"© ë—, ì œë¥¼ ì~ì•~ëS” ê²fi€ ì~ë™ ê°œìž...ì,, ì•, ìš”ëiœ ì• ë²fiž...ë<^ë<¤. í°í,¤
ì,,¤ì~ê, ‘ëë!—ìž—ëS” ë³€í™~ì,, ìš€ì~ì•~ê, ° ìœ,,í•œ ë,,êµ—ê°€ ìž’ìŠµë<^ë<¤. í~ìš€ëšŒ, ë,,êµ—ë“¤ì,,
ì, —ìš©í•~ê, ° ì,, ì— ìœëç°í• ì~ìž’ëS” ë°±ì—...ì,, ì•’ë~ì...”ì•½ ì•©ë<^ë<¤. ë°ì‘í,, °ë, ë³’ë, ‘ê, °,
ëëí,, ìŒŒì¼ ì~ì•~ê, °, ê, ,ë¥¼ ë<¤ìœ ë¶~ëŶ—ì~¤ë, ° ë”±ì’ ê‘€ë “ë~ëS” ë<¤ë¥, ë°©ìœ,, ì, —ìš©ë
ì~ìž’ìŠµë<^ë<¤.

ë°ì‘í,, ° ì†ìœ,, ì”½í•~ê, ° ìœ,,í•~ì—, ì...Œì’ë, ”ì’ UTF-8 ì,, ì, —ìš©í•~ê³ ìž’ë<¤ëS” ê²fi,, ì™ ì, ì•~ì...”ì•½
ì•©ë<^ë<¤. ì’ëS” ì,,¤ì~í,, ëiœê, ,ëž~ì~ ì,,¤ì~ì—...ê, ,ë ~ì’ë”œ ìž’ììš€ì—ì,,œ ì§,,í~%oí• ì~
ìž’ìŠµë<^ë<¤.

ì’ìš’ì, ì½"ë"©ì,, ì, ì œí•~ëS” ê²fi€ Enter Your Tiki ì—ì,,œ ì§,,í~%oê°€ëS¥í•©ë<^ë<¤. ì’ëS” ì’ë½ì~ì-, ìS,,
ìøë!í,, ìS, ,ë¥¼ UTF-8 ëiœ ê°•ì œëiœ ì,,¤ì •í•~ëS” ê²fi’ ì•, ìš”í•©ë<^ë<¤.

ë<¤ìŒì— ì,,¤ë~...ëœ ë<^ë³, ,ë¥¼ ë”°ë½ì,,œ ì§,,í~%oí•~ì— ì£½ìœì~¤:

http://doc.tiki.org/Upgrade#Fix_the_encoding_issue

5.0 installations

In default 5.0 installations and upgrades, the connection character set was specified automatically in the configuration file.

New 5.0 installations correctly specified the connection encoding and will lead to either the UTF-8 case or the information loss case.

Upgraded 5.0 installations will lead to different results. However, the upgrade procedure to 5.1 does not impact the changes that were made at that time. Some administrator judgment is advised if encoding issues appear. The client character set can be altered in the configuration file. Contact the developer [mailing list](#) if support is required.

New 5.1 installations

New 5.1 installations will specify the connection encoding to UTF-8 by default. If the database is not in UTF-8, this will lead to information loss. The installer will propose that you convert your database to UTF-8.

If you have no control over the database encoding and still need to use non-latin characters (ex.: Arabic) , it is best not to force the connection encoding to UTF-8 or to set it as the same encoding as the database itself. It will lead to the latin case, which comes with certain downfalls, but still allow for multiple languages to be used on a single site.

If you can control your database encoding

Pre-Tiki6, make sure to set your MySQL (via PhpMyAdmin for example) so that new tables are also created in UTF-8. In general, for your databases, look for "MySQL connection collation:" and if it's at latin_1, change it to utf8_general_ci. (Generally, this is already the case in typical shared hosting)

Then, in PhpMyAdmin, go to the database you'll be using your Tiki in Server: localhost -> Database: tiki -> Operations -> Collation, and also change from latin_1 to utf8_general_ci before running the installer. (Generally, this needs to be changed in typical shared hosting)

This is the equivalent of the following MySQL statement:

```
ALTER DATABASE DEFAULT CHARACTER SET utf8 COLLATE utf8_general_ci;
```

Tiki 5.2 or 5.3

If you have file upload issues (just upload an image and you will see if it works or not), you can solve by

- applying revision [30522](#), which fixes it (and will be 5.4)

If you can't do that, you can try to

- add \$api_tiki='adodb'; to your db/local.php,

and/or not forcing utf8

In db/local.php

```
$client_charset='utf8';
```

Now commented out

```
// $client_charset='utf8';
```

Tiki 5.4

On a fresh install, Tiki5.4 will by default set the tables to be UTF-8 and commit 30522 will be present.

Tiki6

On a fresh install, Tiki6 will by default set the tables to be UTF-8.

ì,ì½"ë"© ë¬,ì œë¥¼ í• 'ê²ºí•~ê,° ìœ,,í•œ ë<ºê³,,ë³,, ì ^íº..

http://doc.tiki.org/Upgrade#Fix_the_encoding_issue è¥¼ ì,íŽ'ë³'ì<œì~¤.

ìº,ìiº

ë<¤ì—ì,,œëŠ" ì,ì½"ë"© ë¬,ì œë¥¼ ì¬ì,µì ìœ¼ëiœ ë<¤ë"ê³ ìž`ìœ¼ë©° ë°ì'í,,°ë¥¼ if^ UTF8
ìœ¼ëiœ ì,ì½"ë"œëœ ë°ì'í,,°ë² ì`ìŠ¤ëiœ ë¶^ëÝ¬ì~¤ê,°ë¥¼ í•œ í„,, ë¬,ì œë¥¼ ì,,±ê³µì ìœ¼ëiœ
í• 'ê²ºí•~ëŠ" ë°©ë²•ì,, ì¤ë¤...í• ©ë<^ë<¤.

[Getting out of MySQL Character Set Hell](#)