

Param	Values	Defaults	Req ?	Explanation	Since
sort	<p>ē, žī— (columnName_asc í~¹€ columnName_desc ì—→ē, °ì,,œ columnName ì€ ì—´ ì´ē!,, (created, publishDate, title....) í~¹€ ē—îž´œ,,</p>			column asc í~¹€ desc ēiœ ì •ē —	1.10
order	<p>ì~¹š ëš%œ€€ê, °ëiœ êμ—ë¶,,ëœ ê, °ì,—ID</p>			<p>ê, °ì,—ê°€ ëšæê°œë³€ì^~ì~ ì^œì,,œë€€ëiœ íž~ì¹š€ ë, ´ë¶€ì—ì,,œ í^œì<œë~ëš" ê²¹/₂ìš°, ëª©ëì~ ìfë<~ì— ê, °ì,—ë¼¼ et"ê²€ë"</p>	9.0
articleId	<p>ì~¹š ëšê°œëì—ê³ êμ—ë¶,,ëœ ê, °ì,—ID</p>			<p>ì'ëÿ—í•œ ê, °ì,—ID ë"æš€ì,, í^œì<œí•" - ë<æë¼, í•,,í°, ì—ì<œ ìš©ë"</p>	9.0
notArticleId	<p>ì~¹š ëš%œ€€ê, °ëiœ êμ—ë¶,,ëœ ê, °ì,—ID</p>			<p>ì'ëÿ—í•œ ê, °ì,—ID ë"æì,, í^œì<œí•~¹š€ ì•šì€</p>	9.0
start	<p>ì^<ìž</p>			<p>ëª©ëì´ ì´ ê, °ì,— ë²^í~ ,ë¶€í,, ° ì<œìž´ë"</p>	5.0
fullbody	<p>y í~¹€ n</p>			<p>y í~¹€ n ëiœ ìš€ì •í•~ë©° ê, °ì,— ì,,ì²´ê°€ í^œì<œë~ëš"ìš€ ì•,,ê<^ë©´ í—æë"ì™€ ì œëª©ëš€ì,, í^œì<œë~ëš"ìš€ ì—→ë¶€ë¼¼ ìš€ì •í•"</p>	5.0
dateStart, dateEnd	<p>ë, ìšœ</p>			<p>YYYY-MM-DD ì,,œì<ì,, ì,—ìš©í•~ì—→, ê°œì œ ë, ìšœê°€ dateStart ë³´ë<æ í—ê±°ë,~ dateEnd ë³´ë<æ ìž´ê±°ë,~ ê°™ ì€ ê, °ì,—ë"æì´ í—í•"ë"</p>	5.0

Param	Values	Defaults	Req ?	Explanation	Since
overrideDates	y í~¹ì€ n			<p>ì´ëš" y ëioe ì,,xì •ë~ëš" ê²fi´ ìç<ìœ¼ë©°, ê·, ì´ìœ ëš" ìœ í• ëšxê°œë³€ì^~ "Show before publish date" í~¹ì€ "Show after expire date" ê°€ ì ì´í•œ ê·,òì,-ëioe ì,,xì •ë~ìš€ ì•šì€ ê²½ìš°ì-ë,, ì-¬ì „íž^ ê·,òì,-ë"xì´ ê°œì œ í~¹ì€ ëšœê°,ë, ìšœ ìì°ê±´ì~ 'ë°"ê¹¥ì²½'ì¼ ê°€ëš¥ì,,±ì´ ìž^ëš" dateStart ë° dateEnd ê°'ë"xì,, ì,-ìš©í•~ì-¬ ì¶"ì¶œë ì^~ ìž^ë<x.</p>	5.0
containerClass	í...ìšxíš,			<p>ê²°ê³¼ë¬¼ í°œì<œì- ìšxíš€ì¼ì,, ê·œì •ìš"ê°,° ìœ,,í•~ì-¬ ì,-ìš©ëœ css í´ëž~ìšx ìšxíš€ì¼ì,, ìš€ì •í•~ëš" í...ìšxíš,</p>	5.0
largefirstimage	y í~¹ì€ n			<p>y ì¼ ê²½ìš°, ì²«ë²^ìš, ê·,ë¼ì´ ê·,òì,- ë³´ê°,°ë¥¼ ìœ,,í•~ì-¬ ì,-ìš©ëœ ê·œê²©ìœ¼ëioe í°œì<œë"</p>	6.0
urlparam	url ëšxê°œë³€ì^~			<p>tiki-read_articles.php ëioe ì¶"ê°€í• ë¶€ê°€ì ëšxê°œë³€ì^~ (ì~^: from=y)</p>	6.0

Param	Values	Defaults	Req ?	Explanation	Since
actions	y í~¹i€ n	y		<p>ê¶¶í•œè´ ì ì ^í•œ ê²½ìš°, í•œì•œëœ ê° ê, °ì, -ì— ì^~í-%oí• ìž'ì—...ì,, í• ëší-ì™€ ë²,,íš¼ì,, í•œê, °í•~ê, ° ìœ,,í•œ ë³€ì^~. 'n'ìœ¼ëiœ ì,,xì •ë~ë©´, 'ëœ"ê, € ì¶"ê°€' ëiœì~ ëší-ê°€ ë³'ì—-ìš€ìš€ ì•šì,, ê²fí'ë©°, ê, °ì, -ë¼¼ ìž, ìš'í• ë²,,íš¼ ë~í•œ í•œì•œë~ìš€ ì•šì,, ê²fìž,, ê, °í€.</p>	6.1
usePagination	y í~¹i€ n	n		<p>ê, °ì, - ë, ~ì— ì~ ê, , ì'ê°€ ê, , ê²½ìš° ìž~ì'ìš€ëšxê¹€ ê, °ëš¼ì,, í™œì,,±í™"</p>	
Maximum Displayed	ìš·ìš€			<p>ë³©ëìì— í•œì•œë ê, °ì, -ì~ ì^~ (ê, °ë³, ìœ¼ëiœ ìµœëœê°' ì,,xì •ë~ìš€ ì•šìœ). Pagination ì´ y (Yes) ëiœ ì,,xì •ëœ ê²½ìš°, ì'ëš" ìž~ì'ìš€ë<¹ ê, °ì, - ì^~ë¼¼ ê²°ì •í•. ì'ëš" Use Pagination ê°€ í™œì,,±í™"ëœ ê²½ìš° í•,,ìš"í•.</p>	

