

Drop Down Tracker Field

This tracker field allows you to create a drop down list of values.

Put the values you want listed in a comma delimited list. Note: Do not leave spaces between the comma delimited items.

- Ex:Yes,No,Maybe **correct**
- Ex:Yes, No, Maybe **incorrect**

Tiki > 1.9.7: If you repeat a value, this value will be used as the default value and will be pre-populated in your tracker form. In the example below, there are four different values for the dropdown with "1-2" as the default value.



If the field is optional, an empty value will be automatically added at the top of the values.

The options are automatically translated . See Interface translation (old) to know how to add a translation.

Note that each value must be unique. IE: it is not possible to do

0=false,1=true,1=almost true,0=almost false

Drop Down with other value

tiki>=1.9.7

The field works as the Drop Down field, except that it proposes a text field to enter an alternative value

Radio Tracker Field

tiki >= 2.0

The field works like a drop down field but displays a radio choice.

If you repeat a value, this value will be used as the default value and will be pre-populated in your tracker form.



If the first value of the option is the string '

', each option display will be on a different line - otherwise they will be on the same line (tiki>=2.1)

Sample with default selected value and label

y=yes,y=yes,n=no

Multilingual

Each option in all the fields are translated before being displayed. See [Multilingual trackers](#).

Sample with default selected value and label in non-latin language

y=יכ,y=יכ,n=אל

Very long lists

For very long lists, you can use [Items List](#) and [Item Link Tracker Fields](#)

Alias

- [Drop Down / Radio Tracker Field](#)